

June 19-1924

Warm

F. Wright,  
Ed. Core.

54

Sidewalk at Bellecenter				Terrace	
	T.S.	H.L.	-S	Elev	
B.M.	3.76	103.76		100.00	↑
0+50			4.18	99.58	99.91
1+00			4.20	99.56	99.82
1+50			4.08	99.68	99.73
2+00			4.12	99.64	99.64
2+50			4.20	99.56	99.56
3+00			4.32	99.44	99.40
3+50			4.50	99.26	99.24
4+00			4.65	99.11	99.08
B.M.			4.26	99.50	
4+50			4.81	98.95	98.93
4+82			4.93	98.83	98.83
T.P.	3.20	102.03	4.93	98.83	
5+32			3.25	98.78	↑
5+50			3.33	98.70	98.75
6+00			3.48	98.55	98.60
6+50			3.61	98.42	98.46
7+00			3.76	98.27	98.32
7+50			3.95	98.08	98.18
8+00			4.05	97.98	98.02
8+45.6			4.15	97.88	97.88
8+95.6			4.15	97.88	97.80
9+00			4.14	97.89	97.89

St.

Assumed Elev. on Sidewalk at Center St.

Stakes from 0+00 to 2+50 placed same as sidewalk on S.W. side of street. This grade should be .18% as shown.

Cement Corner of Wood Shed 4+50

on sidewalk. East side of State St.

Washington St.

June - 19 - 1924

55

Warm

Sidewalk at Bellcenter Torrence

TS	H.L.	-S	Elev.	
9+50	102.03	4.04	97.99	98.03
10+00		3.85	98.18	98.17
10+50		3.91	98.32	98.31
T.P.	4.68 103.00	3.71	98.32	
11+00		4.50	98.50	98.44
11+50		4.29	98.71	98.58
12+00		4.25	98.75	98.72
12+50		4.08	98.92	98.86
13+00		2.01	100.99	99.00
13+50		1.86	101.14	99.14
B.M.		2.04	100.96	

Str

Hubs 2' High

Bottom Step J.W. Deff House

Wood Pile





Side walk at Bellcenter Torrance

See Book 501 Page 77  
for Survey 1933

100  
INDEXED ON MAP

June 19-1929.

56

