\* Mise GEAR

#### FUNDUM DESCRIPTION #1

Being situated in Lake Township, Logan County, Ohio, and being a part of V. M. S. 2873 and V. M. S. 5245.

Beginning at a iron at the intersection of the line between V. M. S. 5245 and V. M. S. 2873 and the center line of County Highway #231; thence with the center of County Highway #231 S 50 391 E 126.5 feet; thence N 890 441 W 114.2 feet to a iron passing through a iron at 25.1 feet; thence N 39º 29' W 130.0 feet to the center of State Route #39 passing through a iron at 100.0 feet; thence with the center of State N 50° 31' E 223.2 feet to a iron at the intersection with County Highway #231, passing through a iron at 43.7 feet, said iron is in the line between V. M. S. 5245 and V. M. S. 2873; thence with the center of County Highway #231 S 50 391 E 117.5 feet to the place of beginning.

Containing 0.21 of a acre in V. M. S. #2873 and 0.44 of a acre in V. M. S. #5245 making a total of 0.65 of a acre more or less.

INDEXED ON MAP

on Ships

nuisa

## FUNDUM DESCRIPTION #2

Being aituated in Lake Township, Logan County, Ohio, and being a part of V. M. S. #5245.

Beginning at a iron at the intersection of State Route and County Highway #246 (Dowell Ave.); thence with State Route #33 S 500 31' W 43.7 feet to the place of beginning for this description.

Thence S 39° 29° E 130.0 feet to a iron passing through a iron at 30.0 feet; thence S 50° 31° W 100.0 feet to a iron; thence N 39° 29° W 130.0 feet to the center of State Route#35 passing through a iron at 100.0 feet; thence with State Route #35 N 50° 31° E 100.0 feet to the place of beginning.

Containing 0.30 of a acre more or less.

orplat

3 815 ID-2

miss

# FUNDUM DESCRIPTION #3

Being situated in Lake Township, Logan County, Ohio, and being a part of V. M. S. #5245.

Beginning at a iron at the intersection of State Route and County Highway #246 (Dowell Avenue); thence with State Route #33 S 50° 31° W 143.7 feet to the place of beginning for this description.

Thence S 39° 29° E 130.0 feet to a iron passing through a iron at 30.0 feet; thence S 0° 04° E 73.1 feet to a wooden hub; thence N 89° 22° W 122.6 feet to a wooden hub; thence N 2° 42° E 145.5 feet to a nail in the center of State Route #33; thence with State Route #33 N 50° 31° E 42.8 feet to the place of beginning.

Containing 0.37 of a acre more or less.

3015) ID-3

ouglat

thouse mise

## FUNDUM DESCRIPTION 4

Being situated in Lake Township, Logan County, Ohio, and being a part of V. M. S. #5245.

Beginning at a iron at the intersection of the North Line of V. M. S. #5245 and the center line of County Highway #231 (Allison Ave.); thence S 5° 39° E 214.8 feet to the place of beginning for this description.

Thence with the center of County Highway #231 S 5° 39° E 100.0 feet to a iron; thence N 8° 36° W 334.8 feet to a iron passing through a iron at 25.1 feet; N 2° 42° E 50.0 feet to a wooden hub; thence S 89° 22° E 122.6 feet to a wooden hub; thence N 0° 04° W 50.0 feet to a iron; thence S 89° 27° E 200.0 feet to the place of beginning passing through a iron at 174.9 feet.

Containing 0.61 of a acre more or less.

3015 D-4

or Plat

Miss

## FUNDUM DESCRIPTION #5

Being situated in Lake Township, Logan County, Ohio, and being a part of V. M. S. #5245.

Beginning at a iron at the intersection of the North line of V. M. S. #5245 and the center line of County Highway #231 (Allison Avenue); thence with County Highway #231 S 50 391 E 126.5 feet to the place of beginning for this description.

Thence with County Highway #231 S 5° 39° E 88.3 feet; thence N 89° 27° W 200.0 feet to a iron passing through a iron at 25.1 feet; thence N 0° 04° W 23.1 feet to a iron; thence N 50° 31° E 100.0 feet to a iron; thence S 89° 44° E 114.2 feet to the place of beginning, passing through a iron at 89.1 feet.

Containing 0.32 of a acre more or less.

3015) ID-5 ... Qui

