OF COBC. WALK CHISELED + HOG 20 PIPE HOGED BUCCEHOSTA SEE OTIO DEADING NURVEY 1 TOUR P. STAWYER V.3.U. 4990 SCALE 1"- 20' 71917 900.00 Op Op [Z 00 0 800. OLYZIPL INDEXED ON MAP 3766 IP LY" PIPE H0620 12 PIPE HOUSE 0 52,00 04.00 PROPERTY 0.059 Ac. DEED YOU. 301 PG. 413 LIZITA DAL L. DOOVOL BELLEHOUTAIGH OFIO REG. SURVEYOR AZIO Br 19/0 YZ" PIPE 200 DAR 0.006 Ac. 44.50 1/2" PIPE HOGEO PAGE

í

The following described land in the City of Bellefontaine, Lake Township, Logan County, Ohio and being in V.M.S. 4990.

## North Tract

Beginning at the west side of Stanley Street and the south side of Sandusky Ave. Thence south with the west side of Stanley Street 98.00 feet to an iron.

Thence turning ninty degrees to the Keft and measuring west 44.50 feet to an iron.

Thence turning ninty degrees to the right and measuring north parellel to Stanley Street 86.60 feet to an iron at the south side of Sandusky Ave.

Thence with the south side of Sandusky Ave. Eastward 46.00 feet to the place of beginning.

The above described tract contains 0.09 of one acre and is off of the north end of a 0.16 acre tract now in the name of 0.B.Shawver.

## South Tract

Beginning at the west side of Stanley Street and the south side of Sandusky Ave. Thence south with the west side of Stanley Street 98.00 feet to an iron. Said iron being the \*\*tellow true beginning point of this survey.

Thence again south with the west side of Stanley Street 63.40 feet to an iron.

Thence turning minty degrees to the right and measuring west 44.50 feet to an iron.

Thence turning ninty degrees to the right and measuring \$25% north 63.40 feet to an iron.

Thence turning ninty degrees to the right and measuring east 44.50 feet to the place of beginning.

The above described tract contains 607 of one acre and is off of the south end of a 0.16 acre tract now in the name of 0.B. Shawver.

cc Logan County Engineer



(376G) 2D

INDEXED ON MAP

0, 18/2 + Book

DEARING SURVEY	· DODSON 7/1/72
Belle FOOTAINE	ACTIS . 08
Mail has the same of the same	
A = 1/2" PIPE FOUND 1.6" W. OF WOLK	
- the 40000 0.3 M. \$ 0.118 W.	
- V2" P. PE - USED 12" PIPE	40.
	D
- 1. TIPE TOURD 1.0, MOT FONCE	
_ C = Chiroled + or wolk tound	
D= 1/2" P.DE Tooms - 3/" p.pe T.d. 0.4'E.	
+ 11 11 11	100
	n 00
STELLA LAMBERT VOL 301/413	
Surveyed By F. F. W.	
	A4.48
5/8 BAR	Fonce apo
- 367	
	81 7 V 8 RR R
	3 5 4 4
∓ c. A	200
Exception in Deep Vol 301 96.413	<b>F</b> • • • • • • • • • • • • • • • • • • •
	44.48' A
INDEXEDON MAP	
3166	