RELID 1-15-98 SWY OKV

LESLIE H. GEESLIN

REGISTERED SURVEYOR 5248 P. O. BOX 274 RUSHSYLVANIA, OHIO 43347 TELEPHONE: (937) 468-2793

KRESS SURVEY

January 12, 1998

The following described real estate situated in the State of Ohio, County of Logan, Township of Lake, in the City of Bellefontaine, and more particularly described as follows:

Beginning at a 5/8 inch iron bar set in the north line of Chillicothe Avenue at the southwest corner of Carl Ray Thompson, et al's Pt. Lot 215 of the Plat of the Original Town of Bellefontaine, as shown in Plat Cabinet "A" Slide 1 and described in O. R. Vol. 21 Page 836.

Thence with the north line of said Chillicothe Ave. S. 89° 54' 09" W. 49.99 feet to a 5/8 inch iron bar set at the southeast corner of the Board of Logan County Commissioner's Pt. Lot 206 and 203 of the Plat of the Original Town of Bellefontaine as described in D. B. Vol. 397 page 615.

Thence with the east line of said Commissioner's tract and the east line of the Board of County Commissioners of Logan County, Ohio's Pt. Lots 190, 203 and 206 of the Plat of the Original Town of Bellefontaine as described in D. B. Vol. 386 page 991 (Tract I) N. 0° 02' 38" W. 149.21 feet to a 5/8 inch iron bar set in the south line of the Board of County Commissioners of Logan County, Ohio's Pt. Lots 203, 206 and 215 of the Plat of the Original Town of Bellefontaine as described in D. B. Vol. 386 Page 991 (Tract II).


Thence with the south line of said Tract II N. 89° 54' 23" E. 49.94 feet to a 5/8 inch iron bar set at said Thompson's northwest corner.

Thence with said Thompson's west line S. 0° 03' 37" E. 149.21 feet to the place of beginning.

Containing 0.171 acre more or less of which 0.127 acre is in Lot 206 and 0.044 acre is in Lot 215.

The above described 0.171 acre tract being a new survey of Connie Kress' Pt. Lot 206 and 215 of the of the Plat of the Original Town of Bellefontaine, as described in O. R. Vol. 220 Page 32.

Bearings are based on an assumed bearing (S. 89° 54' 09" W.) for the north line of Chillicothe Ave. in this field survey by Leslie H. Geeslin, Reg. Surveyor 5248 on January 12, 1998





OF LOGAIN COUNTY, OHIO PT. LOTS 203, 206 - 215 T. D.B. VOL. 386 PG. 991 TRACTIT N. 89°54'23"E. 49.94 BOARD OF COUNTY COMMISSIONERS OF LOGAN COUNTY OHIO PT. LOTS 190, 203, AND 206 49 TRACT 1 D. B. VOL. 386 PG. 991 BOARD OF LOGAN COUNTY COMMISSION ECS 215 7X15 107 3 0. 0 Ø KR 58954'09"H, 49.99 AVENUE CHILLICOTHE

BOARD OF COUNTY COMMISSIONERS


SCALE: 1"=30' 0 30' 60' 90'


> LEGEND! O = 5/8 INCH IRON BAR SET

SURVEY OF D.171 ACRE IN THE CITY OF BELLEFONTAINE, LAKE TOWNSHIP, LOGAN COUNTY, OHIO FOR KIM KRESS ON JANUARY 12, 1997



6380 P JESLIE H. GEESLIIN EUSHSYLVANIA, O (937) 468-2793





INDEXED ON MAP 4380 ZP-2 # 3-24-15

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

LINK CONSTRUCTION GROUP, INC. 0.075 ACRE TRACT A

Lying in the City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Link Construction Group, Inc., part of Lots 206 and 215 of the original plat of Bellefontaine (Plat Cabinet A, Slide 1) as deeded and described in Official Record 968, Page 647 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a 5/8 inch iron rod found on the intersection of the west right-of-way of Park Street and the south right-of-way of Court Avenue.

THENCE, with the south right-of-way of Court Avenue (16.5 feet wide), S 88°-00'-00"W, a distance of 320.21 feet to a railroad spike set at the TRUE POINT OF BEGINNING, passing a MAG nail set at 266.21 feet.

THENCE, S 02°-00'-31"E, a distance of 60.25 feet to a railroad spike set.

THENCE, with the lines of the Board of Commissioners of Logan County, Ohio, part of Lots 206 and 215 (Vol. 386, Pg. 991, Tract II), the following two courses:

S 87°-54'-37"W, a distance of 54.00 feet to a 5/8 inch iron rod set.

N 02°-00'-31"W, a distance of 60.33 feet to a point on the south right-of-way of Court Avenue, referenced by a MAG nail set bearing N 02°-00'-31"W, a distance of 1.00 feet.

THENCE, with the south right-of-way of Court Avenue, N 88°-00'-00"E, a distance of 54.00 feet to the point of beginning.

Containing 0.075 acre.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the south right-of-way of Court Avenue, being N 88°-00'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on February 11, 2015, revised March 16, 2015.

WILLIAM

K.

BRUCE

7437

ORIGINAL STAMP IN GREEN

Description prepared by:

William K. Bruce Professional Surveyor 7437

March 16, 2015

58710215REV



2-23-15

Lee Surveying and Mapping Co., Inc.



Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

LINK CONSTRUCTION GROUP, INC. 0.075 ACRE TRACT B

Lying in the City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Link Construction Group, Inc., part of Lot 215 of the original plat of Bellefontaine (Plat Cabinet A, Slide 1) as deeded and described in Official Record 968, Page 647 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a 5/8 inch iron rod found on the intersection of the west right-of-way of Park Street and the south right-of-way of Court Avenue.

THENCE, with the south right-of-way of Court Avenue (16.5 feet wide), S 88°-00'-00"W, a distance of 266.21 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, with the west right-of-way of a 16.5 feet wide alley, S 02°-00'-31"E, a distance of 60.16 feet to a railroad spike set.

THENCE, with a north line of the Board of Commissioners of Logan County, Ohio, part of Lot 215 (Vol. 386, Pg. 991, Tract II), S 87°-54'-37"W, a distance of 54.00 feet to a railroad spike set.

THENCE, N 02°-00'-31"W, a distance of 60.25 feet to a railroad spike set on the south right-of-way of Court Avenue.

THENCE, with the south right-of-way of Court Avenue, N 88°-00'-00"E, a distance of 54.00 feet to the point of beginning.

Containing 0.075 acre.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the south right-of-way of Court Avenue, being N 88°-00'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on February 11, 2015.

WILLIAM

K.

BRUCE

7437

SONAL SURVENIMENT

ORIGINAL STAMP IN GREEN

1/1 11

Description prepared by:

Professional Surveyor 7437

February 12, 2015

58710215

