The following described real estate situated in the Township of Lake, County of Logan, State of Chio and being located in Section 27, Town 4, Range 14, B.M.R.S. and being a part of A. P. Elmore's present 15.22 Acre tract as recorded in Deed Volume 214 Page 181 and being a part of Permanent Parcel No. 15-107-05-05-002 on the Logan County Auditor's Land Duplicate:

Beginning at an iron pipe found at the southeast corner to Lot No. 3794 of Southview Addition No. 2 to the City of Bellefontaine, Ohio and in the north line of Wren Avenue and being in the line between Sections 27 and 33 and also being the Corporation Line to said City;

Thence with the line between said Sections and Corporation Line and the east line of Lots 3794, 3795 and 3796, N. 0° 18' W. (Basis of Bearing) 147.50 feet to a 5/8" x 30" Rebar set on the northeast side of a large tree;

Thence S. 88° 27' E. 68.00 feet to a 5/8" x 30" Rebar set;

Thence S. 0° 18' E. 147.50 feet to a 5/8" x 30" Rebar set;

Thence N. 88° 27' W. 68.00 feet to the place of beginning, containing 10,025.64 square feet or 0.230 Acres, more or less.

I hereby certify that this is a true and accurate description of said tract and is prepared from an actual field surveymade by me on August 10, 1987.


DANIEL E.
GILBERT

6402

CURVEYOR

Daniel E. Gilbert, P.S. Reg. Sur. No. 5402 400 N. Park Street Bellefontabne, Chio 43311

INDEXED ON MAP



RECID 3:19-10 SUM OK

## Lee Surveying and Mapping Co., Inc.

Land Surveys · Topography · Subdivisions · Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

### ANDREW ROBERT ELMORE 14.841 ACRES

Lying in Section 27, Town 4, Range 14, Lake Township, Logan County, Ohio.

Being all of the Andrew Robert Elmore 15.017 acre tract as deeded and described in Official Record 396, Page 856, Exhibit B, Tract I and Tract II of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 2 inch iron pipe found on the west line of Section 27 on the southwest corner of Lot 3959 of Lake Heights Allotment No. 2 (Plat Cabinet A, Slide 341) on the east right-of-way of Forester Street and being a corner of the Bellefontaine Corporation Line.

THENCE, with the south line of the said Lake Heights Allotment No. 2 and the Bellefontaine Corporation Line, S 71°-49'-08"E, a distance of 415.03 feet to a 5/8 inch iron rod found.

THENCE, with the lines of the Sheryl Fuson Morris Trustee, original 14.68 acre tract (O.R. 935, Pg. 989, Tract II), the following three courses:

S 71°-56'-53"E, a distance of 456.86 feet to a 5/8 inch iron rod set.

S 13°-19'-00"W, a distance of 66.00 feet to a 5/8 inch iron rod set, passing railroad tie posts found at 0.42 feet and 65.58 feet.

S 03°-20'-59"W, a distance of 51.60 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the Larry L. Park, Trustee, original 65.82 acre tract (O.R. 453, Pg. 188, Parcel 2, Tract 2), S 04°-03'-45"W, a distance of 578.93 feet to a steel angle iron post found in concrete on a corner of the Bellefontaine Corporation Line and on the northeast corner of Jado Ville (Plat Cabinet A, Slide 713-A).

THENCE, with the Bellefontaine Corporation Line and the north line of Jado Ville, N 85°-37'-37"W, a distance of 807.50 feet to a steel angle iron post found in concrete on the west line of Section 27 and on the southeast corner of Southview Addition No. 2 (Plat Cabinet A, Slide 313).

THENCE, with the west line of Section 27 and the east line of Southview Addition No. 2 and Bellefontaine Corporation Line, N 02°-15'-53"E, a distance of 176.13 feet to a 5/8 inch iron rod set.

7671 27-1

# Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

THENCE, with the lines of the Ricky Salyer 0.230 acre tract (O.R. 820, Pg. 230), the following three courses:

S 85°-24'-57"E, a distance of 66.74 feet to a 5/8 inch iron rod found.

N 02°-35'-28"E, a distance of 147.50 feet to a 5/8 inch iron rod found.

N 85°-22'-31"W, a distance of 67.58 feet to a point on a large tree root on the west line of Section 27 and the east line of Southview Addition No. 2 and Bellefontaine Corporation Line, referenced by a 5/8 inch iron rod found bearing N 85°-22'-31"W, a distance of 0.59 feet.

THENCE, with the west line of Section 27 and the east line of Southview Addition No. 2 and Bellefontaine Corporation Line, N 02°-15'-53"E, a distance of 579.72 feet to the point of beginning.

Containing 14.841 acres.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the north line of Jado Ville, being N 85°-37'-37"W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 15, 2010.

THE STONAL SUMMER THE

ORIGINAL STAMP IN GREEN

Description prepared by:


William K. Bruce Professional Surveyor 7437

William K. Burn

March 16, 2010

4913310







Todd Johnson Page 2 of 2 December 03, 2022

### LEGAL DESCRIPTION

Being part of a 14.841 acre parcel (per deed), owned by Tod Johnson as deeded and described in O.R. 1409, Page 5905, located in Section 27, T4, R14, B.T.M.R.S. Lake Township, Logan County, Ohio, more particularly described as follows:

Commencing at an existing #5 Rebar at the Southeast Corner of Lot #3794 of Southview Addition #2 (Plat Cabinet A, Slide 313); thence S 85°-00'-51" E on the South line of the Brian K. & Veronnica Blair property as deeded and described in O.R. 1391, Page 2349 (.230 Acres per deed), 68.00' to a #5 Rebar set at the POINT OF BEGINNING; thence the following courses:

- 1. N 03°-08'-09" E on the East line of said Blair property, 147.50' to a set #5 Rebar;
- 2. S 85°-00'-51" E on a new division line, 75.00' to a set #5 Rebar;
- 3. S 03°-08'-09" W on a new division line, 147.50' to a set #5 Rebar;
- 4. N 85°-00'-51" W on a new division line, 75.00' to the POINT OF BEGINNING.

The above-described parcel of land contains 0.254 acres, more or less, of which 0.000 acres are occupied by road right-of-way. This parcel is subject to all legal highways and easements of record.


The bearings for this survey are based on the Ohio State Plane North Coordinate System. This legal description and the accompanying plat represent an actual boundary survey completed under the direct supervision of Brad J. Core, P.S. #8004 on December 01, 2022. All markers called for above are in place.


Bud Joe



Survey of part of a Parcel #15-107-05-05-002-000, located in Section 27, T4, R14, B.T.M.R.S., Lake Township, Logan County, Ohio. Prior Deed Referenced in O.R. 1409, Page 5905. SCALE: 40  $\frac{-}{40}$ 0 BELLEFONTAINE CORP **GRAPHIC SCALE** LOT #3797 Basis of Bearings: The Ohio State Plane North Coordinate System. Tod Johnson 14.841 Acres (Per Deed) LOT #3796 14.587 Acres (Calculated Remainder) Note: O.R. 1409, Page 5905 All distances shown SOUTHVIEW ADDITION #2 (Plat Cabinet A, Slide 313) В S 85° - 00' are measured unless 51" E ~ 143.00 68.00 otherwise noted. 75.00 LOT #3795 14.587 Acres (Calculated Remainder) N 03° - 08' -|09" E  $\sim 901.91$ Pt. of Par. #15-107-05-05-002-000 Brian K. & Veronnica Blair Par. #15-107-05-05-002-001  $N 03^{\circ} - 08' - 09'' E \sim 147$ . ).000 Acres are Road R/W S 03° - 08' - 09" W  $\sim 147.50$ 0.230 Acres (Per Deed 14.841 Acres (Per Deed) O.R. 1409, Page 5905 J.254 Acres of Which Fod Johnson LOT #3794 Tod Johnson SECTION 33 P.O.B. 68.001 P.O.C. *75*.00 N 85° - 00' WREN AVENUE (50') 51" W ~ 143.00' Tod Johnson 14.841 Acres (Per Deed) 14.587 Acres (Calculated Remainder) O.R. 1409, Page 5905 LOT #3793 Legend A = Existing #6 Rebar at the Southwest Corner of Lot #3959 of Lake Heights Allotment #2 (Plat Cabinet A, Slide 341) B = Set #5 RebarC = Unmonumented Point of Interest BRAD J. D = Existing  $\frac{3}{4}$ " Iron Pipe E = Existing #5 Rebar at the Southeast Corner of Lot #3794 F = Existing #6 Rebar at the Southeast Corner of Lot #3793 This plat & accompanying Legal Description represent an actual boundary 201 N. Broadway St. survey completed under my direct Spencerville, OH 45887 Phone/Fax: 419-647-6163 supervision on December 1, 2022. Tod Johnson 12-01-2022 P.J.M. P.J.M Brad J. Core, P.S. #8004 1'' = 40'ON MAP


12-13-2022





, m m m
CITY ORDINANCE NUMBER 23.53
TRANSFERRED THIS DAY OF, 20
AUDITOR, LOGAN COUNTY, OHIO:
DATE 10-12-23
RECEIVED FOR RECORD AT 10:50 A.MO'CLOCK THIS 16th DAY OF October, 2023
RECORDER, LOGAN COUNTY, OHIO:
Datricia a. myen , DATE 10/16/23
RECORDED IN PLAT CABINET B SLIDE 159
LOGAN COUNTY COMMISSIONERS:
Osephim. Ontran DATE 10-3-23
Michael E. Godu , DATE 10-3-23
M DATE 10-3-28
LOGAN COUNTY ENGINEER:
XCOH C blum , DATE 9-28-23
CHAIRMAN, TOWNSHIP TRUSTEES:
James 1 Dut DATE 10-18-23
L.U.C. PLANNING DIRECTOR:
DATE (0-03-2023):
MAYOR OF BELLEFONTAINE:
Ben Stahle , DATE 9-28-23
PRESIDENT, CITY COUNCIL:
Date 9/12/23
CLERK CITY COUNCIL:
Bone Campaco DATE 9-12-23
PLAT PRE-APPROVED:
Smull Cochan DATE 9-11-2023
PLAT CHECKED:
Sunne M. Cochian, DATE 10-12-2023





J-336



Todd Johnson Page 2 of 2 August 21, 2023

### LEGAL DESCRIPTION

Part of a 14.841 acre parcel of land, owned by Tod Johnson, with prior deed referenced in O.R. 1409, Page 5905, located in Section 27, T4S, R14E, B.T.M.R.S., City of Bellefontaine, Logan County, Ohio, more particularly described as follows:

BEGINNING at an existing #6 Rebar at the Southeast corner of Lot #3793 of Southview Addition No. 2 (P.C. A, Slide 313); thence the following courses:

- 1. N 3°-08'-09" E on the East line of said Lot, 124.97' to a set #5 Rebar;
- 2. S 85°-00'-51" E on a new division line, 52.30' to a set #5 Rebar;
- 3. S 3°-08'09" W on a new division line, 125.24' to a #5 Rebar set on the North line of Jado Ville Addition (P.C. A, Slide 713-A);
- 4. N 84°-43'-17" W on the North line of Jado Ville Addition (P.C. A, Slide 713-A), 52.31' to the POINT OF BEGINNING.

The above-described parcel of land contains 0.150 acres, more or less, of which 0.000 acres are occupied by road right-of-way. This parcel is subject to all legal highways and easements of record.


The bearings for this survey are based on the Ohio State Plane North Coordinate System. This legal description and the accompanying plat represent an actual boundary survey completed under the direct supervision of Brad J. Core, P.S. #8004 on August 21, 2023. All markers called for above are in place.

Bud Joe



INDEXED ON MAP





INDEXED ON MAP