# Lee Surveying and Mapping Co., Inc.

Land Surveys · Topography · Subdivisions · Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

#### LOGAN COUNTY METROPOLITAN HOUSING AUTHORITY 0.195 ACRE

Lying in Section 34, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Logan County Metropolitan Housing Authority original 0.348 acre tract as deeded and described in Official Record 166, Page 384, Parcel 7, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a P.K. nail found at the intersection of the center-line of Chillicothe Avenue (60 feet wide), and the center-line of Plumvalley Street (30 feet wide).

THENCE, with the center-line of Chillicothe Avenue, S 82°-26'-18"E, a distance of 67.50 to a point.

THENCE, N 7°52′-36″E, a distance of 30.01 feet to a 5/8 inch iron rod found at the TRUE POINT OF BEGINNING.

THENCE, with the east line and the east line extended of the Lawrence Davis 0.09 acre tract (Vol. 385, Pg. 138) and the Logan-Belle Home and Neighborhood Development (H.A.N.D.) Inc. 0.23 acre tract (O.R. 538, Pg. 836), N 7°-52′-36″E, a distance of 121.94 feet to a 5/8 inch iron rod set.

THENCE, S 84°-29'-08"E, a distance of 68.93 feet to a 5/8 inch iron rod set.

THENCE, S 7°-49'-04"W, a distance of 124.40 feet to a 3/4 inch iron rod found.

THENCE, with the north right-of-way of Chillicothe Avenue, N 82°-26'-18"W, a distance of 69.00 feet to the point of beginning.

Containing 0.195 acre.

ONAL

ORIGINAL STAMP IN GREEN

The basis for bearings is the north right-of-way of Chillicothe Avenue, being N 82°-26′-18″W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 3, 2003.

Description prepared by:

Jeffrey 4. Lee

Professional Surveyor 6359

July 7, 2003



PECID 7.15.03 8MM ON

## Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

### LOGAN COUNTY METROPOLITAN HOUSING AUTHORITY 0.138 ACRE

Lying in Section 34, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Logan County Metropolitan Housing Authority original 0.244 acre tract as deeded and described in Official Record 166, Page 384, Parcel 6, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a P.K. nail found at the intersection of the center-line of Chillicothe Avenue (60 feet wide), and the center-line of Plumvalley Street (30 feet wide).

THENCE, with the center-line of Chillicothe Avenue, S 82°-26'-18"E, a distance of 136.53 feet to a point.

THENCE, N 7°49′-04″E, a distance of 30.01 feet to a 3/4 inch iron rod found at the TRUE POINT OF BEGINNING.

THENCE, with the east line of the Logan County Metropolitan Housing Authority 0.348 acre tract (O.R. 166, Pg. 384, Par. 7), N 7°-49′-04″E, a distance of 124.40 feet to a 5/8 inch iron rod set.

THENCE, S 82°-26'-13"E, a distance of 48.46 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the Mindy L. Johnson 0.28 acre tract (O.R. 633, Pg. 786, Tract I), S 7°-55'-01"W, a distance of 124.40 feet to a 5/8 inch iron rod set.

THENCE, with the north right-of-way of Chillicothe Avenue, N 82°-26'-18"W, a distance of 48.24 feet to the point of beginning.

Containing 0.138 acre.

The basis for bearings is the north right-of-way of Chillicothe Avenue, being N 82°-26′-18″W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 3, 2003.

JEFFREY

LEE

G 6359

\*\*GISTER\*\*

ORIGINAL SUR

ORIGINAL STAMP IN GREEN

Description prepared by:

Jeffrey I. Lee

Professional Surveyor 6359

July 7, 2003



# Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

#### LOGAN COUNTY METROPOLITAN HOUSING AUTHORITY 0.124 ACRE

Lying in Section 34, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Logan County Metropolitan Housing Authority original 0.348 acre tract and the original 0.244 acre tract as deeded and described in Official Record 166, Page 384, Parcel 7, and Parcel 6, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a P.K. nail found at the intersection of the center-line of Chillicothe Avenue (60 feet wide), and the center-line of Plumvalley Street (30 feet wide).

THENCE, with the center-line of Chillicothe Avenue, S 82°-26'-18"E, a distance of 184.72 feet to a point.

THENCE, N 7°55'-01"E, a distance of 30.08 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the Mindy L. Johnson 0.28 acre tract (O.R. 633, Pg. 786, Tract I), N 7°-55'-01"E, a distance of 124.40 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, N 82°-26'-13"W, a distance of 48.46 feet to a 5/8 inch iron rod set.

THENCE, N 84°-29'-08"W, a distance of 68.93 feet to a 5/8 inch iron rod set

THENCE, with the east line of the Logan-Belle Home and Neighborhood Development (H.A.N.D) Inc. 0.23 acre tract (O.R. 538, Pg. 836), N 7°-52′-36″E, a distance of 48.02 feet to a point.

THENCE, S 82°-19'-47"E, a distance of 117.36 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the said 0.28 acre tract, S  $7^{\circ}$ -55'-01''W, a distance of 45.34 feet to the point of beginning.

Containing 0.124 acre.

ATE OF

LEE

EGISTER

STONAL S

ORIGINAL STAMP IN GREEN


The basis for bearings is the north right-of-way of Chillicothe Avenue, being N 82°-26′-18″W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 3, 2003.

Description prepared by:

Jeffrey I. Lee

Professional Surveyor 6359

July 7, 2003



RECID 7-15-03 SMX OL

# Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

### LOGAN COUNTY METROPOLITAN HOUSING AUTHORITY 0.060 ACRE

Lying in Section 34, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Logan-Belle Home and Neighborhood Development (H.A.N.D.), Inc., original 0.23 acre tract as deeded and described in Official Record 538, Page 836 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8 inch iron rod found the intersection of the east right-of-way of Plumvalley Street (30 feet wide) and the south right-of-way of a 16.5 feet wide alley, 220.06 feet north of the north right-of-way of Chillicothe Avenue (60 feet wide).

THENCE, with the south right-of-way of the 16.5 feet wide alley, S 82°-19'-47"E, a distance of 52.50 feet to a point.

THENCE, with the west line of the Logan County Metropolitan Housing Authority 0.348 acre tract (O.R. 166, Pg. 384, Par. 7), S 7°-52'-36"W, a distance of 50.00 feet to a point.

THENCE, N 82°-19'-47"W, a distance of 52.50 feet to a 5/8 inch iron rod set.

THENCE, with the east right-of-way of Plumvalley Street, N 7°-52'-36"E, a distance of 50.00 feet to the point of beginning.

Containing 0.060 acre.

TE OF OX

LEE

ONAL

ORIGINAL STAMP IN GREEN


The basis for bearings is the north right-of-way of Chillicothe Avenue, being N 82°-26′-18″W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 3, 2003.

Description prepared by:

Jeffrey 1. Lee

Professional Surveyor 6359

July 7, 2003



REC'D 7-15-03 SW OW

# Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

#### LOGAN COUNTY METROPOLITAN HOUSING AUTHORITY 0.135 ACRE

Lying in Section 34, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Logan County Metropolitan Housing Authority original 0.348 acre tract and the original 0.244 acre tract as deeded and described in Official Record 166, Page 384, Parcel 7 and 6, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at the intersection of the east right-of-way of Plumvalley Street (30 feet wide) and the south right-of-way of a 16.5 feet wide alley, 220.06 feet north of the north right-of-way of Chillicothe Avenue (60 feet wide).

THENCE, with the south right-of-way of the 16.5 feet wide alley, S 82°-19'-47"E, a distance of 52.50 feet to a point at the TRUE POINT OF BEGINNING.

THENCE, with the south right-of-way of the 16.5 feet wide alley, S 82°-19'-47"E, a distance of 117.39 feet to a 5/8 inch iron rod found.

THENCE, with the west line of the Mindy Johnson 0.28 acre tract (O.R. 633, Pg. 786, Tract I), S  $7^{\circ}$ -55'-01"W, a distance of 50.00 feet to a 5/8 inch iron rod set.

THENCE, N 82°-19'-47"W, a distance of 117.36 feet to a point.

THENCE, with the east line of the Logan-Belle Home and Neighborhood Development (H.A.N.D.) Inc. 0.23 acre tract (O.R. 538, Pg. 836), N 7°-52′-36″E, a distance of 50.00 feet to the point of beginning.

Containing 0.135 acre

IFF

ORIGINAL STAMP IN GREEN


The basis for bearings is the north right-of-way of Chillicothe Avenue, being N 82°-26′-18″W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 3, 2003.

Description prepared by:

Jeffrey L Leg

Professional Surveyor 6359

July 7, 2003



# Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

### LOGAN COUNTY METROPOLITAN HOUSING AUTHORITY 0.145 ACRE

Lying in Section 34, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being out of the Logan-Belle Home and Neighborhood Development (H.A.N.D.), Inc., original 0.23 acre tract as deeded and described in Official Record 538, Page 836 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at the intersection of the east right-of-way of Plumvalley Street (30 feet wide) and the south right-of-way of a 16.5 feet wide alley, 220.06 feet north of the north right-of-way of Chillicothe Avenue (60 feet wide).

THENCE, with the west right-of-way of Plumvalley Street, S 7°-52′-36″W, a distance of 50.00 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, S 82°-19'-47"E, a distance of 52.50 feet to a point.

THENCE, with the west line of the Logan Metropolitan Housing Authority 0.348 acre tract (O.R. 166, Pg. 384, Par. 7), S 7°-52′-36″W, a distance of 119.96 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 48.02 feet.

THENCE, with the north line of the Lawrence Davis 0.09 acre tract (Vol. 385, Pg. 138), N 82°-26'-13"W, a distance of 52.50 feet to a 5/8 inch iron rod set.

THENCE, with the east right-of-way of Plumvalley Street, N 7°-52'-36"E, a distance of 120.06 feet to the point of beginning, passing a 5/8 inch iron rod set at 70.06 feet.

Containing 0.145 acre.

EOF

LEF

ONAL SU

ORIGINAL STAMP IN GREEN


The basis for bearings is the north right-of-way of Chillicothe Avenue, being N 82°-26′-18″W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 3, 2003.


Description prepared by:

Seffrey I. Lee

Professional Surveyor 6359

July 7, 2003







# Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

143 EAST COLUMBUS AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-7335

JEFFREY I. LEE, P.S.

#### L. A. DAVIS (0.348 ACRE)

Lying in the City of Bellefontaine, Section 34, Town 4, Range 14, Lake Township, Logan County, Ohio.

Being all of that 0.35 acre tract in the name of Davis as deeded and described in Official Record 63. Page 763 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8 inch iron rod set on the north right-of-way of Chillicothe Avenue at the southeast corner of the Lawrence Davis 0.09 acre tract (Vol. 385, Pg. 138), and being S 82°-18'-25" E a distance of 52.50 feet from the east right-of-way of Plumvalley Street.

THENCE, with the east lines of the said 0.09 acre tract and the J. Vangieson 0.23 acre tract (O.R. 46, Pg. 671), N 8°-01'-10" E, a distance of 219.96 feet to a 5/8 inch iron rod set on the south line of an alley of varying width.

THENCE, with the south line of said alley, S 82°-11'-54" E, a distance of 68.73 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the S. Akers 0.25 acre tract (0.R. 57, Pg. 44, Tract I), S 7°-56'-57" W, a distance of 219.83 feet to a 5/8 inch iron rod set on the north right-of-way of Chillicothe Avenue.

THENCE, with the right-of-way of Chillicothe Avenue, N 82°-18'-25" W, a distance of 69.00 feet to the point of beginning.

Containing 0.348 acre.

The basis for bearings is based upon the north right-of-way of Chillicothe Avenue being N 82°-18'-25" W, and all other bearings are from angles and distances measured in a field survey performed by Lee Surveying and Mapping Company on January 24, 1990.

Description prepared by:

Jeffrey I. Lee

Professional Surveyor 6359

August 2, 1991

ORIGINAL STAMP IN GREEN

L 1769





#### Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

143 EAST COLUMBUS AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-7335

JEFFREY I. LEE, P.S.

#### S. Akers (0.244 ACRE)

Lying in the City of Bellefontaine, Section 34, Town 4, Range 14, Lake Township, Logan County, Ohio.

Being all of that 0.25 acre tract in the name of Akers as deeded and described in Official Record 57, Page 44, Tract I of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8 inch iron rod set on the north right-of-way of Chillicothe Avenue at the southeast corner of the L. A. Davis 0.35 acre tract (O.R. 63, Pg. 763), and being S 82°-18'-25" E, a distance of 121.50 feet from the east right-of-way of Plumvalley Street.

THENCE, with the east line of the said 0.35 acre tract, N  $7^{\circ}$ -56'-57" E, a distance of 219.83 feet to a 5/8 inch iron rod set on the south line of an alley of varying width.

THENCE, with the south line of said alley, S 82°-11'-54" E, a distance of 48.62 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the S. Akers 0.28 acre tract (O.R. 57, Pg. 44, Tract II), S 8°-02'-54" W, a distance of 219.74 feet to a 5/8 inch iron rod set on the north right-of-way of Chillicothe Avenue.

THENCE, with the right-of-way of Chillicothe Avenue, N 82°-18'-25" W, a distance of 48.24 feet to the point of beginning.

Containing 0.244 acre.

The basis for bearings is based upon the north right-of-way of Chillicothe Avenue being N 82°-18'-25" W, and all other bearings are from angles and distances measured in a field survey performed by Lee Surveying and Mapping Company on January 24, 1990.

Description prepared by:


Jeffrey I. Lee

Professional Surveyor 6359

August 2, 1991


L 1769

ORIGINAL STAMP IN GREEN



15,20 ALLEY (UNPAVED) S82°-11'54"E -SET 58 IRON ROD 52.50 48.62 68.73' IRON ROD 44 S. AKERS 0.25 AC. . 57 PG. 44. TR I L. A. DAVIS 0.35 AC. 0.R. 63 PG. 763 0.R. 671 J. VANGIESON 0.23 AC. 0.R. 46 PG. ( PLUMVALLEY 57, (30') 219.83 S 8-02'-54"W 41 36 S. AKERS 0.28 AC. R. 57 PG. TR II 219 1"= 40 219.74 0.R. N8º-01-10'E 3 57" 0.348 AC. 56 0.244 AC. L. DAVIS 0.09 AC. 385 PG. 138 S IRON ROD SET 0.R. FIRON ROD SET (TYP.) 48.24 69.00' N 82º 18'- 25"W CHILLICOTHE AYE. (60') PK. NAIL

> SURVEY OF TWO TRACTS FOR WALLICK ASSOCIATES CITY OF BELLEFONTAINE SECTION 34, T-4, R-14 LAKE TOWNSHIP LOGAN COUNTY, OHIO



SURVEYED BY

JEAFREY P/S. 6359

JAN. 24, 1990

ORIGINAL STAMP

LEE SURVEYING & MAPPING CO.

143 East Columbus Avenue BELLEFONTAINE, OHIO 43311 (513) 593-7335

INDEXED ON MAP 8150 2P