

The following described land in the Village of DeGraff, Miami Township, Logan County, Ohio and being in Section 7 Town 2 Range I4 and also being perf of Out Lot Number one of Gulchrist Allotment.

Beginning at an iron in the center of Ellis Street at the N.E. corner of Out Lot Number one of Gulchrist Allotment

Thence with the present fence line and also being the east side of said Out Lot # I S. 24 - 49 E. 335.60 feet to a wood post at the S.E. corner of said Out Lot Number one

Thence with the present fence line and also being the south south side of said Out Lot # I S. 65 - 59 W. I67.50 feet to / a wood post

Thence N. 24 - 28 W. 5.00 feet to an iron

Thence along the north side of a ten foot right of way S. 65 - 32 W. 36.40 feet to an iron

Thence N. 24 - 47 W. 329.20 feet to an iron in the center of Ellis Street the last described line being /24.00 feet east of and parellel with the East side of Koke Street (Koke Street being 60 feet wide)

Thence with the center of Ellis Street (Ellis Street being 34.00 feet wide) N. 65 - 00 E. 206.00 feet to the place of beginning

Said described tract containing I.57 acres.

cc Logan County Engineer

INDEXED ON MAP

INDEXED ON MAP Plake

The following described land in The Village of DeGraff Miami Township, Logan County Ohio and being in Section 7 Town 2 Range I4 and also being part of Out Lot Number One of Gulchrist Allotment.

Beginning in the east side of Koke Street at the S.W. corner of Out Lot Number One of Gulchrist Allotment thence with the East side of Koke Street N. 24 - 47 W. 5.00 feet to an iron said iron being the beginning point of this survey

Thence again with the east side of koke Street (Koke Street being a 60 feet Street) N. 24 - 47 W. 78.00 feet to an iron at the S.W. corner of E. Kreglow land


Thence with the south side of said Kreglow tract N. 65 - 32 E. I24.00 feet to an iron


Thence S 24 - 47 E. 78.00 feet to an iron in the north side of a ten foot right of way

Thence with the north side of said right of way S. 65 - 32 W. I24.00 feet to the place of beginning

Said described tract containing 0.22 of one acre.

cc Logan County Engineer





ELLI5 57. 34' N. 65°-00'E. 206.0' 124.0' 114' Clarence Detrick 1.73 A. 10' ALLEY K. 3 114' N. 65°-21' W. 124.0' W 5.65°-21' W. 124.0' 5. 65°-21'W. 206.2' PLAT OF OUTLOT No.1 - GILCRIST ADD. DEGRAFF, OHIO Dote 1 SCALE 1" = 40' Irons on Koke St. 6.20.214 Surveyed & Drown By Dan W. Dodson 7/13-20/57 Registered Surveyor # 4270 INDEXED ON MAP 2561 3P ·= Iron Pin

KOKF ST. 60°

0	10' Alleg			-
49.6.	114' Evans Fotote 0.14 Ac.	496	Alley 0	= 3/1 Bar Set 0 = Pipe Found = 1/1 Bar Found
	114'		10'	
90021	M. E. Kreglow O. 14 AC.	56.0	,01	
90 "	114'	0	0	
78.0.	E. Ellenberger 0.31 Ac.		18.0'	
o	124.0		4	
	South line of	201	10 f	No.1~

SURVEY OF
PART OF OUTLOT No. 1
DEGRAFF, OHIO
FOR
THE EVANS ESTATE
OCT. 26, 1963
SCALE 1" = 30'

INDEXED ON MAP 2561 4P Dan L. Dodson Reg. Surveyor 4270 Bellefontaine, O. The following described real estate situated in the Village of DeGraff,
Township of Miami, County of Logan, State of Ohio, being a part of Section No. 7,
Town 2, Range 14, M.R.S. and being a part of Outlot No. 4 of Dr. R. S. Gilcrists
Addition as recorded in Plat Book A Vol. 1 Page 85 of the plat records of Logan
County and being more particularly described as follows:

Beginning at a R. R. Spike in the centerline of Ellis Street at the northeast corner to Outlot No. 4 (Ellis Street being a 34.00 foot street);

Thence with the east line of Outlot No. 4, S. 25°10° E. 280.00 feet to an iron bar at the northeast corner to Robert F. Fry's present 0.20 Acre tract, passing through iron bars at 18.00 feet and at 116.68 feet;

Thence with Fry's north line, S. 65° 00' W. 80.00 feet to an iron bar, passing through an iron bar at Fry's northwest corner at 50.33 feet;

Thence N. 25° 10' W. 280.00 feet to a R. R. Spike in the north line of Outlot No. 4 which is also the centerline of Ellis Street, passing through an iron bar in the south right of way line of Ellis Street at 263.00 feet;

Thence with the north line of Outlot No. 4 and the centerline of Ellis Street, N. 65° 00° E. 80.00 feet to the place of beginning, containing 0.514 Acres, more or less, of which 0.031 Acres is in the right of way of Ellis Street, leaving 0.483 Acres.


The above being surveyed out of the northeast side of Outlot No. 4 in the name of J. Herbert Detrick's 1.87 Acre tract.


I hereby certify that this is a true and accurate description of a survey made by me on November 13, 1976.


Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 1041 N. Main St.

Bellefontaine, Ohio 43311







FRY DESCRIPTION

The following described real estate situated in the Village Of DeGraff,
Township of Miami, County of Logan, State of Ohio, being a part of Pection No. 7,
Town 2, Range 14, M.R.S. and being a part of Outlot No. 1 and 4 of Dr. R. S. Gilcrists Addition as recorded in Plat Book A Vol. 1 Page 85 of the plat records of
Logan County and being more particularly described as follows:

Beginning at a R. R. Spike in the centerline of Ellis Street at the northeast corner to Outlot No. 1 and the Northwest corner to Outlot No. 4 (Ellis Street being a 34.00 foot street);

Thence with the centerline of Ellis Street, also being the north line of Outlot No. 4, N. 65° 00' E. 73.87 feet to a R. H. Spike;

Thence S. 25° 10' E. 250.00 feet to an iron bar, passing through an iron bar at 17.00 feet;

Thence S. 65° 00' W. 281.60 feet to an iron bar in the east line of a 10.00 foot Alley, passing through the line between Outlot No. 4 and 1 at 75.04 feet;

Thence with the east line of said 10,00 foot Alley, N. 24 48 W. 250.00 feet to a R. R. Spike in the centerline of Ellis Street (which is also the north line of Outlot No. 1), passing through and iron bar at the south side of Ellis Street at 233.00 feet;

Thence with the centerline of Ellis Street, also being the north line of Outlot No. 1, N. 65° 00° E. 206.13 feet to the place of beginning, containing 1.612 Acres, more or less. Of the above described tract there is 1.184 Acres in Outlot No. 1 and 0.428 Acres in Outlot No. 4 and of the above there being 0.109 Acres in Ellis Street.


I hereby certify that the above is a true and accurate description of a survey made by me on October 14, 1978.

Daniel E. Gilbert, P.S. Reg. Sur. No. 5402

1041 N. Main St.

Bellefontaine, Ohio 43311

2501 7b



FRY SURVEY

The following described real estate situated in the Village of DeGraff,

Township of Miami, County of Logan, State of Ohio and being a part of Section No. 7,

Town 2, Range 14, M.R.S. and being a part of Outlot No. 4 of Dr. R. S. Gilcrists

Addition as recorded in Plat Book A Vol. 1 Page 85 of the plat records of Logan

County and being more particularly described as follows:

Beginning at a R. R. Spike in the centerline of Ellis Street at the northeast corner to Outlot No. 4 and the northwest corner to Outlot No. 5 (Ellis Street being a 34.00 foot street) and being the northeast corner to Daniel B. Goings present 0.514 Acre tract;

Thence woth the centerline of Ellis Street, also being the north line of Outlot No. 4, S. 65° 00° W. 90.00 feet to a R. R. Spike for the true place of beginning for this description, passing through a R. R. Spike at the northwest corner to Goings tract at 80.00 feet:

Thence continuing with the centerline of Ellis and the north line of Outlot No. 4, S. 65° 00' W. 100.33 feet to a R. R. Spike at the northeast corner to Ernest Hildebrandt's present 1.612 Acre tract;

Thence with Hildebrandt's east line, S. 25° 10' E. 250.00 feet to an iron bar at Hildebrandt's southeast corner, passing through an iron bar at the south line of Ellis Street at 17.00 feet;

Thence N. 65° 00' E. 100.33 feet to an iron bar;

Thence N. 25° 10° W. 250.00 feet to the place of beginning, passing through an iron bar at the south side of Ellis Street at 233.00 feet, containing 0.576 Acres, more or less.

I hereby certify that this is a true and accuerte description of a survey made by me on October 11, 1978.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 10/11 N. Main St.

Bellefontaine, Ohio 43311

PRIDEXED ON MAP 2561 BD-1 The following described real estate situated in the Village of DeGraff,

Township of Miami, County of Logan, State of Ohio, being a part of Section No. 7,

Town 2, Range 14, M. R. S. and being a part of Outlot No. 4 of Dr. R. S. Gilcrists

Addition as recorded in Plat Book A Vol. 1 Page 85 of the plat records of Logan

County and being more particularly described as follows:

Beginning at a R. R. Spike in the centerline of Ellis Street at the northeast corner to Outlot No. 4 and the northwest corner to Outlot No. 5 (Ellis Street being a 34.00 foot street) and being the northeast corner to Daniel B. Goings present 0.514 Acre tract;

Thence with the centerline of Ellis Street, also being the north line of Outlot No. 4, S. 65° 00' W. 80.00 feet to a R. R. Spike at the northwest corner to Goings, said R. R. Spike being the true place of beginning for this survey;

Thence continuing with the centerline of Ellis Street and the north line of Outlot No. 4, S. 65° 00' W. 10.00 feet to a R. R. Spike;

Thence S. 25° 10° E. 250.00 feet to an iron bar, passing through an iron bar at 17.00 feet;

Thence N. 65° 00' E. 10.00 feet to a point in the west line of Goings tract;

Thence N. 25° 10' W. 250.00 feet to the place of beginning, passing through an iron bar at the south side of Ellis Street at 233.00 feet, containing 0.057 Acres, more or less.

I hereby certify that this is a true and accurate description of a survey made by me on October 14, 1978.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402

1041 M. Main St.

Bellefontaine, Ohio 43311

2561 8D2

The following described real estate situated in the Village of DeGraff, Township of Miami, County of Logan, State of Ohio, being part of Section No. 7, Town 2, Range 14, M.R.S. and being a part of Outlot No. 4 of Dr. R. S. Gilcrists Addition as recorded in Plat Book A Vol. 1 Page 85 of the plat records of Logan County and being more particularly described as follows:

Beginning at a R. R. Spike in the centerline of Ellis Street at the northeast corner to Outlot No. 4 and the northwest corner to Outlot No. 5 (Ellis Street being a 34.00 foot street) and being the northeast corner to Daniel B. Goings present 0.514 Acre tract;

Thence with the east line of said Goings tract and the east line of Outlot No. 4, S. 25° 10° E. 250.00 feet to an iron bar, passing through iron bars at 18.00 feet and 116.68 feet, said iron bar is the true place of beginning for this survey;

Thence continuing with the east line of Goings tract, S. 25° 10° E. 30.00 feet to an iron bar at the northeast corner to Robert F. Fry's present 0.20 Acre tract;

Thence with the north line of Fry's tract, S. 65° 00' W. 80.00 feet to an iron bar, passing through an iron bar at the northwest corner to Fry's tract at 50.33 feet, said iron bar being the southwest corner to Goings present tract;

Thence with the east line of Goings tract, N. 25° 10' W. 30.00 feet to a point;

Thence N. 65° 00' E. 80.00 feet to the place of beginning, containing 0.055 Acres,
more or less.

The above being surveyed off the south end of Goings present 0.514 Acre tract.

I hereby certify that this is a true and accurate description of a survey made by me on October 14, 1978.


Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402

1041 N. Main St.

Belle Sontaine, Ohio 43311

RDEXED ON MAP 2541 6D-3



SCALE: 1"=40'

SURVEYED AND PLATTED BY:

DANIEL E. GILBERT, P.S.

REG. SUR. No. 5402

1041 N. MAIN ST.

BELLEFONTAINE, OHIO 43341

Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

JEFFREY I. LEE, P.S.

HILDEBRANDT SURVEY

Lying in the Village of DeGraff, Section 7, T-2, R-14, M.R.S., Outlots 1 and 4, Gilcrist Addition, Miami Township, Logan County, Ohio.

Being out of that 1.503 acre tract in the name of Hildebrandt as deeded and described in Volume 380, Page 93 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8" iron rod found on the west line of Outlot NO. 4 and being on the south line of Ellis Street.

THENCE, with the said south line of Ellis Street, N 65°-00' E, a distance of 73.87 feet to a 5/8" iron rod on the east line of said Hildebrandt 1.503 acre tract.

THENCE, with said east line, S 25°-10' E, a distance of 233.00 feet to a 5/8" iron rod found at the southeast corner of said 1.503 acres.

THENCE, with the south line of said 1.503 acres, S 65°-00' W, a distance of 95.00 feet to a 5/8" iron rod, passing from Outlot 4 into Outlot 1.

THENCE, parallel to the east line, N 25°-10' W, a distance of 233.00 feet to a 5/8" iron rod set on the South line of Ellis Street.

. THENCE, with said south street line, N 65°-00' E, a distance of 21.13 feet to the point of beginning.

Containing 0.508 acres, of which 0.110 acre is in Outlot 1 and 0.398 acre is in Outlot 4.

Prepared by:

Clayton M. Lee


Registered Professional Surveyor

October 21, 1986

This description prepared from an actual field survey.

ORIGINAL STAMP IN GREEN

INDEXED ON MAP



SURVEY OF 0.508 ACRE OUT OF THE

HILDEBRAHT 1.503 ACRE TRACT (EXCLUDING STREET AREA)


VILLAGE OF DEGRAFF, MIAMI TOWN SHIP,

SEC. 7, T-2, R-14, M.R.S., OUT LOTS 1 & 4

OF THE GILCRIST ADDITION (PLAT BK.A., PG. 88)

LOGAN COUNTY

REFER! VOL. 380, 76.93



Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

FRY TO MID-STATES CONTAINER CORPORATION

Lying in the Village of DcGraff, Section 7, T-2, R-14, Miami Township, Logan County, Ohio.

Being parts of out Lots 1, 3, and 4 of Gilcrist's Addition and encompassing all of the Robert Fry 0.055 (Deed Volume 392, Page 403) and the major portion of the Robert Fry lands as deeded and described in Volume 380, Page 53 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8" iron rod set at the southeast corner of Out Lot No. 1, the same being the northeast corner of the Dressback 0.37 acres (Volume 352, Page 167) and also being the southeast corner of the Fry Tract 1 (Volume 380, Page53).

THENCE, with the south line of Out Lot 1, S 65°-26'-25" W, a distance of 168.13 feet to a 5/8" iron rod set on the east line of a 14.5 foot wide alley.

THENCE, with said alley line, N 24°-28'-10" W, a distance of 5.00 feet to a 5/8" iron rod at the northeast intersection of the said east alley line with the north line of a 10 foot wide alley.

THENCE, with said north alley line, S 65°-31'-50" W, a distance of 38.38 feet to a 5/8" iron rod at the southeast corner of the Holycross 0.22 acre tract (Volume 372, Page 129).

THENCE, with the east line of said 0.22 acre tract, N 24°-44' W, a distance of 79.49 feet to a 5/8" iron rod found on the east line of another 10 foot wide alley, passing the Holycross northeast corner at 77.99 feet.

THENCE, with the south line of the Hildebrandt land (Volume 380, Page 93) and the south line of the Finfrock 0.508 acre tract (Volume O.R. 31, Page 359), N 65°-00' E, a distance of 281.51 feet to a 5/8" iron rod, passing into Out Lot 2 at 206.47 feet.

THENCE, with the south line of the 0.535 acre tract retained by Robert Fry (Part of D.V. 380, Page 53) and the south line of the Daniel Goings land (Volume 392, Page 405 and Volume 380, Page 23) N 64°-59'-25" E, a distance of 190.06 feet to a 5/8" iron rod set on the west line of the Reames 0.71 acre tract (Volume 323, Page 858).

THENCE, with said west line, S 25°-35'-15" E, a distance of 30.00 feet to a 5/8" iron rod set at the northeast corner of the Mid-States Container Corporation 0.20 acre tract (Volume 0.R. 42, Page 42, Tract 1).

THENCE, with the north line of said 0.20 acre tract, S 64°-57'-40" W, a distance of 50.33 feet to a 5/8" iron rod found at the northwest corner of said 0.20 acre tract.

THENCE, with the west line of said 0.20 acre tract, S 25°-02'-15" E, a distance of 111.67 feet to a 5/8" iron rod found at the northeast corner of the Dressback 0.81 acre tract (Volume 0.R. 35, Page 501).

THENCE, with the north line of said 0.81 acre tract, S 60°-47'-05" W, a distance of 159.60 feet to a 5/8" iron rod found at the northwest corner of said 0.81 acre tract.

THENCE, with the boundary of 3 additional tracts in the name of Dressback (0.38 acre, Volume 271, Page 576), (0.08 acre, Volume 293, Page 148), (0.37 acre, Volume 352, Page 167) the following 2 bearings and distances:

S 60°-32'-20" W, 56.86 feet to the center of a wood post. N 24°-44'-10" W, 71.69 feet to the point of beginning.

Containing 1.175 acres.

This description prepared from an actual field survey. Basis for bearings: Center-line of Ellis Street (N 65°-00' E).

Prepared by:

Clayton M. Lee


Registered Ptofessional Surveyor No. 6181


June 12, 1987


ORIGINAL STAMP IN GREEN

L-1592









9-7-17

