


DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402 400 N. PARK ST. BELLEFONTAINE, OHIO 43311 TELEPHONE: 1 (513) 593-1428



KACHELE SURVEY
Lot No. 69
Village of DeGraff
Miami Township
Logan County, Ohio
August 4, 1992



DESCRIPTION:

Being the south half of lot 67 and 10 feet off the north side of lot 68.

= Iron Bar Set

REFERENCE:

Kokes Addition Plat Book A, Vol. 2, Pg. 83

Dan L. Dodson

Registered Surveyor 4270 Bellefontaine,Ohio

INDEXED ON MAP 4587 30

SURVEY OF PART LOTS 68-69
DEGRAFF, OHIO
OCTOBER 6,1962

SCALE 1"=30'

OAK®S to DYE DESCRIPTION JULY, 1969

Being situated in the Village of De Graff, Ohio and being a part of Section 6, Town 3, Range 13, Miami Township, Logan County, Ohio; and being 22.0 feet off the south side of Lot #15 of the said Village of De Graff. Being more particularly described as follows:

Beginning at the southeast corner of said Lot #15.

Thence with the south line of said Lot #15 S 60°W 132.0 feet to the southwest commerced Lot #15.

Thence with the west line of Lot #15 N 30° W 22.0 feet to a iron.

Thence N 60° H 132.0 feet to a iron in the east line of Lot #15. Thence S 30° H 22.0 feet to the place of beginning.

OWEN K. SHIRK


SURVEYOR 4271

KNDEXED ON MAP



10-16-13

Lee Surveying and Mapping Co., Inc.



117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

LEIBERICK 0.011 ACRE

Lying in Section 6, Town 3, Range 13, Miami Township, Village of DeGraff, Logan County, Ohio.

Being out of the Connie Leiberick south half of Lot 14 (Village of DeGraff, Plat Cabinet A, Slide 79), as deeded and described in Official Record 708, Page 560 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing at a 5/8 inch iron rod found at the intersection of the southerly right-of-way of Hayes Street (60 feet wide) and the westerly right-of-way of Koke Street (60 feet wide).

THENCE, with the westerly right-of-way of Koke Street, S 30°-00'-00"E, a distance of 163.96 feet to a point, at the TRUE POINT OF BEGINNING, referenced by a P.K. nail found that bears N 60°-35'-16"E, a distance of 0.09 feet.

THENCE, with the westerly right-of-way of Koke Street, S 30°-00'-00"E, a distance of 7.37 feet to a 5/8 inch iron rod set.

THENCE, S 61° -02'-13"W, a distance of 60.98 feet to a 5/8 inch iron rod set.

THENCE, N 82°-37'-52"W, a distance of 11.53 feet to a 5/8 inch iron rod set.

THENCE, with the south line of the Ronald E. Leiberick and Connie L. Leiberick north half of Lot 14, (Vol. 389, Pg. 941, Tract I), N 60°-35'-51"E, a distance of 70.15 feet to the point of beginning.

Containing 0.011 acre.

OF

WILLIAM

BRUCE

7437

ORIGINAL STAMP IN GREEN

SSIONAL

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the westerly right-of-way of Koke Street, being S 30°-00'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on October 10, 2013.

Description prepared by:

William K. Bruce


Professional Surveyor 7437

October 10, 2013

L-56030813



APPROVED



INDEXED ON MAP