

Frick Survey Harrison Twp. 36.28 Acres

Nov. 1937

The following described land in Section 6 Town 3 Range 14 and being in Harrison Township Logan County Ohio.

Beginning at a stone at the N.W. corner of the S.E. Quarter of said section 6 thence with the West side of the S.E. Quarter and also being the West line of the Huston 99.34 acrs tract S. $0^{\circ} - 26'$ W. 540.0 feet to an iron at the S.W. corner of said Huston 99.34 acre tract and said iron being the beginning point of this survey thence with the South side of said Huston land S. $89^{\circ} - 55'$ E. 2677.0 feet to an iron in the East line of said section 6 and said iron also being in the center of County Road Number 56 (also known as the Troy Road) thence with the East side of the section and the center of Road Number 56 South 590.1 feet to an iron thence N. $89^{\circ} - 55'$ W. 2679.0 feet to an iron in the ~~West~~ West side of the S.E. Quarter of section 6 thence with the West line of the S.E. Quarter of section 6 N. $0^{\circ} - 26'$ E. 590.1 feet to the place of beginning said tract containing 36.28 acres. Said 36.28 acres being in the S.E. Quarter of said section 6

cc
E.K. Core
Logan County Engineer
2-28-1950

INDEXED ON MAP
2028 1D-1

Frick Survey Harrison Township 47.24 acres Nov. 1937


The following described land in Section 6 Town 3 Range 14 and being in Harrison Township Logan County Ohio.

Beginning at a stone at the N.E. corner of the S.W. quarter of said section 6 thence with the East side of the N.W. Quarter of section 6 N. $0^{\circ} - 26'$ E. 1053.9 feet to a two inch pipe the last described line being in the West line of a 99.34 acre tract known as the Huston Land thence N. $89 - 34$ W. 948.6 feet to an iron pipe thence S. $0^{\circ} - 26'$ W. 1053.9 to an iron in the South line of the N.W. Quarter of section 6 thence with the south line of the N.W. Quarter N. $89^{\circ} - 34'$ W. 417.0 feet to a point in the center of County Road Number 13 (Known as the McColly Pike) and also in the center of State Highway Number 130 (U.S.Route 33) thence with the center of State Highway Number 130 S. $40^{\circ} - 34'$ E. 115.7 feet thence again with the center of State Highway Number 130 S. $40^{\circ} - 54'$ E. 1949.5 feet to a ~~stone~~ stone in the East line of the S.W. Quarter of said section 6 thence with the East line of the S.W. Quarter of section 6 N. $0^{\circ} - 26'$ E. 1549.0 feet to the place of beginning the last described line passing ~~by~~ an iron at the S.W. corner of a 36.28 acre tract at 418.9 feet and an iron at the N.W. corner of said 36.28 acre tract at ~~4009.0 feet~~ 1009.0 feet said tract containing 22.95 acres in the N.W. Quarter and 24.29 acres in the S.W. Quarter making a total of 47.24 acres.

cc

E.K.Core
Logan County Engineer.

2-28-1950



Carl

Frick Survey

The following described land in Section 6 Town 3 Range 14 of Between the Miami Rivers survey and being in Harrison Township Logan County Ohio

Beginning at a stone at the center of section 6 thence with W.C.Huston's west line and the East line of the N.W. Quarter N. 0 - 26' E. 1053.9 feet to an iron pipe thence N. 89 - 34 W. 948.6 feet to an iron pipe thence S. 0 - 26 W. 1053.9 feet to an iron in the South line of the N.W. Quarter thence with the South line of the N.W. Quarter N. 89 - 34 W. 417.0 feet to a point in the center of S.H. 130 (State Route 32) thence with the center of S.H. 130 the following two courses and distances S. 40 - 34 E. 115.7 feet S. 40 - 54 E. 1949.5 feet to a stone in the East line of the S.W. Quarter thence N. 0 - 26 E. 418.9 feet to an iron thence S. 89 - 55 E. 2679.0 feet to an iron in the center of County road No. 56 and being in the East line of Section 6 thence with the center of Road No. 56 and the East line of Section 6 North 590.1 feet to an iron at W.C.Hustons S.E. corner ~~thence with W.C.Hustons S.E. corner~~ thence with W.C.Hustons South line N. 89 - 55 W. 2677.0 feet to an iron at W.C.Hustons S.W. corner thence with W.C.Hustons West line and the East line of the S. W. Quarter of section 6 N. 0 - 26 E. 540.0 feet to the place of beginning said tract containing 83.52 acres more or less, 36.28 acres being in the S.E. Quarter, 24.29 acres being in the S.W. Quarter and 22.95 acres being in the N.W. Quarter.

Power Line
Tide water Pipe line

<p>INDEXED ON MAP 2028 2D-1</p>

Town
1937

Frick Survey ^{S.E. Quarter of}

The following described land in [^]section 6 Town 3 Range 14 of between the Miami Rivers Survey and being in Harrison Township Logan County, Ohio .

~~Begin~~
^{Beginning} at a stone in the center of county road no. 56 said stone being at S. E. corner of section 6 thence with the south line of section 6 West 2684.0 feet to an iron in the west side of said S. E. Quarter thence with the west side of the S. E. Quarter the following two courses and distances N. 0 -16 E. 1100.5 feet to a stone and N. 0 -26 E. 418.9 feet to an iron thence S. 89 -55 E. 2679.0 feet to an iron in center of road no. 56 said iron being in east side of section 6 thence with the center of road no. 56 and the east side of section 6 South 1516.9 feet to the place of beginning said tract containing 93.52 acres more or less.

Tide Water Pipe Co

INDEXED ON MAP
2020 2D-2

Mildred.

Frick Survey

The following described land in Section 6 Town³ Range 14 of between the Miami Rivers Survey and being in Harrison Township Logan County, Ohio

Beginning in the center of county road no. 218 at a stone said stone being at the N. W. corner of the N. E. Quarter of section 6 thence with the center of road no. 218 and the north line of section 6 S. 89 -54 E. 327.3 feet to right-of-way of I. C. & E. Elec. R. R. ^{thence with the} the following six courses and distances S. 54 -44 E. 1102.0 feet N. 35 -16 E. 14.0 feet S. 54 -44 E. 1250.0 feet S. 50 -30 E. 227.0 ^{feet} N. 89 -51 W. 37.8 feet S. 54 -01 E. 316.0 feet to a point in center of county road no. 56 (Troy Road) center of road no. 56 being the east line of Harrison Township, thence with the center of road no. 56 South 24.7 feet to a small iron. thence with W. C. Huston's N. E. and north line the following two courses and distances N. 54 -01 W. 359.0 feet to a post N. 89 -51 W. 2373.0 feet to an iron at said W. C. Huston's ^{N.W.} ~~S.W.~~ corner and said iron also being in the west side of N. E. Quarter Section thence with W. C. Huston's west line and west line of said N. E. Quarter S. 0 -26 W. 156.1 feet to an iron pipe thence N. 89 -34 W. 948.6 feet to an iron pipe thence N. 0 -26 E. 1635.1 feet to an iron in center of road no. 218 and the north line of section 6 thence with the center of road no. 218 and the north line of section 6 S. 89 -55 E. 948.6 feet to the place of beginning said tract containning 83.52 acres more or less 47.86 acres being in the N. E. Quarter and 35.66 acres in the N. W. Quarter

power line

INDEXED ON MAP
2028 2D-3

Howard.

Frick Survey

N.W. Quarter of

The following described land in^A Section 6 Town 3 Range 14 of between the Miami Rivers Survey, and being in Harrison Township, Logan County, Ohio.

Beginning at a stone in the center of County Road no. 218 said stone being at the N. W. corner of said section 6, thence with the center of said road no. 218 and the north line of section 6 the following two courses and distances, S. 89 -47 E. 1321.0 feet to a stone, S. 89 -55 E. 386.1 feet to an iron, thence S. 0 -26 W. 2689.0 feet to an iron in south line of north west quarter. The last described line passing a pipe at 20.0 feet and another pipe at ~~1653.1~~^{1635.1} feet, thence with the south line of said N. W. quarter N. 89 -34 W. 417.0 feet to a point in center of S. H. 130 (State Route 32) and being station 55+15.7 of said S. H. i30 as shown on Logan County Engineer's plan L-27, thence with the center of S. H. 130 the following two courses and distances, N. 40 -34W. 684.3 feet N. 40 -44 W. 1251.3 feet to a point in the west line of section 6, thence with the west line of section 6, N. 0 -07 E. 1229.2 feet to the place of beginning said tract containning 83.52 acres more or less.

Tide Water Pipe line

INDEXED ON MAP
2028 2D-4

Harrison Tap
Sec 6 T. 3 Range 14
(1942 Plat Book)



2028 3P

