

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

SHAWVER TRUST Parcel 1 6.197 ACRES

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being out of the Robert B. Erwin, Trustee of the Charles L. Shawver Trust dated October 17, 1997, original 83.52 acre tract as deeded and described in Official Record 474, Page 901, Tract I of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail set on the west line of Section 6 at the intersection of the center-lines of County Highway 130 and County Highway 32.

THENCE, with the center-line of County Highway 130 (60 feet wide), S 36°-07'-00" E, a distance of 742.35 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, N 53°-53'-00" E, a distance of 315.00 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 30.00 feet.

THENCE, S 36°-07'-00" E, a distance of 931.06 feet to a 5/8 inch iron rod set.

THENCE, with the north line of the Donald L. Newlon 6.34 acre tract (Vol. 338, Pg. 738), S 79°-14'-14" W, a distance of 349.56 feet to a MAG nail set, passing a 5/8 inch iron rod found at 316.41 feet.

THENCE, with the center-line of County Highway 130, N 35°-55'-46" W, a distance of 272.34 feet to a MAG nail set.

THENCE, with the center-line of County Highway 130, N 36°-07'-00" W, a distance of 509.03 feet to the point of beginning.

Containing 6.197 acres, of which 0.535 acre is within the highway right-of-way.


The basis for bearings is the center-line of County Highway 130 at County Highway 32, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on November 26, 2002.



ORIGINAL STAMP IN GREEN

Description prepared by:

Jeffrey I. Lee
Professional Surveyor 6359
December 10, 2002



L-3462

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

SHAWVER TRUST Parcel 2 3.598 ACRES

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being out of the Robert B. Erwin, Trustee of the Charles L. Shawver Trust dated October 17, 1997, original 83.52 acre tract as deeded and described in Official Record 474, Page 901, Tract I of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail set on the west line of Section 6 at the intersection of the center-lines of County Highway 130 and County Highway 32.

THENCE, with the west line of Section 6 and the east lines of the Charles Ronald Hanson 1.795 acre tract (O.R. 140, Pg. 680), and the Pamela K. Phelps 1.90 acre tract (O.R. 307, Pg. 537), N 4°-43'-50" E, a distance of 481.62 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 45.86 feet.

THENCE, S 36°-07'-00" E, a distance of 679.63 feet to a 5/8 inch iron rod set.

THENCE, S 53°-53'-00" W, a distance of 315.00 feet to a MAG nail set, passing a 5/8 inch iron rod set at 285.00 feet.

THENCE, with the center-line of County Highway 130, N 36°-07'-00" W, a distance of 315.30 feet to the point of beginning.

Containing 3.598 acres, of which 0.229 acre is within the highway right-of-way.

The basis for bearings is the center-line of County Highway 130 at County Highway 32, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on November 26, 2002.

Description prepared by:




ORIGINAL STAMP IN GREEN

A handwritten signature in black ink, appearing to read 'Jeffrey I. Lee'.

Jeffrey I. Lee
Professional Surveyor 6359
December 10, 2002


L-3462



Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

SHAWVER TRUST 1.085 ACRES TRACT G

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being out of the Robert B. Erwin, Trustee of the Charles L. Shawver Trust dated October 17, 1997, original 83.52 acre tract as deeded and described in Official Record 474, Page 901, Tract I of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail set on the west line of Section 6 at the intersection of the center-lines of County Highway 130 and County Highway 32.

THENCE, with the center-line of County Highway 130 (60 feet wide), S 36°-07'-00" E, a distance of 315.30 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, N 53°-53'-00" E, a distance of 315.00 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 30.00 feet.

THENCE, S 36°-07'-00" E, a distance of 150.00 feet to a 5/8 inch iron rod set.

THENCE, S 53°-53'-00" W, a distance of 315.00 feet to a MAG nail set, passing a 5/8 inch iron rod set at 285.00 feet.

THENCE, with the center-line of County Highway 130, N 36°-07'-00" W, a distance of 150.00 feet to the point of beginning.

Containing 1.085 acres, of which 0.103 acre is within the highway right-of-way.

The basis for bearings is the center-line of County Highway 130 at County Highway 32, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on November 26, 2002.

Description prepared by:




ORIGINAL STAMP IN GREEN

A handwritten signature in black ink, appearing to read 'Jeffrey I. Lee'.

Jeffrey I. Lee
Professional Surveyor 6359
December 10, 2002

L-3462



Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

SHAWVER TRUST 1.570 ACRES TRACT F

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being out of the Robert B. Erwin, Trustee of the Charles L. Shawver Trust dated October 17, 1997, original 83.52 acre tract as deeded and described in Official Record 474, Page 901, Tract I of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail set on the west line of Section 6 at the intersection of the center-lines of County Highway 130 and County Highway 32.

THENCE, with the center-line of County Highway 130 (60 feet wide), S 36°-07'-00" E, a distance of 525.30 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, N 53°-53'-00" E, a distance of 315.00 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 30.00 feet.

THENCE, S 36°-07'-00" E, a distance of 217.05 feet to a 5/8 inch iron rod set.

THENCE, S 53°-53'-00" W, a distance of 315.00 feet to a MAG nail set, passing a 5/8 inch iron rod set at 285.00 feet.


THENCE, with the center-line of County Highway 130, N 36°-07'-00" W, a distance of 217.05 feet to the point of beginning.

Containing 1.570 acres, of which 0.150 acre is within the highway right-of-way.


The basis for bearings is the center-line of County Highway 130 at County Highway 32, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on November 26, 2002.

Description prepared by:




Jeffrey I. Lee
Professional Surveyor 6359
December 10, 2002

L-3462




PAMELA K. PHELPS
1.90 ACRES
O.R. 307, PG. 537

CHARLES RONALD HANSON
AND JANICE RAE HANSON
1.795 ACRES
O.R. 140, PG. 680

NOTES:

PROPOSED TRACTS E, F, G & H WILL BE REQUIRED TO USE THE 60' X 52' INGRESS/EGRESS EASEMENT, OVER THE PROPOSED 60' STREET, FOR ACCESS TO COUNTY HIGHWAY 130 (SHOWN HEREON). THE DRIVES MUST ENTER THE PROPOSED STREET AT LEAST 40 FEET FROM THE EDGE OF PAVEMENT OF COUNTY HIGHWAY 130.



LEGEND

- 5/8 INCH IRON ROD SET
- 5/8 INCH IRON ROD FOUND
- ◎ MAG NAIL SET

SECTION 12
SECTION 6

COUNTY HIGHWAY 32

COUNTY HIGHWAY 130 (60')

ROBERT B. ERWIN, TRUSTEE OF THE
CHARLES L. SHAWVER TRUST
DATED OCTOBER 17, 1997
ORIGINAL 83.52 ACRE
O.R. 474, PG. 901
TRACT I

PARCEL 2
3.598 ACRES
OF WHICH 0.229 ACRE IS WITHIN
THE HIGHWAY RIGHT-OF-WAY

TRACT G
1.085 ACRES
OF WHICH 0.103 ACRE IS WITHIN
THE HIGHWAY RIGHT-OF-WAY


TRACT F
1.570 ACRES
OF WHICH 0.150 ACRE IS WITHIN
THE HIGHWAY RIGHT-OF-WAY

PARCEL 1
6.197 ACRES
OF WHICH 0.535 ACRE IS WITHIN
THE HIGHWAY RIGHT-OF-WAY

SURVEY OF FOUR TRACTS OUT OF
AND THREE EASEMENTS OVER THE
ROBERT B. ERWIN, TRUSTEE OF THE
CHARLES L. SHAWVER TRUST
DATED OCTOBER 17, 1997
ORIGINAL 83.52 ACRE TRACT
OFFICIAL RECORD 474, PAGE 901, TRACT I
SECTION 6, TOWN 3, RANGE 14
HARRISON TOWNSHIP
LOGAN COUNTY, OHIO

15' INGRESS/EGRESS
EASEMENT #1
52' X 60'
INGRESS/EGRESS EASEMENT
15' INGRESS/EGRESS
EASEMENT #2

DONALD L. NEWLON AND
JERALDINE S. NEWLON
6.34 ACRES
VOL. 338, PG. 738



ORIGINAL STAMP IN GREEN

SURVEYED BY:

JEFFREY I. LEE
PROFESSIONAL SURVEYOR 6359
NOVEMBER 26, 2002

COPYRIGHT 2002 BY:
LEE SURVEYING & MAPPING CO., INC.
117 North Madriver Street
BELLEFONTAINE, OHIO 43311
(937) 593-7335

INDEXED ON MAP
3580 6P

D 407 ROBERWN3 L-3462-2

2 WORKING DAYS
BEFORE YOU DIG
CALL TOLL FREE 800-362-2764
OHIO UTILITIES PROTECTION SERVICE.

REC'D 4-17-03 8M OH

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

ERWIN 20 FEET WIDE ELECTRIC EASEMENT EASEMENT A

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 20 feet wide electric easement over the Robert B. Erwin, Trustee of the Charles L. Shawver Trust, 3.598 acre tract as deeded and described in Official Record 611, Page 682, Exhibit B, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the west line of Section 6 at the intersection of the center-lines of County Highway 130 (60 feet wide) and County Highway 32 (60 feet wide) on the southwest corner of the said 3.598 acre tract.

THENCE, with the center-line of County Highway 130, S 36°-07'-00" E, a distance of 15.18 feet to a point on the center-line of this 20 feet wide electric easement at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this easement, N 4°-43'-50" E, a distance of 442.50 feet to a point.

THENCE, with the center-line of this easement, S 85°-16'-10" E, a distance of 33.83 feet to a point on the northeasterly line of the said 3.598 acre tract at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.


Description prepared by:

Jeffrey I. Lee
Professional Surveyor 6359
April 7, 2003.



L-3462

ORIGINAL STAMP IN GREEN




REC'D 4-17-03 SML OAL

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

ERWIN 5 FEET WIDE ELECTRIC EASEMENT EASEMENT B

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 5 feet wide electric easement over the Robert B. Erwin, Trustee of the Charles L. Shawver Trust, 3.598 acre tract as deeded and described in Official Record 611, Page 682, Exhibit B, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the west line of Section 6 at the intersection of the center-lines of County Highway 130 (60 feet wide) and County Highway 32 (60 feet wide) on the southwest corner of the said 3.598 acre tract.

THENCE, with the center-line of County Highway 130, S 36°-07'-00" E, a distance of 15.18 feet to a point on the center-line of a 20 feet wide electric easement

THENCE, with the center-line of the 20 feet wide electric easement, N 4°-43'-50" E, a distance of 60.10 feet to a point.

THENCE, S 85°-16'-10" E, a distance of 10.00 feet to a point on the east line of the 20 feet wide electric easement at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 5 feet wide easement, S 85°-16'-10" E, a distance of 28.00 feet to a point at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.


Description prepared by:

Jeffrey K. Lee
Professional Surveyor 6359
April 7, 2003.



L-3462

ORIGINAL STAMP IN GREEN



Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

ERWIN 5 FEET WIDE ELECTRIC EASEMENT EASEMENT C

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 5 feet wide electric easement over the Robert B. Erwin, Trustee of the Charles L. Shawver Trust, 3.598 acre tract as deeded and described in Official Record 611, Page 682, Exhibit B, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the west line of Section 6 at the intersection of the center-lines of County Highway 130 (60 feet wide) and County Highway 32 (60 feet wide) on the southwest corner of the said 3.598 acre tract.

THENCE, with the west line of Section 6 and the said 3.598 acre tract, N 4°-43'-50" E, a distance of 441.06 feet to a point on the north line of a 20 feet wide electric easement.

THENCE, with the north line of the 20 feet wide electric easement, S 85°-16'-10" E, a distance of 2.50 feet to a point on the center-line of this 5 feet wide electric easement at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 5 feet wide electric easement, N 4°-43'-50" E, a distance of 37.74 feet to a point on the northeasterly line of the said 3.598 acre tract at the terminus of this easement.


The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.

Description prepared by:

Jeffrey I. Lee
Professional Surveyor 6359
April 7, 2003.



ORIGINAL STAMP IN GREEN




REC'D 4-17-03 SMJ OK

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

ERWIN 20 FEET WIDE ELECTRIC EASEMENT EASEMENT D

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 20 feet wide electric easement over the Robert B. Erwin, Trustee of the Charles L. Shawver Trust, original 83.52 acre tract as deeded and described in Official Record 474, Page 901, Tract I, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the west line of Section 6 at the intersection of the center-lines of County Highway 130 (60 feet wide) and County Highway 32 (60 feet wide) on the southwest corner of the Robert B. Erwin, Trustee, 3.598 acre tract (O.R. 611, Pg. 682, Exhibit B).

THENCE, with the center-line of County Highway 130, S 36°-07'-00" E, a distance of 15.18 feet to a point on the center-line of a 20 feet wide electric easement over the said 3.598 acre tract.

THENCE, with the center-line of the 20 feet wide electric easement the following two (2) courses:

N 4°-43'-50" E, a distance of 442.50 feet to a point;

S 85°-16'-10" E, a distance of 33.83 feet to a point on the northeasterly line of the said 3.598 acre tract at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 20 feet wide electric easement, S 85°-16'-10" E, a distance of 2560.00 feet to a point on the east line of the said 83.52 acre tract and the east line of the northwest quarter of Section 6 at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.

Description prepared by:

Jeffrey I. Lee
Professional Surveyor 6359
April 7, 2003.



L-3462

ORIGINAL STAMP IN GREEN


INDEXED ON MAP
3580 704

RECD 4-17-03 SMY OK

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

PHELPS 5 FEET WIDE ELECTRIC EASEMENT EASEMENT E

Lying in Section 12, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 5 feet wide electric easement over the Pamela K. Phelps 1.90 acre tract as deeded and described in Official Record 307, Page 537, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the west line of Section 6 at the intersection of the center-lines of County Highway 130 (60 feet wide) and County Highway 32 (60 feet wide) on the southwest corner of the Robert B. Erwin, Trustee, 3.598 acre tract (O.R. 611, Pg. 682).

THENCE, with the west line of Section 6, N 4°-43'-50" E, a distance of 431.06 feet to a point on the center-line extended of a 20 feet wide electric easement over the said 3.598 acre tract at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 5 feet wide electric easement, N 85°-16'-10" W, a distance of 8.90 feet to a point on the southwesterly line of the 1.90 acre tract at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.


Description prepared by:


Jeffrey I. Lee
Professional Surveyor 6359
April 7, 2003.



L-3462

ORIGINAL STAMP IN GREEN




REC'D 4-17-03 SMJ OK

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

HANSON 5 FEET WIDE ELECTRIC EASEMENT EASEMENT F

Lying in Section 12, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 5 feet wide electric easement over the Charles Ronald Hanson and Janice Rae Hanson 1.795 acre tract as deeded and described in Official Record 140, Page 680, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the west line of Section 6 at the intersection of the center-lines of County Highway 130 (60 feet wide) and County Highway 32 (60 feet wide) on the southwest corner of the Robert B. Erwin, Trustee, 3.598 acre tract (O.R. 611, Pg. 682).

THENCE, with the west line of Section 6, N 4°-43'-50" E, a distance of 431.06 feet to a point on the center-line extended of a 20 feet wide electric easement over the said 3.598 acre tract.

THENCE, with the center-line of a 5 feet wide electric easement over the Pamela Phelps 1.90 acre tract (O.R. 307, Pg. 537), N 85°-16'-10" W, a distance of 8.90 feet to a point on the southwesterly line of the 1.90 acre tract at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 5 feet wide electric easement, N 85°-16'-10" W, a distance of 51.10 feet to a point at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.


Description prepared by:

Jeffrey I. Lee
Professional Surveyor 6359
April 7, 2003.



L-3462

ORIGINAL STAMP IN GREEN



REC'D 4-17-03 SMM/OK

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

BROWNSTOWN ELECTRIC SUPPLY CO., INC. 20 FEET WIDE ELECTRIC EASEMENT EASEMENT G

Lying in Section 12, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 20 feet wide electric easement over the Brownstown Electric Supply Co., Inc. 10.000 acre tract as deeded and described in Official Record 553, Page 635, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a MAG nail found on the center-line of County Highway 32 (60 feet wide) at the northeast corner of the said 10.000 acre tract.

THENCE, with the north line of the said 10.000 acre tract, N 85°-20'-50" W, a distance of 6.80 feet to a point on the center-line of this 20 feet wide electric easement at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 20 feet wide electric easement, S 13°-18'-23" W, a distance of 176.14 feet to a point.

THENCE, with the center-line of this 20 feet wide electric easement, S 8°-00'-46" W, a distance of 542.06 feet to a point on the south line of the said 10.000 acre tract at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.


Description prepared by:

Jeffrey I. Lee
Professional Surveyor 6359
April 7, 2003.




L-3462

ORIGINAL STAMP IN GREEN



REF: 4-17-03 Smj OK



SURVEY OF A 20 FEET WIDE ELECTRIC EASEMENT
 OVER THE ROBERT B. ERWIN, TRUSTEE OF THE
 CHARLES L. SHAWVER TRUST, DATED OCTOBER 17, 1997
 ORIGINAL 83.52 ACRE TRACT
 OFFICIAL RECORD 474, PAGE 901, TRACT I
 A 20 FEET WIDE AND TWO 5 FEET WIDE
 ELECTRIC EASEMENT OVER THE
 ROBERT B. ERWIN, TRUSTEE OF THE
 CHARLES L. SHAWVER TRUST, DATED OCTOBER 17, 1997
 3.598 ACRE TRACT
 OFFICIAL RECORD 611, PAGE 682, EXHIBIT B
 A 5 FEET WIDE ELECTRIC EASEMENT OVER THE
 PAMELA K. PHELPS 1.90 ACRE TRACT
 OFFICIAL RECORD 307, PAGE 537
 A 5 FEET WIDE ELECTRIC EASEMENT OVER THE
 CHARLES RONALD HANSON AND JANICE RAE HANSON
 1.795 ACRE TRACT
 OFFICIAL RECORD 140, PAGE 680
 AND A 20 FEET WIDE ELECTRIC EASEMENT
 OVER THE BROWNSTOWN ELECTRIC SUPPLY CO., INC.
 10.000 ACRE TRACT
 OFFICIAL RECORD 553, PAGE 635
 SECTIONS 6 AND 12, TOWN 3, RANGE 14
 HARRISON TOWNSHIP
 LOGAN COUNTY, OHIO

SURVEYED BY:
 JEFFREY I. LEE
 PROFESSIONAL SURVEYOR 6359
 MARCH 18, 2003
 COPYRIGHT 2002 BY:
 LEE SURVEYING & MAPPING CO., INC.
 117 North Madison Street
 BELLEFONTAINE, OHIO 43311
 (937) 593-7335
 ORIGINAL STAMP IN GREEN D 407 ROBERNS (REF:L-1221) L-3462-2

INDEXED ON MAP
 3520 1P

RECID 0-10-03 8M OK

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335
Fax: (937) 593-7444

DROWN 20 FEET WIDE ELECTRIC EASEMENT

Lying in Section 6, Town 3, Range 14, Harrison Township, Logan County, Ohio.

Being a 20 feet wide electric easement over the Roberta J. Drown original 47.0 acre tract as deeded and described in Official Record 349, Page 94, Tract II, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a point on the west line of the said 47.0 acre tract at the intersection of the south right-of-way of Township Road 218 (60 feet wide) and the east right-of-way of John Street (60 feet wide).

THENCE, with the east right-of-way of John Street, the east line of the Robert B. Erwin, Trustee, original 83.52 acre tract (O.R. 474, Pg. 901, Tract I), and the west line of the said 47.0 acre tract, S 4°-44'-00" W, a distance of 768.7 feet to a point on the center-line of this easement at the TRUE POINT OF BEGINNING.

THENCE, with the center-line of this 20 feet wide easement, S 85°-16'-10" E, a distance of 105.0 feet to a point at the terminus of this easement.

The basis for bearings is the center-line of County Highway 130, being S 36°-07'-00" E, and all other bearings are from deed record and angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 18, 2003.

Description prepared by:



ORIGINAL STAMP IN GREEN

Jeffrey I. Lee
Professional Surveyor 6359
August 15, 2003

L-3462

