
1953

THE FOULK DESCRIPTION

Being situated in Jefferson Township, Logan County, Ohio, and being a part of O. V. M. S. No. 6450 and being more particularly described as follows:

Beginning at an iron in the center of County Highway No. 10 (known as Station 156*42 in F. B. 614, page 24 in the County Engineer's office); thence S. 20°-50' W. 523.0 feet to a corner fence post, passing through a fence post at 30.0 feet; thence S. 36°-52' E. 39.0 feet; thence S. 75°-28' W. 188.0 feet to a hub; thence N. 10°-22' W. 625.0 feet to an iron in the center of C. H. No. 10, passing through a fence at 595.0 feet; thence following the center line of C. H. No. 10 S. 84°-13' E. 470.0 feet to the point of beginning.

Containing 4.03 acres more or less.



	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Ava	1953	The second of	52
From Rose Gr	ham		3	1100		, WE 7
from Rose Bi	11.12	Þ	i .			1
Sie County Eng	7.					
Sic County Eng FB 614 page 24					-	
			_	~ ~ ~	7	—— <u>Ú</u>
Jefferson Tu, O.V:M.S 6450			•	156		ζΩ.
0.V:MS 6450		4,		/ *		
			50	53		2
		-	7	520	50 W	
			2 4	52	3.0-X	0:00
		1	5 4			E M. L. S.
		· · · · · · · · · · · · · · · · · · ·	To S	1	A	6 6
410918	-		N 00 00	4.0	3	9
		-	5 0	7.	2 19	2550
INDEXED ON MAP	* .	16	1			
			5 P		A5.022	
			C*	1	MIG	
			8	1	1	
		· · · · · · · · · · · · · · · · · · ·		-01/		
	1 (AV)		106			
			140			
The state of the s	16.		, \$1 1972			

L. COOMS TO WILT DESCRIPTION (April, 1967)

Being situated in Jefferson Township, Logan County, Ohio; and being a part of V.M.S. #6450 -

Beginning at a stone at the intersection of the center line of County Road #10 and the east line of said V.M.S. #6450. Thence with the center line of County Road #10 N850-19'W 836.5 feet to an iron, said iron is the place of beginning for this description.

Thence S 90-55'W 302.0 feet to an iron.

Thence S260-14'W 332.5 feet to an iron in the north right of way line of State Route #33.

The following three courses, the said north right of way line of State Route #33.

Thence B40°-26'W 75.5 feet to a concrete right of way monument.

Thence B37°-30'W 215.4 feet to a concrete right of way monument.

Thence E330-57'W 167.3 feet to an iron.

Thence B21°-22'E 278.7 feet to an iron in the center of the original County Road #10 as shown in County Engineer's Field Book 614, page 24 of Station 156 - 42.

Thence with the old center of County Road #10 S850-19'E 370.5 feet to the place of beginning.

Containing 4.21 acres, more or less.

FORM (4-1867)

FORM (4-1867)

FORM (4-1867)

FORM (4-1867)

Owen K. Shirk Surveyor 4271

INDEXED ON MAP



Larry Cours to Wilt Setter sur Tup U.M.S. 6750 April 8,67 0.9/11 0 302.0 1630-41 C.5. 5/21062 +44.8 4.211 +109 2D HIDENED ON MAP 278.7 O Pumon