PED 6-19-00 SMJ OK DONALD L. BARNETT AND MILDRED J. BARNETT, CO-TRUSTEES OF THE DONALD L. BARNETT AND MILDRED J. BARNETT TRUST AGREEMENT DATED JUNE 9, 1997 24.78 ACRE TRACT N 84'06'54" E BELLEFONTAINE CORPORATION LIMIT O.R. 814, PG. 473 TRACT I CAL 222.75 100 100 50 LEGEND 5/8 INCH IRON ROD SET JOHN. J. ZIESSLER AND DORIS A. ZISSLER 5/8 INCH IRON ROD FOUND 12.97 ACRE TRACT 3.875 ACRES O.R. 82, PG. 694 BELLEFONTAINE RAILROAD SPIKE SET 05'56'45" 674.95 1 INCH IRON PIPE FOUND ALICE BERRY 3/4 INCH IRON ROD FOUND ORIGINAL 4.00 ACRE TRACT O.R. 281, PG. 346 TRACT I REFERENCES: LOG-33-15.77 SHEET 185 OF 191 DEEDS REFERENCED DRAINAGE EASEMENT TO THE STATE OF OHIO O.R. 138, PG. 626 UNDIVIDED ONE-HALF INTEREST TO JOHN, J. ZIESSLER AND DORIS A. ZISSLER UNDIVIDED ONE-HALF INTEREST TO DONALD L. BARNETT AND MILDRED J. BARNETT, TRUSTEES OF THE DONALD L. BARNETT AND MILDRED J. BARNETT TRUST DATED JUNE 9, 1997 3.73 ACRE TRACT N 84'26'51" E O.R. 827, PG. 708 25.00' STA. 1076+66.40 85.00' LEFT 05\*33'09" STATE OF OHIO 0.437 ACRE TRACT 0.437 ACRE TRACT 0.R. 139, PG. 111 (TRACT (TRACT 1, 4 BASIS FOR BEARINGS 0.15 STA. 1073+92.61 AC. 60.00' LEFT STA. 1072+00 STATE OF OHIO M 61.25,002 60.00' LEFT 0.43 ACRE TRACT O.R. 138, PG, 623 P.C. STA. 1074+01.63 STATE OF OHIO 540 0.452 ACRE TRACT O.R. 141, PG. 416 RETRACEMENT SURVEY OF THE REMAINDER (VARIABLE WIDTHS) OF THE ALICE BERRY ORIGINAL 4.00 ACRE TRACT AND 0.15 ACRE TRACT OFFICIAL RECORD 281, PAGE 346 TRACTS I AND II VIRGINIA MILITARY SURVEY 3683 JEFFERSON TOWNSHIP LOGAN COUNTY, OHIO BRUCE 7437

BRUCE SURVEYED BY: WILLIAM K. BRUCE PROFESSIONAL SURVEYOR 7437 JUNE 17, 2008 2 WORKING DAYS ORIGINAL STAMP IN GREEN COPYRIGHT 2008 BY: LEE SURVEYING & MAPPING CO., INC. BEFORE YOU DIG BELLEFONTAINE, OHIO 43311 CALL TOLL FREE 800-362-2764 (937) 593-7335 OHIO UTILITIES PROTECTION SERVICE. ADW D0608 4655068 L-4655068-3 INDEXED ON MAR

The following described real estate situated in the Township of Jefferson, County of Logan, State of Ohio and being a part of Virginia Military Survey No. 3683 and being more particularly described as follows:

Beginning at a small iron in the center line of S. R. No. 540 and being the southeast corner to Joseph R. Wilgus's 19.70 acre tract and the southwest corner to Clarence M. Berry's 4.00 acre tract;

Thence with the center line of S. R. No. 540, S. 62° 90° W. 27.26 feet to a small iron;

Thence N. 4° 30° W. 257.51 feet to an iron bar, passing through an iron bar at 32.71 feet (30.00 feet if measured at right angles);

Thence N. 85° 30' E. 25.00 feet to an iron bar set in the west line of Berry's tract;

Thence with the west line of Berry's tract, S. 4° 30° E. 246.90 feet to place of beginning, containing 0.15 Acres, more or less.


The above described percel being surveyed from a 19.70 acre tract in the name of Joseph R. Wilgus.

I hereby certify that this is a true and accurate description of a survey made by me on September 7, 1968.

Daniel E. Gilbert, P.S. Reg. Sur. No. 5402 428 N. Madriver St. Bellefontaine, Ohio

Phone: 513-593-1300

(4300) 2D



- REC'D 8-18-08 SWY OIL

# Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

#### ZIESSLER 0.746 ACRE

Lying in Virginia Military Survey 3683, City of Bellefontaine, Jefferson Township, Logan County, Ohio.

Being out of the John J. Ziessler and Doris A. Ziessler 12.97 acre tract as deeded and described in Official Record 82, Page 694 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 5/8 inch iron rod found at Ohio Route 540 Station 1073+92.61 (60.00 feet left)(LOG-33-15.77 Sheet 185 of 191).

THENCE, N 12°-57'-13"W, a distance of 194.07 feet to a 5/8 inch iron rod set.

THENCE, N 05°-33'-09"W, a distance of 601.88 feet to a 5/8 inch iron rod set.

THENCE, with the south line of the Donald L. Barnett and Mildred J. Barnett, Co-Trustees, 24.78 acre tract (O.R. 814, Pg. 473, Tract I), N 84°-06'-54"E, a distance of 50.00 feet to a 1 inch iron pipe found.

THENCE, with an east line of the City of Bellefontaine Corporation Limit and the west line of the Alice Berry original 4.00 acre tract (O.R. 281, Pg. 346, Tract I), S 05°-33'-09"E, a distance of 602.17 feet to a 5/8 inch iron rod found.

THENCE, with the lines of the City of Bellefontaine Corporation Limit and the Alice Berry original 0.15 acre tract (O.R. 281, Pg. 346, Tract II), the following two courses:

S 84°-26'-51"W, a distance of 25.00 feet to a 5/8 inch iron rod found.

S 05°-33'-09"E, a distance of 192.46 feet to the point of beginning.

Containing 0.746 acre.

The basis for bearings is the north line of the State of Ohio 0.43 acre tract (O.R. 138, Pg. 623), being S 58°-50'-04"W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on August 14, 2008.

14, 2008.

NULLIAM

OF

BRUCE

7437

7437

ORIGINAL STAMP IN GREEN

Description prepared by:


William K. Bruce

Professional Surveyor 7437

August 15, 2008

4655088






" RECID 7-24-10 8VM OF

# Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311





Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

#### ZIESSLER **1.326 ACRES**

Lying in Virginia Military Survey 3683, City of Bellefontaine, Jefferson Township, Logan County, Ohio.

Being out of the John J. Ziessler and Doris A. Ziessler 12.97 acre tract as deeded and described in Official Record 82, Page 694 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 5/8 inch iron rod found at Ohio Route 540 Station 1073+92.61 (60.0 feet left) (LOG-33-15.77 Sheet 185 of 191).

THENCE, with the north line of the State of Ohio 0.452 acre tract (O.R. 141, Pg. 416), S 61°-52'-09"W, a distance of 83.21 feet to a 5/8 inch iron rod set.

THENCE, N 07°-43'-41"W, a distance of 826.40 feet to a 5/8 inch iron rod set.

THENCE, with the south line of the Donald L. Barnett and Mildred J. Barnett, Co-Trustees, 24.78 acre tract (O.R. 814, Pg. 473, Tract I), N 84°-06'-54"E, a distance of 83.21 feet to a 5/8 inch iron rod found.

THENCE, with the west lines of the James M. Greer and Sharon K. Greer 0.746 acre tract (O.R. 932, Pg. 194, Tract III), the following two courses:

S 05°-33'-09"E, a distance of 601.88 feet to a 5/8 inch iron rod found.

S 12°-57'-13"E, a distance of 194.07 feet to the point of beginning.

Containing 1.326 acres.

S

ONAL

William William

ORIGINAL STAMP IN GREEN

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the north line of the State of Ohio 0.43 acre tract (O.R. Sing S
Sasured in

William

K

BRUCE

7437 138, Pg. 623), being S 58°-50'-04"W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on July 22, 2010.

Description prepared by:

William K. Bruce

Professional Surveyor 7437

July 22, 2010

4655710



REZ :07-26-10 SVM OUC DONALD L. BARNETT AND MILDRED J. BARNETT. CO-TRUSTEES 24.78 ACRE TRACT BELLEFONTAINE CORPORATION LIMIT O.R. 814, PG. 473 TRACT I CAL N 84°06'54" E 50.00 83.21 BELLEFONTAINE 100 LEGEND 5/8 INCH IRON ROD SET WITH PLASTIC I.D. CAP STAMPED "LSM 7437" CORPORATION 5/8 INCH IRON ROD FOUND RAILROAD SPIKE SET 601.88 JAMES M. GREER AND 1 INCH IRON PIPE FOUND SHARON K. GREER ORIGINAL 4.00 ACRES 3/4 INCH IRON ROD FOUND O.R. 932, PG. 194 TRACT I N 07°43'41" JOHN. J. ZIESSLER AND DORIS A. ZIESSLER 826.40 12.97 ACRE TRACT O.R. 82, PG, 694 JAMES M. GREER AND SHARON K. GREER 0.746 ACRES 0.R. 932, PG. 194 TRACT III STA. 1076+66.40 85.00' LEFT 540 STATE OF 0HO 0.437 AORE TRACT 0.437 AORE 139, PG. 111 JAMES M. GREER AND SHARON K. GREER ORIGINAL 0.15 ACRE O.R. 932, PG. 194 (VARIABLE WIDTHS) 194.07 S 58 50 04 WHOS STA. 1073+92.61 STA. 1072+00 STATE OF OHIO 60.00' LEFT 60.00' LEFT 0.43 ACRE TRACT 5 61 52 09° W O.R. 138, PG. 623 P.C. STA. 1074+01.63 STATE OF OHIO 0.452 ACRE TRACT SURVEY OF 1.326 ACRES OUT OF THE O.R. 141, PG. 416 JOHN J. ZIESSLER AND DORIS A. ZIESSLER 12.97 ACRE TRACT OFFICIAL RECORD 82, PAGE 694 VIRGINIA MILITARY SURVEY 3683 CITY OF BELLEFONTAINE JEFFERSON TOWNSHIP LOGAN COUNTY, OHIO SURVEYED BY: WILLIAM K. BRUCE 7437 ONAL SUMMINION ORIGINAL STAMP IN GREEN REFERENCES: WILLIAM K. BRUCE LOG-33-15.77 SHEET 185 OF 191 PROFESSIONAL SURVEYOR 7437 DEEDS REFERENCED JULY 22, 2010 2 WORKING DAYS COPYRIGHT 2010 BY: LEE SURVEYING & MAPPING CO., INC. BEFORE YOU DIG INDEXED ON MAP 117 North Modriver Street **ORIGINAL STAMP IN GREEN** 

CALL TOLL FREE 800-362-2764 OHI O UTILITIES PROTECTION SERVICE .

4300 4P

BELLEFONTAINE, OHIO 43311


(937) 593-7335

4655710

KSS

D0710

L-4655-3



5-13-2020

Lee Surveying and Mapping Co.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311 www.lee-surveying.com



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lee-surveying.com

#### TOKIO INVESTMENTS, LLC **5.947 ACRES**

Lying in Virginia Military Survey 3683, City of Bellefontaine, Jefferson Township, Logan County, Ohio (all records referenced herein refer to the Logan County Records of Deeds).

Being all of the Tokio Investments, LLC, 3.720 acre, 0.746 acre and 1.326 acre tracts as deeded and described in Official Record 1280, Page 574, Tracts I and II (combined), Tract III and Tract IV and being more particularly described as follows:

BEGINNING at a 5/8 inch iron rod found at Station 1076+66.40 / 85.00' left (LOG-33-15.77, Sheet 185 of 191)(I.D. cap stamped "OHIO D.O.T. SURVEY PT.") on the northerly right-of-way line of Ohio Route 540 (width varies) at the southeast corner of said 3.720 acre tract and the southwest corner of the Kent Ziessler, Kristina Renkert, and Kelly Jo Kinney 3.733 acre tract as deeded and described in Official Record 1303, Page 20;

THENCE, with said northerly right-of-way line and the southerly lines of said 3.720 acre and 0.746 acre tracts, S 58°-48'-53" W, a distance of 279.94 feet to a 5/8 inch iron rod found at Station 1073+92.61 / 60.00' left (I.D. cap stamped "OHIO D.O.T. SURVEY PT."), being a corner common to said 1.326 acre tract;

THENCE, continuing with said northerly right-of-way and the southerly line of said 1.326 acre tract, S 61°-51'-27" W, a distance of 83.21 feet to a 5/8 inch iron rod found (l.D. cap illegible), being the southeasterly corner of the Ziessler Family Investments, LLC, 9.644 acre tract as deeded and described in Official Record 1197, Page 738;

THENCE, with a common line to said 1.326 acre and 9.644 acre tracts, N 07°-44'-13" W, a distance of 826.40 feet to a 5/8 inch iron rod found (I.D. cap illegible), being on the southerly line of the Tokio Investments 24.78 acre tract as deeded and described in Official Record 1313, Page 684;

THENCE, with the common line to said 1.326 acre, 0.746 acre and 24.78 acre tracts, N 84°-06'-11" E, passing a 5/8 inch iron rod found (I.D. cap stamped "LSM 7437") at a distance of 83.18 feet, a total distance of 133.18 feet to a 3/4 inch iron pipe found at a corner of the Bellefontaine Corporation Line, being the northwesterly corner of said 3.720 acre tract;

## Lee Surveying and Mapping Co.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311 www.lee-surveying.com



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lee-surveying.com

THENCE, with the common line to said 3.720 acre and 24.78 acre tracts, N 84°-06'-11" E, a distance of 222.74 feet to a 5/8 inch iron rod found (I.D. cap stamped "LEE 6359"), being the northwesterly corner of said 3.733 acre tract;

THENCE, with the common line to said 3.720 acre and 3.733 acre tracts, S 05°-57'-40" E, a distance of 674.89 feet to the **POINT OF BEGINNING**.

Containing 5.947 acres, more or less, of which there is 3.875 acres within Tracts I and II, 0.746 acre within Tract III and 1.326 acres within Tract IV.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings, described herein, is the center-line of Township Road 183, being N 06°-04'-11" W, as shown on a plat of survey by William K. Bruce, P.S. 7437, entitled "Retracement Survey for Kent Ziessler, Kristina Renkert, and Kelly Jo Kinney", dated October 8, 2015. Distances are expressed in U.S. Survey Feet. All other measurements are from angles and distances measured in a field survey by Lee Surveying and Mapping Co. on March 4, 2019.

Description prepared by:


Daniel A. Neer


DANIEL A NEER

Professional Surveyor No. 8533

March 15, 2019

60220219





BASIS FOR BEARINGS:

THE BASIS FOR BEARINGS, SHOWN HEREON, IS THE CENTER—LINE OF TOWNSHIP—ROAD—183, BEING—N 06°04'11" W, AS SHOWN ON A PLATOF SURVEY BY WILLIAM K, BRUCE P.S. 7437, ENTITLED "RETRACEMINED"

TOWNSHIP-ROAD-183, BEING-N-06°04'11" W, AS SHOWN ON A PLATOF SURVEY BY WILLIAM K. BRUCE, P.S. 7437, ENTITLED "RETRACEMENT
FOR KENT ZIESSLER, KRISTINA RENKERT AND KELLY JO KINNEY",
DATED OCTOBER 8, 2015.
LOGAN COUNTY ENGINEER'S MAP ROOM FILE 5806

### DESCRIPTIONS OF RECORD:

COMMITMENT NO. 18000332282

LYING IN VIRGINIA MILITARY SURVEY 3683, JEFFERSON TOWNSHIP, CITY OF BELLEFONTAINE, LOGAN COUNTY, OHIO.

BEING ALL OF THE REMAINDER OF THE KENT ZIESSLER, KRISTINA RENKERT AND KELLY JO KINNEY 9.763 ACRE TRACT AS DEEDED AND DESCRIBED IN OFFICIAL RECORD 1180, PAGE 741 OF THE LOGAN COUNTY RECORDS OF DEEDS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A 5/8 INCH IRON ROD FOUND AT STATION 1072+00 (60 FEET LEFT) ON THE NORTH RIGHT-OF-WAY OF OHIO ROUTE 540 (VARIABLE WIDTHS) PER LOG-33-15.77 SHEET 185 OF 191.

THENCE, WITH THE EASTERN RIGHT-OF-WAY OF TOWNSHIP ROAD

183 (WIDTHS VARY) THE FOLLOWING EIGHT COURSES:

N 82°-38'-50"W, A DISTANCE OF 64.98 FEET TO A 5/8 INCH IRON

ROD FOUND.

N 26°-36'-51"W, A DISTANCE OF 238.11 FEET TO A 5/8 INCH

IRON ROD FOUND.

N 46°-53'-08"W, A DISTANCE OF 164.61 FEET TO A 5/8 INCH

IRON ROD SET.

SET AT 20.00 FEET.

N 88°-02'-30'W, A DISTANCE OF 102.13 FEET TO A 5/8 INCHIRON ROD SET.

N 65°-04'-41'W, DISTANCE OF 101.08 FEET TO A 5/8 INCH IRON

N 74°-27'-57"W, DISTANCE OF 131.42 FEET TO A 5/8 INCH IRON

IRON ROD SET.

N 06"-04"-11"W, DISTANCE OF 90.01 FEET TO A 5/8 INCH IRON

N 31°-06'-56"W. A DISTANCE OF 134.62 FEET TO A 5/8 INCH

ROD SET.

THENCE. S 83\*-55'-49"W. DISTANCE OF 30.00 FEET TO A MAG

NAIL SET, PASSING A 5/8 INCH IRON ROD SET AT 10.00 FEET.

THENCE, WITH THE CENTER—LINE OF TOWNSHIP ROAD 183, N

06°-04'-11"W, DISTANCE OF 182.73 FEET TO A MAG NAIL SET.

THENCE, WITH THE SOUTH LINE OF THE ZIESSLER FAMILY INVESTMENTS. LLC 2.256 ACRE TRACT (O.R. 1196, PG. 865, PARCEL I) AND THE SOUTH LINE OF THE DONALD L. BARNETT, TRUSTEE AND MILDRED J. BARNETT, TRUSTEE 24.780 ACRE TRACT (O.R. 1021, PG. 910) N 84°-18'-44'E, DISTANCE OF 728.69 FEET

THENCE, WITH THE WEST LINE OF THE JAMES M. GREER AND SHARON K. GREER 1.326 ACRE TRACT (O.R. 998, PG. 607), S 07\*-44'-13'E, A DISTANCE OF 826.40 FEET TO A 5/8 INCH IRON ROD FOUND.

TO A 5/8 INCH IRON ROD FOUND, PASSING A 5/8 INCH IRON ROD

CONTAINING 9.644 ACRES OF WHICH 0.084 ACRE IS WITHIN

61°-51'-27"W, DISTANCE OF 109.43 FEET TO THE POINT OF

THENCE, WITH THE NORTH RIGHT-OF-WAY OF OHIO ROUTE 540. S

THE BASIS FOR BEARINGS IS THE CENTER-LINE OF TOWNSHIP ROAD 183, BEING N 06"-04'11"W, AND ALL OTHER BEARINGS ARE FROM ANGLES AND DISTANCES MEASURED IN A FIELD SURVEY BY LEE SURVEYING AND MAPPING CO., INC. ON OCTOBER 8, 2015.

COMMITMENT NO. 19000330148

THE HIGHWAY RIGHT-OF-WAY.

TRACT I:

SITUATED IN THE COUNTY OF LOGAN, STATE OF OHIO, AND IN THE TOWNSHIP OF JEFFERSON AND BEING IN ORIGINAL SURVEY NO. 3683 AND DESCRIBED AS FOLLOWS: BEGINNING AT TWO FIRE CLAY BRICKS IN THE SOUTH LINE OF LAND FORMERLY OWNED BY D. DOW, CORNER OF LAND FORMERLY OWNDER BY ROBERT SMITH, FROM WHICH A LARGE BURR OAK BEARS N. 29 W. 21–1/2 AND A HICKORY N. 59 E. 11 LINKS; THENCE WITH THE LINE OF SAID DOW LAND N. 82–1/2 E. 13–5/10 POLES TO TWO FIRE CLAY BRICKS; THENCE S. 7–1/2 E. 46 POLES TO TWO FIRE CLAY BRICKS IN THE JERUSALEM PIKE; THENCE WITH SAID PIKE, S. 67 W. 14 POLES TO TWO FIRE CLAY BRICKS IN THE EAST LINE OF SAID SMITH LAND; THENCE WITH THE LINE OF SAID SMITH'S N. 7–1/2 W. 49–8/10 POLES TO THE BEGINNING, CONTAINING FOUR (4) ACRES, MORE OR LESS.

BEING A PART OF VIRGINIA MILITARY SURVEY NO. 3683 AND SITUATED IN THE TOWNSHIP OF JEFFERSON, COUNTY OF LOGAN, STATE OF OHIO AND MORE PARTICULALRY DESCRIBED AS FOLLOWS: BEGINNING AT A SMALL IRON IN THE CENTER LINE OF S.R. NO. 540 AND BEING THE SOUTHEAST CORNER TO JOSEPH R. WILGUS'S 19.70 ACRE TRACT AND THE SOUTHWEST CORNER TO CLARENCE M. BERRY'S 4.00 ACRE TRACT; THENCE WITH THE CENTERLINE OF S.R. NO. 540, S. 62 DEG. 00'W. 27.26 FEET TO A SMALL IRON; THENCE N. 4 DEG. 30' W. 257.51 FEET TO AN IRON BAR PASSING THROUGH AN IRON BAR AT 32.71 FEET (30.00 FEET IF MEASURED AT RIGHT ANGLES); THENCE N. 85 DEG. 30' E. 25.00 FEET TO AN IRON BAR SET IN THE WEST LINE OF BERRY'S TRACT; THENCE WITH THE WEST LINE OF BERRY'S TRACT; S. 4 DEG. 30' E. 246.90 FEET TO THE PLACE OF BEGINNING, CONTAINING 0.15 ACRES, MORE OR LESS.

THE ABOVE DESCRIBED PARCEL BEING SURVEYED FROM A 19.70 ACRE TRACT IN THE NAME OF JOSEPH R. WILGUS, ET UX, BY DAN

E. GILBERT, #5402 ON 9-7-68.

EXCEPTING FROM THE ABOVE DESCRIBED TRACT I AND TRACT II
THE FOLLOWING DESCRIBED REAL ESTATE; SITUATED IN THE
TOWNSHIP OF JEFFERSON, COUNTY OF LOGAN, STATE OF OHIO,
VIRGINIA MILITARY SURVEY NUMBER 3683, AND BOUNDED AND
DESCRIBED AS FOLLOWS: BEING PARCEL NO. 5 WD AND BEING A

EXCEPTION CONTINUED.....

O.U.P.S. TICKET # A905302188

2 WORKING DAYS

BEFORE YOU DIG

CALL TOLL FREE 800-362-2764

OHIO UTILITIES PROTECTION SERVICE.

UTILITY NOTE:

THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM A FIELD SURVEY OF ABOVE GROUND STRUCTURES, MARKINGS AND EXISTING DRAWINGS PROVIDED TO THE SURVEYOR. THE SURVEYOR MAKES NO GUARANTEE THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED. ALTHOUGH, HE DOES STATE THAT THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED THE UNDERGROUND UTILITIES. ADDITIONAL BURIED UTILITIES/STRUCTURES MAY BE ENCOUNTERED.

**EXCEPTION CONTINUED...** CENTERLINE OF A SURVEY, MADE BY THE DEPARTMENT OF BOUNDARY THEREOF: COMMENCING AT A RAILROAD SPIKE FOUND IN THE CENTER-LINE OF STATEROUTE 540, SAID POINT BEING POINT OF CURVATURE STATION 1074+01.63 IN THE CENTERLINE OF A RECORDED SURVEY MADE BY THE OHIO DEPARTMENT OF TRANSPORTATION OF STATE ROUTE 540 IN LOGAN COUNTY, SAID POINT ALSO BEING THE TRUE POINT OF BEGINNING; THENCE ALONG SAID CENTERLINE SOUTH 62 DEG. 02' 03" WEST A DISTANCE OF 33.92 FEET TO THE CENTERLINE STATION 1073+67.71 AND BEING THE GRANTOR'S SOUTHWESTERLY PROPERTY LINE: THENCE ALONG 34" WEST A DISTANCE OF 64.96 FEET TO A POINT BEING 60.00 FEET LEFT OF STATION 1073+92.61; THENCE LEAVING SAID PROPERTY LINE NORTH 58 DEG. 50' 04" EAST A DISTANCE OF 279.91 FEET TO A POINT ON THE GRANTOR'S EASTERLY PROPERTY EAST A DISTANCE OF 93.04 FEET TO A POINT ON THE CENTER-LINE BEING STATION1076+28.98 AND ALSO BEING THE BEARING SOUTH 63 DEG. 44' 21" WEST AND A CHORD LENGTH 227.32 FEET, A DELTA OF 03 DEG. 24' 37". A RADIUS OF 3819.72' AND AN ARC LENGTH OF 227.35' TO THE TRUE POINT OF

ACRE, MORE OR LESS.

THE DESCRIPTION FOR PARCEL NUMBER 5 WD ABOVE WAS CALCULATED AND DERIVED FROM A CENTERLINE SURVEY MADE BY DWIGHT D. STUCKEY, REGISTERED SURVEYOR NUMBER 4992. SURVEY DATED 11—89. SAID STATIONS BEING THE STATIONS NUMBERS AS STIPULATED IN THE HEREINBEFORE MENTIONED SURVEY AND AS SHOWN BY PLANS ON FILE IN THE DEPARTMENT

CONTAINING A TOTAL OF 0.430 OF AN ACRE, MORE OR LESS,

INCLUDING THE PRESENT ROAD WHICH OCCUPIES 0.179 OF AN

TRACTS I AND II, AFTER SAID EXCEPTION, CONTAIN A TOTAL OF 3.720 ACRES MORE OR LESS. BEING ALL OF PARCEL #12092-00-00-003-000.

TRACT III:

LYING IN VIRGINIA MILITARY SURVEY 3683, CITY OF BELLEFONTAINE, JEFFERSON TOWNSHIP, LOGAN COUNTY, OHIO.

BEING OUT OF THE JOHN J. ZIESSLER AND DORIS A. ZEISSLER 12.97 ACRE TRACT AS DEEDED AND DESCRIBED IN OFFICIAL RECORD 82, PAGE 694 OF THE LOGAN COUNTY RECORDS OF DEEDS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: BEGINNING ON A 5/8 INCH IRON ROD FOUND AT OHIO ROUTE 540 STATION 1073+92.61 (60.00 FEET LEFT) (LOG-33-15.77 SHEET 185 OF 191). THENCE, N 12°-57'-13"W, A DISTANCE OF 194.07 FEET TO A 5/8 INCH IRON ROD SET. THENCE, N 05°-33'-09"W, A DISTANCE OF 601.88 FEET TO A 5/8 INCH IRON ROD SET, THENCE. WITH THE SOUTH LINE OF THE DONALD L. BARNETT AND MILDRED J. BARNETT, CO-TRUSTEES, 24.78 ACRE TRACT (O.R. 814. PG. 473, TRACT I), N 84°-06'-54'E, A DISTANCE OF 50.00 FEET TO A 1 INCH IRON PIPE FOUND. THENCE, WITH AN EAST LINE OF THE CITY OF BELLEFONTAINE CORPORATION LIMIT AND THE WEST LINE OF THE ALICE BERRY ORIGINAL 4.00 ACRE TRACT (O.R. 281, PG. 346, TRACT I), S 05-33-09'E, A DISTANCE OF 602.17 FEET TO A 5/8 INCH IRON ROD FOUND. THENCE, WITH THE LINES OF THE CITY OF BELLEFONTAINE CORPORATION LIMIT AND THE ALICE BERRY ORIGINAL 0.15 ACRE TRACT (O.R. 281, PG. 346, TRACT II) THE FOLLOWING TWO COURSES: S 84°-26'-51"W, A DISTANCE OF 25.00 FEET TO A 5/8 INCH IRON ROD FOUND. S 05-33-09 E. A DISTANCE OF 192.46 FEET TO THE POINT OF BEGINNING.

THE BASIS FOR BEARINGS IS THE NORTH LINE OF THE STATE OF OHIO 0.43 ACRE TRACT (O.R. 138, PG. 623), BEING S 58'-50'-04'W, AND ALL OTHER BEARINGS ARE FROM ANGLES AND DISTANCES MEASURED IN A FIELD SURVEY BY LEE SURVEYING AND MAPPING CO., INC. ON AUGUST 14, 2008. TRACT III BEING ALL OF PARCEL #61-078-00-00-113.005

TRACT IV:

CONTAINING 0.746 ACRE.

LYING IN VIRGINIA MILITARY SURVEY 3683, CITY OF BELLEFONTAINE, JEFFERSON TOWNSHIP, LOGAN COUNTY, OHIO:

BEING OUT OF THE JOHN J. ZIESSLER AND DORIS A. ZIESSLER 12.97 ACRE TRACT AS DEEDED AND DESCRIBED IN OFFICIAL RECORD 82, PAGE 694 OF THE LOGAN COUNTY RECORDS OF DEEDS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING ON A 5/8 INCH IRON ROD FOUND AT OHIO ROUTE 540

STATION 1073+92.61 (60.0 FEET LEFT) (LOG-33-15.77 SHEET 185 OF 191). THENCE, WITH THE NORTH LINE OF THE STATE OF OHIO 0.452 ACRE TRACT (O.R. 141, PG. 416), S. 61 DEG. 52' 09" W. A DISTANCE OF 83.21 FEET TO A 5/8 INCH IRON ROD SET. THENCE, N. 07 DEG. 43' 41" W. A DISTANCE OF 826.40 FEET TO A 5/8 INCH IRON ROD SET.

THENCE, WITH THE SOUTH LINE OF THE DONALD L. BARNETT AND MILDRED J. BARNETT, CO-TRUSTEES, 24.78 ACRE TRACT (O.R. 814, PG. 473, TRACT I), N. 84 DEG. 06' 54" E. A DISTANCE OF 83.21 FEET TO A 5/8 INCH IRON ROD FOUND. THENCE, WITH THE WEST LINES OF THE JAMES M. GREER AND SHARON K. GREER 0.746 ACRE TRACT (O.R. 932, PG. 194, TRACT III), THE FOLLOWING TWO COURSES: S. 05 DEG. 33' 09" E. A DISTANCE OF 601.88 FEET TO A 5/8 INCH IRON ROD FOUND. S. 12 DEG. 57' 13" E. A DISTANCE OF 194.07 FEET TO THE POINT OF BEGINNING.


CONTAINING 1.326 ACRES.

PROPERTY IS SUBJECT TO ANY AND ALL PREVIOUS EASEMENTS

AND RIGHTS-OF-WAY OF RECORD.

THE BASIS FOR BEARINGS IS THE NORTH LINE OF THE STATE OF OHIO 0.43 ACRE TRACT (O.R. 138, PG. 623), BEING S 58°-50'-04"W, AND ALL OTHER BEARINGS ARE FROM ANGLES AND DISTANCES MEASURED IN A FIELD SURVEY BY LEE SURVEYING AND MAPPING CO., INC. ON JULY 22, 2010 BY WILLIAM K. BRUCE, PROFESSIONAL SURVEYOR 7437.

DESCRIPTION PREPARED BY DANIEL A. NEER, PROFESSIONAL SURVEYOR NO. 8533, DATED MARCH 15, 2019.



ANNEXATION IN ORDINANCE NO. 91-82 OF RECORD IN OFFICIAL RECORD 141, PAGE 925

AND PLAT CABINET A. SLIDE 735B. (AS SHOWN)

EASEMENT CONTAINED IN THE DEED OF RECORD IN OFFICIAL RECORD 927, PAGE 265.

(EASEMENT IS NOT DEFINED AND IS BLANKET IN NATURE ON 0.746 ACRE TRACT AS

DISTANCES SHOWN HEREON ARE IN U.S. SURVEY FEET

CONTOUR INTERVAL = 1 FOOT

ALTA/NSPS LAND TITLE SURVEY OF THE

ZIESSLER FAMILY INVESTMENTS, LLC

9.644 ACRE TRACT

OFFICIAL RECORD 1197, PAGE 738

AND THE TOKIO INVESTMENTS, LLC

3.720 ACRE, 0.746 ACRE

AND 1.326 ACRE TRACTS

OFFICIAL RECORD 1280, PAGE 574

TRACTS I AND II (COMBINED

TRACT III AND TRACT IV

VIRGINIA MILITARY SURVEY 3683

CITY OF BELLEFONTAINE

JEFFERSON TOWNSHIP

LOGAN COUNTY, OHIO

THE USE OF THE WORD "CERTIFY" ON THIS DOCUMENT IS BASED UPON

THE SUBJECT PROPERTIES HAVE DIRECT ACCESS TO DULY DEDICATED AND

ACCEPTED PUBLIC STREETS OR HIGHWAYS. THE SUBJECT PROPERTIES ABOUT

ALL REFERENCED DOCUMENTS ARE FROM STEWART TITLE GUARANTY COMPANY

COMMITMENT NO. 18000332282, DATED NOVEMBER 19, 2018 AT 8:00 AM AND

THE LOCATION OF EACH EASEMENT, RIGHT-OF-WAY, SERVITUDE, AND OTHER

THE EASTERLY RIGHT-OF-WAY LINES OF TOWNSHIP ROAD 183 AND THE

COMMITMENT NO. 19000330148, DATED JANUARY 30, 2019 AT 6:00 AM.

MATTER (ABOVE OR BELOW GROUND) AFFECTING THE SUBJECT PROPERTY

RESPECT TO THE SUBJECT PROPERTY, HAS BEEN SHOWN ON THE SURVEY TOGETHER WITH APPROPRIATE RECORDING REFERENCES. TO THE EXTENT

THAT SUCH MATTERS CAN BE LOCATED. THE PROPERTY SHOWN IS THE

SAME PROPERTY AS DESCRIBED IN THE REFERENCED TITLE COMMITMENT.

THERE IS NO OBSERVABLE EVIDENCE OF EASEMENTS OR RIGHTS-OF-WAY ON

THEY APPEAR TO AFFECT THE SURVEYED PROPERTY, NOT OTHERWISE SHOWN

THE RECORD DESCRIPTION OF THE SUBJECT PROPERTY WITHIN COMMITMENT NO.

18000332282 FORMS A MATHMATICALLY CLOSED FIGURE. THE RECORD DESCRIPTIONS

OF THE SUBJECT PROPERTY WITHIN COMMITMENT NO. 19000330148 DO NOT FORM

ALL PARCELS SHOWN HEREON ARE CONTIGUOUS AND CONTAIN NO GORES, GAPS

THERE IS NO OBSERVABLE CHANGES IN STREET RIGHT OF WAY LINES OR RECENT

THERE IS NO OBSERVABLE MARKERS SHOWING FIELD DELINEATION OF WETLANDS.

O.R. 1313, PG. 684

O.R. 1197, PG. 738

O.R. 1303, PG. 20

OR OVERLAPS ALONG THEIR COMMON BOUNDARIES, UNLESS OTHERWISE SHOWN

THERE IS NO OBSERVABLE EVIDENCE OF RECENT EARTH MOVING WORK.

BUILDING CONSTRUCTION, OR BUILDING ADDITIONS AT THE TIME THE

ADDRESS: 1883 STATE ROUTE 540, BELLEFONTAINE, OH 43311

**DEED & SURVEY REFERENCES:** 

ALL DEEDS LISTED IN SCHEDULE B - PART II EXCEPTIONS

O.D.O.T. PLANS LOG-33-15.77, SHEETS 7 &8 OF 14 (ALSO

"RETRACEMENT SURVEY OF THE REMAINDER OF THE ALICE

BERRY ORIGINAL 4.00 ACRE TRACT AND 0.15 ACRE TRACT".

"SURVEY OF 0.746 ACRE TRACT OUT OF THE JOHN J. ZIESSLER

AND DORIS A. ZIESSLER 12.97 ACRE TRACT\*, DATED AUGUST

"SURVEY OF 1.326 ACRES OUT OF THE JOHN J. ZIESSLER

AND DORIS A. ZIESSLER 12.97 ACRE TRACT", DATED JULY

"RETRACEMENT SURVEY OF THE KENT ZIESSLER, KRISTINA

RENKERT AND KELLY JO KINNEY 9.763 ACRE TRACT". DATED

TO 3-D DEVELOPMENT, LLC, ITS SUCCESSORS AND ASSIGNS: LENDER. ITS

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT

COPYRIGHT 2019 BY:

LEE SURVEYING & MAPPING CO.

117 North Madriver Street BELLEFONTAINE, OHIO 43311

(937) 593-7335

WWW.LEE-SURVEYING.COM

surveys@lee-surveying.com

KSS D0219 60220219 L-6022-1 √

SUCCESSORS AND ASSIGNS; AND STEWART TITLE GUARANTY COMPANY, AS TITLE

IS BASED WERE MADE IN ACCORDANCE WITH THE 2016 MINIMUM STANDARD DETAIL

REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND

8, 11, 13, 14, 16, 18, 19 AND 20 OF TABLE A THEREOF. THE FIELD WORK WAS

ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 3, 4, 5, 6(a) AND (b), 7(a),

OCTOBER 8, 2015. (LOGAN COUNTY ENGINEER'S MAP ROOM

SHEETS 184 & 185 OF 191), S.R. 540 STA. 1058+00 TO

STA. 1088+00 RIGHT-OF-WAY PLAN, DATED 11-25-91.

PLATS OF SURVEY BY WILLIAM K. BRUCE, P.S. 7437,

O.D.O.T. PLANS LOG-33-15.77, SHEET 11 OF 14 (ALSO

SHEET 188 OF 191), TWP. RD. 183 STA. 54+00 TO

STA. 61+00 RIGHT-OF-WAY PLAN DATED 9-30-91.

STREET OR SIDEWALK CONSTRUCTION OR REPAIRS.

OR ACROSS THE SURVEYED PROPERTY, OR ON ADJOINING PROPERTIES IF

THE SURVEYOR DID NOT MAKE A SEARCH FOR ANY ADDITIONAL

AND LISTED IN THE ABOVE TITLE COMMITMENT AS REFERENCED WITH

THE CURRENT DEFINITION IN SECTION 4733-35-04(C) OF THE

THE NORTHERLY RIGHT-OF-WAY LINES OF OHIO ROUTE 540.

OHIO ADMINISTRATIVE CODE.

DOCUMENTS OR EASEMENTS.

A MATHEMATICALLY CLOSED FIGURE.

FIELD SURVEY WAS CONDUCTED.

ON THE SURVEY.

OR NOTED HEREON.

O.R. 138, PG. 623

O.R. 1196, PG. 865

O.R. 1280, PG. 574

DATED JUNE 17, 2008.

FILE NO. 5806)

INSURANCE COMPANY:

COMPLETED ON MARCH 4, 2019.

PROFESSIONAL SURVEYOR NO. 8533

DATE OF PLAT: MARCH 15, 2019