RECID 12-16-98 8W OKV

McClure Family Trust Survey Tract No. I

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southwest quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James H. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190. S. 85°12'05" E. 26.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey - S. 85°12'05" E.);

Thence N. $4^{\circ}49$ '15" E. 310.48 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. $85^{\circ}10'45"$ E. 150.00 feet to a 5/8" x 30" Rebar set; Thence S. $4^{\circ}49'15"$ W. 310.43 feet to a R. R. Spike set in the south line of said Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 290.43 feet;

Thence with the south line of said Section No. 25 and the centerline of T. R. No. 190, N. 85°12'05" W. 150.00 feet to the true place of beginning, containing 46,568.250 square feet or 1.069 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402

400 N. PARK ST.
BELLEFONTAINE, OHIO 43311
TELEPHONE: 1 (513) 593-1428

5915 ID-1

McClure Family Trust Survey Tract No. II

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southwest quarter and the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 194.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190, S. $85^{\circ}12'05"$ E. 176.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey - S. $85^{\circ}12'05"$ E.);

Thence N. $4^{\circ}49$ ' 15" E. 310.43 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. 85°10'45" E. 150.00 feet to a 5/8" x 30" Rebar set; Thence S. 4°49'15" W. 310.40 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 290.40 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. 85°10'45" W. 82.64 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, N. $85^{\circ}12'05"$ W. 67.36 feet to the true place of beginning, containing 46,562.250 square feet or 1.069 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402 400 N. PARK ST.

BELLEFONTAINE, OHIO 43311 TELEPHONE: 1 (55) 593-1428

DANIEL E.
GILBERT
5402

5915 10-2

McClure Family Trust Survey Tract No. III

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and beingout of an original 184./43 Acre tract in the name of Sylvia R. McClure, Trustee et al (McCLure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) an now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.443 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190, S. 85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. 85°10'45" E. 82.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey - S. 85°10'45" E.);

Thence N. $4^{\circ}49'15"$ E. 310.40 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. 85°10'45" E. 150.00 feet to a 5/8" x 30" Rebar set; Thence S. 4°49'15" W. 310.40 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 290.40 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. 85°10'45" W. 150.00 feet to the true place of beginning, containing 46,560.00 square feet or 1.069 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I herby certify that this description is the result of a field survey made by me on October 10, 1998.

DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402 400 N. PARK ST.

BELLEFONTAINE, OHIO 43311 TELEPHONE: 1 (313) 593-1428

DANIEL E.
GILBERT
5402

CURVEYOR

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 104.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190, S. 85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. 85°10'45" E. 232.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey - S. 85°10'45" E.);

Thence N. $4^{6}49'15"$ E. 310.40 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. 85°10'45" E. 150.00 feet to a 5/8" x 30" Rebar set; Thence S. 4°49'15" W. 310.40 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 290.40 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. $85^{\circ}10'45"$ W. 150.00 feet to the true place of beginning, containing 46,560.00 square feet or 1.069 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

DANIEL E. GILBERT, P.S.
REG. SUR. NO. 5402
400 N. PARK ST.
BELLEFONTAINE, OHIO 43311

TELEPHONE: 1 (\$20) 593-1428





McClure Family Trust Survey Tract No. V

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said | 64.43 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190, S. 85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. 85°10'45" E. 382.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey-S. 85°10'45" E.);

Thence N. $4^{\circ}49'15"$ E. 449.89 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet and a 5/8" x 30" Rebar set at 310.40 feet;

Thence S. 85°10'45" E. 150.00 feet to a 5/8" x 30" Rebar set;
Thence S. 4°49'15" W. 449.89 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" rebar set at 429.89 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. 85° 10'45" W. 150.00 feet to the true place of beginning, containing 67,483.50 square feet or 1.549 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402 400 N. PARK ST.

BELLEFONTAINE, OHIO 43311 TELEPHONE: 1 (1912) 593-1428

5915 ID-5

McClure Family Trust Survey Tract No. VI

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184,143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for referece at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 194.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the centerline of T. R. No. 190. S. 85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. 85°10'45" E. 532.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey-S. 85°10'45" E.);

Thence N. $4^{\circ}49'15"$ E. 449.89 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. 85°10'45" E. 150.00 feet to a 5/8" x 30" Rebar set; Thence S. 4°49'15" W. 449.89 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 429.89 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. $85^{\circ}10'45"$ W. 150.00 feet to the true place of beginning, containing 67,483.50 square feet or 1,549 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

GILBERT

DANIEL É. GILBERT, P.S. REG. SUR. NO. 5402 400 N. PARK ST. BELLEFONTAINE, OHIO 43311

TELEPHONE: 1 (3008) 593-1428

McClure Family Trust Survey Tract No. VII

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the centerline of T. R. No. 190. S.85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25:

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190. S. 85°10'45" E. 682.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey - S. 85°10'45" E.);

Thence N. $4^{\circ}49'15"$ E. 449.89 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. $85^{\circ}10'45"$ E. 100.00 feet to a 5/8" x 30" Rebar found at the northwest corner to a 4.00 Acre tract in the name of H. Darrell Ashby, Jr. as recorded in Official Record No. 341 Page 730 (10-27-1997);

Thence with Ashby's west line, S. 4°49'15" W. 449.89 feet to a R. R. Spike found in the south line of said Section No. 25 and the centerline of T. R. No. 190 (Being the southwest corner to Ashby's 4.00 Acre tract), passing through a 5/8" x 30" Rebar found at 429.89 feet;


Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. 85°10'45" W. 100.00 feet to the true place of beginning, containing 44,989.00 square feet or 1.033 Acres, more or less.

Of the above described tract, there is 2,000.00 square feet or 0.046 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

> DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402 400 N. PARK ST. BELLEFONTAINE, OHIO 43311 TELEPHONE: 1 (500) 593-1428

GILBERT



The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Sylvia R. McClure, Trustee et al (McClure Family Trust) as recorded in Official Record No. 287 Page 111 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike set at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190, S. 85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. 85°10'45" E. 232.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 is the Basis of Bearing for this survey _ S. 85°10'45" E.);

Thence N. $4^{\circ}49'15"$ E. 449.89 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet and a 5/8" x 30" Rebar set at 310.40 feet;

Thence S. $85^{\circ}10'45"$ E. 150.00 feet to a 5/8" x 30" Rebar set; Thence S. $4^{\circ}49'15"$ W. 449.89 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 139.49 feet and a 5/8" x 30" Rebar set at 429.89 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. $85^{\circ}10'45"$ W. 150.00 feet to the true place of beginning, containing 67,483.50 square feet or 1.549 Acres, more or less.

Of the above described tract, there is 3,000.00 square feet or 0.069 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on October 10, 1998.

E OF


GILBERT

SURVEY !

DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402

400 N. PARK ST.
BELLEFONTAINE, OHIO 43311
TELEPHONE: 1 (523) 593-1428

1NDE/ED GN MAP 5915 2D



RECID 7-16-01 SMy all ~

McClure Family Trust Survey Revised Tract No. V

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Carl McClure, Jr., as trustee of the McClure Family Trust and recorded in Official Record No. 287 Page 119 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike found at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of said Section No. 25 and the center-line of T. R. No. 190, S. 85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. 85°10'45" E. 382.64 feet to a R. R. Spike found at the southeast corner to a 1.549 Acre tract in the name of Herbert D. Couchman et al as recorded in Official Record No. 412 Page 704 (5-27-1999) for the true place of beginning, (Note: The centerline of T. R. No. 190 and the south line of Section No. 25 is the Basis of Bearing for this survey - S. 85°10'45" E.);

Thence with the east line of Couchman's tract, N. $4^{\circ}49'15"$ E. 449.89 feet to a 5/8" x 30" Rebar found at the northeast corner to said Couchman's tract, passing through a 5/8" x 30" Rebar found at 20.00 feet and a 5/8" x 30" Rebar found at 310.40 feet;

Thence S. 85°10'45" E. 200.00 feet to a 5/8" x 30" Rebar set;
Thence S. 4°49'15" W. 449.89 feet to a R. R. Spike set in the south line of Section No. 25 and the centerline of T. R. No. 190, passing through a 5/8" x 30" Rebar set at 429.89 feet;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, N. $85^{\circ}10'45"$ W. 200.00 feet to the true place of beginning, containing 89,978.00 square feet or 2.066 Acres, more or less.


Of the above described tract, there is 4,000.00 square feet or 0.092 Acres in the right of way of T. R. No. 190.

I hereby certify that this description is the result of a field survey made by me on April 27, 2001.

DANIELE.
GILBERT
5402

OURVEYOR

DANIEL E. GILBERT, P.S.
REG. SUR. NO. 5402
400 N. PARK ST.
BELLEFONTAINE, OHIO 43311
TELEPHONE: 1 (50) 593-1428



REA ID 7-16-01 SWM OKV

McClure Family Trust Survey Revised Tract No. VI

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Carl McClure, Jr., as trustee of the McClure Family Trust recorded in Official Record No. 287 Page 119 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike found at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, S.85°12'05" E. 244.00 feet to a ReSurvey Monument in a Monument Box found at the southwest corner to the Southeast Quarter and the southeast corner to the Southwest Quarter of said Section No. 25;

Thence continuing with the south line of said Section No. 25 and the centerline of T. R. No. 190, S. $85^{\circ}10'45"$ E. 582.64 feet to a R. R. Spike set for the true place of beginning, (Note: The centerline of T. R. No. 190 and the south line of Section No. 25 is the Basis of Bearing for this survey - S. $85^{\circ}10'45"$ E.);

Thence N. $4^{\circ}49'15"$ E. 449.89 feet to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 20.00 feet;

Thence S. $85^{\circ}10'45"$ E. 200.00 feet to a 5/8" x 30" Rebar found at the northwest corner to a 4.00 Acre tract in the name of H. Darrell Ashby, Jr. as recorded in Official Record No. 341 Page 730 (10-27-1997);

Thence with Ashby's west line, S. 4°49'15" W. 449.89 feet to a R. R. Spike found in the south line of Section No. 25 and the center-line of T. R. No. 190, passing through a 5/8" x 30" Rebar found at 429.89 feet, said R. R. Spike being the southwest corner to Ashby's tract;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190. N. 85° 10'45" W. 200.00 feet to the true place of beginning, containing 89,978.00 square feet or 2.066 Acres, more or less.

Of the above described tract, there is 4,000.00 square feet or 0.092 Acres in the right of way of T. R. No. 190.


I hereby certify that this description is the result of a field survey made by me on April 27, 2001.

DANIEL E.
GILBERT
5402

SURVEYOR

DANIEL E. GILBERT, P.S. REG. SUR. NO. 5402
400 N. PARK ST. BELLEFONTAINE, OHIO 43311
TELEPHONE: 1 (SMES) 593-1428

937



12ECID 7-16-01 DW OK

McClure Family Trust Survey
New Tract No. VII
To Donald L. Kauffman

The following described real estate situated in the Township of Liberty, County of Logan, State of Ohio and being a part of the southwest quarter and the southeast quarter of Section No. 25, Town 4, Range 14, Between the Miami Rivers Survey and being out of an original 184.143 Acre tract in the name of Carl McClure, Jr., as trustee of the McClure Family Trust recorded in Official Record No. 287 Page 119 (4-27-1996) and now being more particularly described as follows:

Beginning for reference at a R. R. Spike found at the southeast corner to a 10.00 Acre tract in the name of James R. Warne et ux as recorded in Deed Volume No. 358 Page 706 (5-23-1975) and the southwest corner to said 184.143 Acre tract and being in the south line of Section No. 25 and the centerline of T. R. No. 190;

Thence with the south line of Section No. 25 and the centerline of T. R. No. 190, S. 85°12'05" E. 176.64 feet to a R. R. Spike found at the southwest corner to a 1.069 Acre tract in the name of Donald L. Kauffman et al as recorded in Official Record No. 393 Page 204 (12-18-1998), (Note: The south line of Section No. 25 and the centerline of T. R. No. 190 is the Basis of Bearing for this survey - S. 85°12'05" E.);

Thence with the west line of Kauffman's tract, N. $4^{\circ}49'15"$ E. 310.43 feet to a 5/8" x 30" Rebar found at Kauffman's northwest corner, which is the true place of beginning, passing through a 5/8" x 30" Rebar found at 20.00 feet;

Thence continuing with an extension of the west line of Kauffman's tract, N. $4^{\circ}49'15"$ E. 139.49 feet to a 5/8" x 30" Rebar set;

Thence S. $85^{\circ}10'45"$ E. 300.00 feet to a 5/8" x 30" Rebar found at the northwest corner of a 1.549 Acre tract in the name of Herbert D. Couchman et al as recorded in Official Record No. 412 Page 704 (5-27-1999);

Thence with Couchman's west line, S. $4^{\circ}49'15"$ W. 139.49 feet to a 5/8" x 30" Rebar found at the northeast corner to a 1.069 Acre tract in the name of Mark E. Wenger et ux as recorded in Official Record No. 478 Page 665 (1-8-2001);

Thence with the north line of Wenger's and Kauffman's tracts, N. 85°10'45" W. 300.00 feet to the true place of beginning, passing through a 5/8" x 30" Rebar found at 150.00 feet, said Rebar being the northwest corner to Wenger's tract and the northeast corner to Kauffman's tract, containing 41,847.00 square feet or 0.961 Acres, more or less.

I hereby certify that this description is the result of a field survey made by me on April 26, 2001.


ATE OF ON

DANIEL E.

GILBERT

DANIEL E. GILBERT, P.S.
REG. SUR. NO. 5402
400 N. PARK ST.
BELLEFONTAINE, OHIO 43311
TELEPHONE: 1 (2003) 593-1428

INDEXED ON MAP 5915 3D-3



M^CClure Survey June, 1976

Being situated in Liberty Township, Logan County, Ohio; and being a part of Section 25, Town 4, Range 14.

Tarin on the

o Beginning at a stone in the south line of Section 25 that bears S 85 - 55 E 986.0 feet from the quarter section corner. Said beginning stone is also an angle in Township Road 190 at Station 36 + 55 as shown on page 49 in the Logan County Engineer's Field Book 448.

Thence N 5° - 50'E 20.0 feet to a concrete right of way monument in the north right of way of Township Road 190.

Thence S 85° - 55' 182.5 feet to a point.

Thence N 7° - 00'3 343.0 feet to a iron.

Thence S 63° - 00'E 43.0 feet to a iron.

Thence N 7° - 14'E 90.0 feet to an iron.

Thence S 83° - 00'E 125.3 feet to an iron.

Thence S 6° - 50 W 444.5 feet to an iron in the south line of Section 25.

Thence with the south line of Section 25 N 85° - 55'W 252.0 feet to the place of beginning.


Containing 1.73 acres more or less. Being surveyed from a 145.53 acre tract.

Right of May Masement:


Being 20.0 feet wide on the south side of the last 222.0 feet of the last course mentioned in the above tract.

The above 20.0 foot right of way easement is along the north line of a 24.74 acre tract in Section 30, Town 5, Mange 13.

Owen K. Shirk Surveyor 4271



MC CLURE SURVEY LIBERTY TWR, LOGAN CO., OHIO SEC. 25, T-4, R-14 - 1"=100"



Robinson Survey August, 1976

Being situated in Liberty Township, Logan Jounty, Ohio; and being a part of Section 25, Town 4, Mange 14 and Section 30, Town 5, Range 13.

Beginning at a stone in the center of Township Road 190 that is the southwest corner of the southeast quarter of Section 25.

Thence with the center of Township Road 190 N 850 - 00 W 244.8 feet to a point.

Thence N 4° - 50' = 2764.0 feet to a post in the quarter section line.

Thence with the quarter section line S 85° - 29'8 2915.5 feet to a stone at the northeast corner of the southeast quarter of Section 25, passing thru a quarter section corner at 240.5 feet.

Thence with the east line of Section 25 S 40 - 18'W 880.0

feet to a corner post.

Thence N 870 - 00'W 258.0 feet to a corner post.

Thence S 4° - 23' 1898.0 feet to a stone in the line between

Section 25 and Section 30.

Thence S 5° - 01'W 803.5 feet to an iron in the center of Township Road 190.

Thence with the center of Town hip Road 190 N 850 - 17'


1453.9 feet to a concrete monument.

Thence again with the center of Township Road 190 $\,$ N 6° - 25' B 811.0 feet to a concrete monument in the line between Section 25 and Section 30.

Thence again with the center of Township Road 190 (also the south line of Section 25) H 85° - 00'W 986.0 feet to the place of beginning. Containing 201.45 acres more or less, of which 174.69 acres are in Section 25 and 26.76 acres are in Section 30.

The 174.09 acre tract in Section 2) is all of two tracts that are carried as a 15.00 acre tract and a 145.03 acre tract as carried by the Auditor. The 26.76 acre tract in Section 30 is all of a 24.74 acre tract as carried by the Auditor.

Owen K. Shirk Surveyor 4271



LIBERTY TWP, LOGANCO, OHIO SEC 25, T-4, R-14 \$ SEC 30, T-5, R-13 1" = 400 · DENOTES /RONS NE Cor. of S.E. 4 of Sc. 25. Post 1.1/2 800. Col. 585°-29 E 2675.0 stone 258.0 174.69 Ac > Stare or 14 See Cor. Sec 25, T-4, R-14 885°-00'€ 1434.0 Conc. Mon SEC. 30, 7-5; R-13 26,76 Au Woy. N85"-17'W 1453.9 Twp. Rd. 190 Jusen K. Shirk Surveyor 4271 Aug., 1976

KOBINSON SURVEY