The 4 th for Beguis at Robert Dickinson, N. O corner; There with his cast line \$106 160 poles cropsing the County road to a Stake and Elin his I. to corner in the South line of the whole head Thinson, thence with said line N. 80 6 20 toly, to a Stake ! theyer NIV 10 160 poles or Sing the road and rafsing The S.W. cor, of the 3° lot to a Stone in the north town of the whole hack ! thene with sain lin 1801020 deles, to the beginning bontgining 20 acres ComMichim 6.1.1.60 3° mo. March 22° 1842 Survey 3 Sinveyed La Lane M' Collock 16 & acres of lana 1. 493 Veine part of Survey N. 4957 and bounded and described as follows i Beg. at a Stone Sto cor. to Juney No 3138: thenge with the south line of said Survey 175640 = poles, to a Make at the seder The Unbaun road; Munice with the road 148:10 1. Sitel 2 = lenks, to a Make; thence Ny5 10 58 poly to a Stono: Thene I 54'10 3 pola, to a Stone; them 176= 10 34 Toles & 20 links to a Honey toust; Thence N 48 à 1026 hoies, to a State in the South dein of Hate Thanks land! thence with his line No 6 81: Joyles. to a Hake N72 10 23 lenks from anclin in the west line of Survey N. 3138 con to Hate Thurso (Orig call 3 Stint Red Oak) thereo with Juice lein South 63 fortes to the beginning Jam. M Collocks chllen John Michim 6 1.2. Co



ARCHITECTURE • ENGINEERING • PLANNING

INNOVATIVE IDEAS **EXCEPTIONAL DESIGN** UNMATCHED CLIENT SERVICE

HOOK, WILGUS AND SIDDERS 72.766 ACRES

Lying in Virginia Military Surveys 4957, 6449 and 3138, Monroe and Jefferson Townships, Logan County, Ohio (all records referenced herein refer to the Logan County Records of Deeds).

Being all of the remainder of Pamela Hook, Darlene Jo Wilgus, Charles Michael Sidders, Richard D. Sidders and Michelle Sidders 73.634 acre tract as deeded and described in Official Record 437, Page 242 and being more particularly described as follows:


COMMENCING at a 5/8 inch iron rod found (I.D. cap stamped "Logan County Eng") at the intersection of the center-lines of County Highway 29 and County Highway 5 (60 feet wide);

THENCE, N 45°-43'-31" E, a distance of 1320.98 feet to a MAG nail found at the TRUE POINT OF BEGINNING, said nail being a southwest corner of said 73.634 acre tract and the southeast corner of the Michelle R. Benavides and Roberto Benavides 0.720 acre tract as deeded and described in Official Record 1242, Page 79;

THENCE, with common lines to said 73.634 acre and 0.720 acre tracts, the following two (2) courses:

- 1) N 24°-25'-13" W, passing a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle") at a distance of 30.67 feet, a total distance of 460.03 feet to a 5/8 inch iron rod found; and
- 2) S 56°-53'-03" W, a distance of 187.39 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle), said rod being on an easterly line of the Matthew Klopfenstein and Kathryn Klopfenstein 1.54 acre tract as deeded and described in Official Record 1204, Page 609, Tract II;

THENCE, with a line common to said 73.634 acre and 1.54 acre tracts, N 24°-25'-43" W, a distance of 572.50 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle") in an east line of



said 1.54 acre tract and at the southwest corner of the Matthew Klopfenstein and Kathryn Klopfenstein 0.100 acre tract as deeded and described in Official Record 1204, Page 609, Tract I;

THENCE, with a line common to said 73.634 acre and 0.1000 acre tracts, N 56°-59'-09" E, a distance of 144.52 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle");

THENCE, with a westerly line of said 73.634 acre tract and the easterly lines of said 0.100 acre and 1.54 acre tracts, N 24°-24'-50" W, a distance of 266.46 feet to an iron rod set;

THENCE, with a line common to said 73.634 acre and 1.54 acre tracts, S 58°-37'-14" W, a distance of 169.25 feet to a 5/8 inch iron rod found on the easterly line of the Teresa A. Morris as Trustee 39.410 acre tract as deeded and described in Official Record 1145, Page 271;

THENCE, with the line common to said 73.634 acre and 39.410 acre tracts, N 24°-25'-54" W, a distance of 553.92 feet to a 5/8 inch iron rod found on the north line of Virginia Military Survey 4957 and the south line of Virginia Military Survey 6449, said rod being on the southerly line of the Teresa A. Morris as Trustee, original 111.072 acre tract as deeded and described in Official Record 1150, Page 294, Tract III;

THENCE, with the north line of said Virginia Military Survey 4957 and said 73.634 acre tract and the south line of said Virginia Military Survey 6449 and said original 111.072 acre tract, N 64°-48'-36" E, a distance of 1073.64 feet to a 5/8 inch iron rod found;

THENCE, with a line common to said 73.634 acre and original 111.072 acre tracts, N 08°-19'-48" E, a distance of 890.02 feet to a 36 inch Sugar Maple fence corner found on the north line of Virginia Military Survey 6449 and the south lines of Virginia Military Survey 6447 and the Ronald L. Zimmerly, Jr. and Kelli S.



INNOVATIVE IDEAS **EXCEPTIONAL DESIGN** UNMATCHED CLIENT SERVICE

Zimmerly 120.877 acre tract as deeded and described in Official Record 1133, Page 223, said Maple being referenced by a 5/8 inch iron rod found bearing N 84°-29'-52" W, a distance of 3.00 feet;

THENCE, with the north line of Virginia Military Survey 6449 and said 73.634 acre tract and the south line of Virginia Military Survey 6447 and said 120.877 acre tract, S 84°-29'-52" E, a distance of 792.52 feet to a 5/8 inch iron rod found (I.D. cap stamped "Edwards PS 4792 PS 7574") on the easterly line of Virginia Military Survey 6449 and westerly lines of Virginia Military Survey 3138 and the Premier Properties (3/6 interest), Suzanne Hilliker Edwards (1/6 interest), Donald James Hilliker (1/6 interest) and Richard Orrin Hilliker (1/6) interest), 132.24 acre tract as deeded and described in Official Record 359, Page 777, Parcel V;

THENCE, with the easterly line of said 73.634 acre tract and Virginia Military Survey 4957 and the westerly lines of said 132.24 acre tract, the Premier Properties (3/6 interest), Suzanne Hilliker Edwards (1/6 interest), Donald James Hilliker (1/6 interest) and Richard Orrin Hilliker (1/6) interest), 6.33 acre tract as deeded and described in Official Record 359, Page 777, Parcel VI and Virginia Military Survey 3138, S 04°-02'-26" W, a distance of 917.98 feet to an iron rod set;

THENCE, with a line common to said 73.634 acre and 6.33 acre tracts, S 37°-16'-34" E, a distance of 290.03 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle") at the northeast corner of the Bryce Bickham 4.72 acre tract as deeded and described in Official Record 35, Page 169;

THENCE, with a line common to said 73.634 acre and 4.72 acre tracts, S 51°-32'-40" W, a distance of 151.24 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle") at an easterly corner of the Kari J. Pooler, Trustee, 3.898 acre tract as deeded and described in Official Record 1126, Page 353;





THENCE, with lines common to said 73.634 acre and 3.898 acre tracts, the following three (3) courses:

- 1) N 37°-15'-40" W, a distance of 233.43 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle RS 6140");
- 2) **S 49°-13'-15" W**, passing a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle RS 6140") at a distance of 103.33 feet, a total distance of 296.79 feet to a 5/8 inch iron rod found (I.D. cap stamped "Clapsaddle RS 6140"); and
- 3) S 37°-08'-13" E, passing a 5/8 inch iron rod found at a distance of 221.51 feet and an iron rod set at a distance of 873.02 feet, a total distance of 903.02 feet to a railroad spike found on the center-line of said County Highway 5;

THENCE, with the southerly line of said 73.634 acre tract and the center-line of said County Highway 5, S 52°-04'-30" W, a distance of 1412.93 feet to the POINT OF BEGINNING.

Containing 72.766 acres, more or less, of which 0.972 acre is within the highway right-of-way, 6.530 acres are within Monroe Township and 66.236 acres within Jefferson Township, 60.157 acres within Virginia Military Survey 4957, 11.895 acres within Virginia Military Survey 6449 and 0.714 acre within Virginia Military Survey 3138.

Iron rods set, where indicated, are 30 inches in length, 5/8 inch in diameter with a plastic I.D. cap stamped "DLZ OHIO, INC".

Property is subject to any and all previous easements and rights-of-way of record.

Bearings and distances, described herein, are derived from GPS observations based on Grid North, Ohio State Plane Coordinate System, North Zone, NAD83 (2011, Epoch 2010), with the center-line of County Highway 5 having a bearing of S 52°-04'-30" W. Distances are expressed in U.S. Survey Feet. All other measurements are from





INNOVATIVE IDEAS **EXCEPTIONAL DESIGN** UNMATCHED CLIENT SERVICE

angles and distances measured in a field survey by DLZ on September 12, 2019.

Description prepared by:

Daniel A. Neer

Professional Surveyor No. 8533

September 13, 2019

1921-2047.00



