· Received 12/9/99 OK 9CH

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

JOHNSON 11.395 ACRES

Lying in Virginia Military Surveys 3228 and 3230, Monroe Township, Logan County, Ohio.

Being out of the Cynthia L. Johnson original 34.63 and 12.0 acre tracts, Official Record 316, Page 925, Tracts 2 and 3, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a railroad spike set on the southwest corner of Virginia Military Survey 3228 on the center-line of County Highway 28.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28 (50 feet wide), N 21°-00′-00″ W, a distance of 328.25 feet to a railroad spike set at the TRUE POINT OF BEGINNING.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28, N 21°-00'-00" W, a distance of 150.00 feet to a railroad spike set.

THENCE, N 69°-00'-00" E, a distance of 25.00 feet to a 5/8 inch iron rod set on the right-of-way of County Highway 28.

THENCE, N 51°-48'-02" E, a distance of 337.72 feet to a 5/8 inch iron rod set.

THENCE, N 72°-48'-08" E, a distance of 223.27 feet to a 5/8 inch iron rod set.

THENCE, N 21°-00'-00" W, a distance of 174.42 feet to a 5/8 inch iron rod set.

THENCE, N 70°-02'-29" E, a distance of 400.00 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the Thomas Connolly Revocable Trust, Thomas Connolly Trustee, 0.37 acre tract, (O.R. 375, Pg. 137, Tract IV), S 20°-25'-22" E, a distance of 180.00 feet to a 5/8 inch iron rod set.

THENCE, with the south line of the said 0.37 acre tract, N 70° -02'-29" E, a distance of 90.00 feet to a 5/8 inch iron rod set.

THENCE, with the west line of the Thomas Connolly Revocable Trust, Thomas Connolly Trustee, original 133.81 acre tract, (O.R. 375, Pg. 137, Tract I), S 20°-25'-22" E, a distance of 568.00 feet to a 5/8 inch iron rod set.

9291 ID-1

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311

AL STAMP

ORIGINAL STAMP IN GREEN



Phone: (937) 593-7335 Fax: (937) 593-7444

THENCE, with the south line of Virginia Military Survey 3228 and the north line of the Robert J. Boyd original 13.51 acre tract, (O.R. 398, Pg. 809), S 70°-02'-29" W, a distance of 400.56 feet to a 5/8 inch iron rod found.

THENCE, with the north line of the Robert J. Boyd original 5.224 acre tract, (O.R. 415, Pg. 413), S 67°-33'-28" W, a distance of 152.42 feet to a 5/8 inch iron rod set.

THENCE, N 21°-00'-00" W, a distance of 334.86 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set on the south line of Virginia Military Survey 3228 at 6.61 feet.

THENCE, S 70°-02'-29" W, a distance of 500.00 feet to the point of beginning, passing a 5/8 inch iron rod set at 475.00 feet.

Containing 11.395 acres, of which 0.086 acre is within the highway right-of-way, 11.383 acres are in Virginia Military Survey 3228 and 0.012 acre is in Virginia Military Survey 3230.


The basis for bearings is the west line of Virginia Military Survey 3228, being N 21°-00'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on November 30, 1999.


Description prepared by:

Veffrey I. Lee

Professional Surveyor 6359

December 6, 1999





December 6-9-00 OKGEN

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

JOHNSON 2.623 ACRES

Lying in Virginia Military Survey 3228, Monroe Township, Logan County, Ohio.

Being out of the Cynthia L. Johnson original 34.63 acre tract as deeded and described in Official Record 316, Page 925, Tract 2, of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a railroad spike set on the southwest corner of Virginia Military Survey 3228 and the center-line of County Highway 28.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28 (50 feet wide), N 21°-00′-00″ W, a distance of 748.10 feet to a railroad spike set at the TRUE POINT OF BEGINNING.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28, N 21°-00'-00" W, a distance of 269.85 feet to a railroad spike set.

THENCE, N $70^{\circ}02'$ -29" E, a distance of 570.49 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 25.00 feet.

THENCE, S 21°-00'-00" E, a distance of 174.42 feet to a 5/8 inch iron rod set.

THENCE, with the north line of the David G. Frivold and Kittiporn E. Frivold 11.395 acre tract (O.R. 436, Pg. 659), the following three (3) courses:

S 72° -48'-08" W, a distance of 223.27 feet to a 5/8 inch iron rod set.

S 51°-48'-02" W, a distance of 337.72 feet to a 5/8 inch iron rod set.

S 69°-00'-00" W, a distance of 25.00 feet to the point of beginning.

HIMMINIMAN OF ONLY

ORIGINAL STAMP IN GREEN

No.

Containing 2.623 acres, of which 0.155 acre is within the highway right-of-way.

The basis for bearings is the west line of Virginia Military Survey 3228, being N 21°-00'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 29, 2000.


Description prepared by:

William K. Bruce

Professional Surveyor 7437

May 24, 2000





1 REC'D 2-6-02 SWY OK

Lee Surveying and Mapping Co., Inc.

Land Surveys · Topography · Subdivisions · Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

JOHNSON 7.118 ACRES

Lying in Virginia Military Survey 3228, Monroe Township, Logan County, Ohio.

Being out of the Cynthia L. Johnson original 34.63 acre tract as deeded and described in Official Record 316, Page 925, Tract 2 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a railroad spike found at the southwest corner of Virginia Military Survey 3228 on the center-line of County Highway 28.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28 (50 feet wide), N 21°-00′-00″ W, a distance of 748.10 feet to a railroad spike found at the TRUE POINT OF BEGINNING.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28, N 21°-00′-00″ W, a distance of 292.00 feet to a railroad spike set.

THENCE, N 70°-02'-22" E, a distance of 1063.43 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 25.00 feet.

THENCE, with the west line of the Thomas Connolly Revocable Trust, Thomas Connolly, Trustee original 133.81 acre tract (O.R. 375, Pg. 137, Tract I), S 20°-25′-22″ E, a distance of 292.00 feet to a 5/8 inch iron rod found.

THENCE, with the north lines of the Thomas Connolly Revocable Trust, Thomas Connolly, Trustee original 0.37 acre tract (O.R. 375, Pg. 137, Tract IV) and the David G. Frivold 11.395 acre tract (O.R. 436, Pg. 659) and said line extended, S 70°-02′-29″ W, a distance of 1060.49 feet to the point of beginning, passing a 5/8 inch iron rod found at 1035.49 feet.

Containing 7.118 acres of which 0.168 acre is within the highway right-of-way.

The basis for bearings is the west line of Virginia Military Survey 3228, being N 21°-00′-00″ W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on January 29, 2002.

Description prepared by:

JEFFREY

LEE

6359

**GISTERED

SS/ONAL SUR*

ORIGINAL STAMP IN GREEN

Professional Surveyor 6359

January 29, 2002

Jeffrey Lee

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

JOHNSON 8.238 ACRES

Lying in Virginia Military Survey 3228, Monroe Township, Logan County, Ohio.

Being out of the Cynthia L. Johnson original 34.63 acre tract as deeded and described in Official Record 316, Page 925, Tract 2 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a railroad spike found at the southwest corner of Virginia Military Survey 3228 on the center-line of County Highway 28.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28 (50 feet wide), N 21°-00′-00″ W, a distance of 1040.10 feet to a railroad spike set at the TRUE POINT OF BEGINNING.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28, N 21°-00'-00" W, a distance of 200.28 feet to a MAG nail found.

THENCE, with the south line of the Lawrence E. Pooler 2.020 acre tract, N 70°-07'-44" E, a distance of 400.00 feet to a 5/8 inch iron rod found, passing a 5/8 inch iron rod found at 25.00 feet.

THENCE, with the east line of the said 2.020 acre tract, N 21° -00'-00" W, a distance of 220.00 feet to a 5/8 inch iron rod found.

THENCE, with a south line of the Thomas Connolly Revocable Trust, Thomas Connolly, Trustee original 133.81 acre tract (O.R. 375, Pg. 137, Tract I), N 70°-07'-44" E, a distance of 667.68 feet to a stone found.

THENCE, with a west line of the said original 133.81 acre tract, S 20° -25'-22'' E, a distance of 418.55 feet to 5/8 inch iron rod set.

THENCE, S 70°-02'-22" W, a distance of 1063.43 feet to the point of beginning, passing a 5/8 inch iron rod set at 1038.43 feet.

Containing 8.239 acres of which 0.115 acre is within the highway right-of-way.

The basis for bearings is the west line of Virginia Military Survey 3228, being N 21°-00′-00″ W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on January 29, 2002.

Description prepared by:

JEFFREY

LEE

6359

**FGISTERED

**SIONAL SURVEY

**THE OF OALLOW


**THE OALLOW


ORIGINAL STAMP IN GREEN

Jeffrey J. Lee

Professional Surveyor 6359

January 29, 2002





REC'D 4-10-00 SWM OK.

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

JOHNSON 15.357 ACRES

Lying in Virginia Military Survey 3228, Monroe Township, Logan County, Ohio.

Being out of the Cynthia L. Johnson original 34.63 acre tract as deeded and described in Official Record 316, Page 925, Tract 2 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a railroad spike found at the southwest corner of Virginia Military Survey 3228 on the center-line of County Highway 28.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28 (50 feet wide), N 21°-00′-00″ W, a distance of 748.10 feet to a railroad spike set at the TRUE POINT OF BEGINNING.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28, N 21°-00′-00″ W, a distance of 492.28 feet to a MAG nail set.

THENCE, N 70°-07'-44" E, a distance of 400.00 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 25.00 feet.

THENCE, N 21°-00'-00" W, a distance of 220.00 feet to a 5/8 inch iron rod set.

THENCE, with the lines of the Thomas Connolly Revocable Trust, Thomas Connolly, Trustee original 133.81 acre tract (O.R. 375, Pg. 137, Tract I), the following two courses:

N 70°-07'-44" E, a distance of 667.68 feet to a stone found.

S 20°-25'-22" E, a distance of 710.55 feet to a 5/8 inch iron rod set.

THENCE, with the north lines of the Thomas Connolly Revocable Trust, Thomas Connolly, Trustee original 0.37 acre tract (O.R. 375, Pg. 137, Tract IV) and the David G. Frivold 11.395 acre tract (O.R. 436, Pg. 659) and said line extended, S 70°-02'-29" W, a distance of 1060.49 feet to the point of beginning, passing a 5/8 inch iron rod set at 1035.49 feet.

Containing 15.357 acres of which 0.283 acre is within the highway right-of-way.

The basis for bearings is the west line of Virginia Military Survey 3228, being N 21°-00'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 29, 2000


Description prepared by:

Jeffrey I. Lee

Professional Surveyor 6359

March 29, 2000

L-2724



ORIGINAL STAMP IN GREEN

REC'D 4-10-00 5WM OK Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

JOHNSON 2.020 ACRES

Lying in Virginia Military Survey 3228, Monroe Township, Logan County, Ohio.

Being out of the Cynthia L. Johnson original 34.63 acre tract as deeded and described in Official Record 316, Page 925, Tract 2 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a railroad spike found at the southwest corner of Virginia Military Survey 3228 on the center-line of County Highway 28.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28 (50 feet wide), N 21°-00'-00" W, a distance of 1240.38 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, with the west line of Virginia Military Survey 3228 and the center-line of County Highway 28, N 21°-00'-00" W, a distance of 220.00 feet to a railroad spike set.

THENCE, with the south line of the Thomas Connolly Revocable Trust, Thomas Connolly, Trustee original 133.81 acre tract (O.R. 375, Pg. 137, Tract I), N 70°-07'-44" E, a distance of 400.00 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 25.00 feet.

THENCE, S 21°-00'-00" E, a distance of 220.00 feet to a 5/8 inch iron rod set.

THENCE, S 70°-07'-44" W, a distance of 400.00 feet to the point of beginning, passing a 5/8 inch iron rod set at 375.00 feet.

Containing 2.020 acres of which 0.126 acre is within the highway right-of-way.

KE OF

BORESSIONAL SURVEY STAMP IN

ORIGINAL STAMP IN GREEN

The basis for bearings is the west line of Virginia Military Survey 3228, being N 21°-00'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 29, 2000

Description prepared by:

Jeffrey 1. Lee

Professional Surveyor 6359

March 29, 2000

