

Robert W. Green

L. H. Bell } oh con  
V. L. Bell }

Line A. start center E. side  
+ N. E. Pike at line east fence  
of Samuel Lane lot,  
S 85 1/2 E 600 1/2 set stake with  
fence.

set stone witness  
black wal 2' S 65 1/2 W 14 lbs

4' 103 3/4 W 53 1/2"

Line B. north of Heath +  
Embrey N 54 3/4 E 9.29  
set stake.

set stone with cherry hole  
4' S 24 1/4 E 25 lbs

Survey — June 5, 1889

Line C. A. B. Heath's east line  
S 33 3/4 E 9.24

V.M.S. 4689

V.M.S. 4810

Perry Twp.

see Book C Page 214

Line D. on Pike from  
Heath's S 8 X as old fence  
100 1/2 E

at 21.55 face marks of old fence  
row on Survey line —

41.71 1/2 to center of ditch  
on Bridge over sugar run

Line E with center of Ditch  
N 43 3/4 W 18.17

435

Line F. with center of ditch  
147+11  
10.22

Line G. with center of Ditch  
109 1/2 ft 5.09 to stake at  
water gap

Line H.  
From stake at water gap  
to NW of Emerson lot.  
556+11  
at 46.98 E. of N.W. S. 1/4  
Bearing of pipe S 26 1/2 E  
at 62.88 stake NW to Emerson  
set by Buchanan

Line I. with E line of  
Emerson lot S 24 1/2 E  
16.92

~~Chained on Emerson  
10 - 17 - 189.~~

Measured from center of  
+ road NW of M E Church  
at 337 stake set for end of  
Line J. (distance by deed  
337 1/2)

Line J. with road N 54 1/2 E  
7.52

435  
INDEXED ON MAP

12.06  
 684  
 -----  
 0.22

with line on south plans  
 lot, line of Embury lot  
 at 604 line of Lane  
 lot, 1099 .. Embury  
 lot 1203

1099  
 729  
 -----  
 2028  
 1203  
 -----  
 622

E line Embury lot  
 9.20

Ran N line 16 acre lot  
 N 05 1/2 E 17.10

E line 16 a 800% E  
 9.00% + 1% = 9.02

South side 16 a with fence  
 17.13

West line with Heath

Compute amt east of line  
 drawn with x south with  
 east line of 16 acres -

(435)  
 INDEXED ON MAP



23  
On south line of  
from old Sugar Line  
Trees south  
at 11.77 stake in ditch.  
Mit to stake in ditch  
Flack's south line  
Ash 20" x 34 3/8" 11' 9"  
and lime stone each bank  
10 feet from stake—

435

INDEXED ON MAP