

SURVEY FOR JIMMY MABRY 17.314 Acres March 11, 2015

The following described 17.314 acre tract is situated in the State of Ohio, County of Logan, Township of Perry, V.M.S. 5089, being all of Jimmy K. Mabry's 17 1/2 acres Parcel I, Tract No. 2 described in Official Record 221, page 658, and said 17.314 acres tract being more particularly described as follows:

Beginning at a 3/8 inch iron pin found (S.R. 540 centerline Station 255+51 as shown in FB 588, page 20) at the intersection of the centerline of State Route 540 (variable right of way), with the southern terminus point of the centerline of County Road 8 (60 feet wide), said iron pin marking the northeast corner of said 17 1/2 acre tract and being in the west line of Jimmy K. Mabry's 16.46 acres Parcel I, Tract No. 1 described in Official Record 221, page 658, said iron pin marking the *place of beginning*;

Thence South 4°58'34" West (assumed bearing) 851.43 feet, departing from the centerline of State Route 540, following the east line of said 17 ½ acre tract and a west line of said 16.46 acre tract, passing at 30.00 feet an iron pin set and passing at 745.27 feet an iron pin set at the northwest corner of Doit E. and Janet M. Miller's 0.84 acre Tract Three described in Deed Record 399, page 283, thereafter following the west line of said 0.84 acre tract and passing an iron pin set at 849.43 feet, to a stone found at the northwest corner of the remainder of Doit E. and Janet M. Miller's original 126.65 acre Tract One described in Deed Record 399, page 283, and at a northeast corner of the remainder of Deana L. Hoyt and Vicki S. Lear's original 110 acre Tract II described in Official Record 881, page 328;

Thence North 85°20'56" West 885.73 feet, following the south line of said 17 1/2 acre tract and a north line of the remainder of said original 110 acre tract, passing at 883.73 feet an iron pin set, to a stone found;

Thence North 05°21'28" East 857.11 feet, following the west line of said 17 1/2 acre tract and an east line of the remainder of said original 110 acre tract, passing iron pins set at 2.00 feet and 827.11 feet, to a magnetic nail set in the centerline of State Route 540;

Thence South 84°58'56" East 880.01 feet, following the centerline of State Route 540 and the north line of said 17 1/2 acre tract, to the place of beginning, containing 17.314 acres, more or less, and being subject to all valid easements and restrictions of record. Of the above described 17.314 acre tract, 0.606 acre is within the road right of way of State Route 540.

The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor #6140, during the month of February 2015. Bearings indicated herein are based on an assumed meridian with all others based on angles turned. Iron pins set are 5/8 inch by 30 inch reinforcing rods with caps marked "CLAPSADDLE RS #6140"


ATTEST:

Paul R. Olapsaddle, R.S. #6140 19019 West Darby D

Marysville, Ohio 43040

(937) 747-2599

APSADDI I







SURVEY FOR JIMMY MABRY 16.888 Acres March 11, 2015

The following described 16.888 acre tract is situated in the State of Ohio, County of Logan, Township of Perry, V.M.S. 5089, being all of Jimmy K. Mabry's 16.46 acres Parcel I, Tract No. 1 described in Official Record 221, page 658 and said 16.888 acre tract being more particularly described as follows:

Beginning at a 5/8 inch iron pin found in a monument box (State Route 292 point of intersection Station 291+92.95 as shown on plan LOG-292-(5.09) (12.37)) and at the intersection of the centerline of County Road 12 with the centerline of County Road 8 and with the centerline of State Route 292 (variable right of way), said iron pin marking the north corner of said 16.46 acre tract and marking the *place of beginning*;

Thence *South 17°49'57" East (assumed bearing) 1228.62 feet*, following the centerline of State Route 292 and an east line of said 16.46 acre tract, to a magnetic nail set at the intersection of the centerline of State Route 540 (variable right of way) with the centerline of State Route 292 at PI Station 279+64.22;

Thence *South 18°16'09" East 700.26 feet*, following the centerline of State Route 292 and an east line of said 16.46 acre tract, passing at 0.68 feet a magnetic nail found, to a magnetic nail set at the east corner of Richard and Judy Flowers' 15/100 acre tract described in Official Record 267, page 978, and at the northeast corner of the remainder of Doit E. Miller and Janet M. Miller's original 126.65 acres, Tract One described in Deed Record 399, page 283;

Thence *North 83°51'28" West 239.53 feet*, departing from the centerline of State Route 292, following a south line of said 16.46 acre tract and a north line of said 15/100 acre tract, passing at 88.16 feet an iron pin set, to an iron pin set;

Thence *South 65°53'32" West 96.36 feet*, following a south line of said 16.46 acre tract and a north line of said 15/100 acre tract, to an iron pin set in the north line of the remainder of said original 126.65 acre tract and at the east corner of Doit E. and Janet M. Miller's 0.84 acre Tract Three described in Deed Record 399, page 283;

Thence *South 87°35'26" West 463.10 feet*, following a south line of said 16.46 acre tract and a north line of said 0.84 acre tract, to an iron pin set in the east line of Jimmy K. Mabry's 17 ½ acres Parcel I, Tract No. 2 described in Official Record 221, page 658;

Thence *North 04°58'34" East 745.27 feet*, following a west line of said 16.46 acres tract and the east line of said 17 ½ acres tract, passing at 715.27 feet an iron pin set, to a 3/8 inch iron pin found at the intersection of the south terminus point of the centerline of County Road 8 (60 feet wide) with the centerline of State Route 540;

Thence *North* 06°30'33" *East* 1132.59 feet, following the centerline of County Road 8 and a west line of said 16.46 acre tract, to the *place of beginning*, containing 16.888 acres, more or less, and being subject to all valid easements and restrictions of record. Of the above described 16.888 acre tract, 3.760 acres are within the road right of ways of State Route 292, State Route 540, and County Road 8.

The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor #6140, during February 2015. Bearings indicated herein are based on an assumed meridian with all others based on angles turned.

ATTEST: (


Paul R. Clapsaddle, R.S. #6140

19019 West Darby Road, Marysville, Ohio 43040

(937) 747-2599







APPROVED

SURVEY FOR CHERYL L. MABRY 1.533 Acres April 19, 2017

The following described 1.533 acre tract is situated in the State of Ohio, County of Logan, Township of Perry, V.M.S. 5089, being part of Cheryl L. Mabry's 16.888 acre Tract I and part of her 17.314 acre Tract II described in Official Record 1246, page 165 and said 1.533 acre tract being more particularly described as follows:

Beginning at a 3/8 inch iron pin found at the intersection of the centerline of State Route 540 (variable right of way) with the centerline of County Road 8 (60 feet wide), said iron pin being at Station 255+51 as referenced on 1934 Logan County Plan X-8A, said iron pin also marking the northeast corner of said 17.314 acre tract, the northwest corner of said 16.888 acre tract, and marking the *place of beginning*;

Thence South 84°58'56" East (assumed bearing) 21.78 feet, following the centerline of State Route 540 and a north line of said 16.888 acre tract, to a magnetic nail set;

Thence *South 7°11'57" West 298.07 feet*, departing from the centerline of State Route 540 and entering said 16.888 acre tract, passing at 30.02 feet an iron pin set, to an iron pin set;

Thence *North 84°57'40" West 217.86 feet*, continuing through part of said 16.888 acre tract and entering said 17.314 acre tract, to an iron pin set;

Thence *North 4°43'38" East 297.78 feet*, continuing through said 17.314 acre tract and passing at 267.78 feet an iron pin set, to a magnetic nail set in the centerline of State Route 540 and in the north line of said 17.314 acre tract;

Thence South 84°58'56" East 208.93 feet, following the centerline of State Route 540 and the north line of said 17.314 acre tract, to the place of beginning, containing 1.533 acres, more or less, and being subject to all valid easements and restrictions of record. Of the above described 1.533 acre tract, 1.424 acres are part of said 17.314 acre tract and 0.109 acre is part of said 16.888 acre tract. Of the above described 1.533 acre tract 0.158 acre is within right of way of State Route 540.

The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor #6140, during the month of April 2017. Bearings indicated herein are based on an assumed meridian with all others based on angles turned. Iron pins set are 5/8 inch by 30 inch reinforcing rods with caps marked "CLAPSADDLE RS #6140".

ATTEST:

Paul R. Clapsaddle, R.S. #6140

19019 West Darby Road Marysville, Ohio 43040

(937) 747-2599



INDEXED ON MAP

4-28-17 PLAT OF SURVEY NOTES: FOR CHERYL MABRY Reference deeds are shown hereon STATE OF OHIO LOGAN COUNTY 00 Bearings indicated hereon are based on an assumed meridian with all PERRY TOWNSHIP, V.M.S. 5089 others based on angles turned S.R. 540 Sta. 248+00 S.R. 540 Sta. 252+00 30' left & right 30' left Place of Beginning STATE ROUTE 540 S.R. 540, Sta. 255+51 -(variable R/W)-(assumed bearing) S84°58'56"E 21.78' S84°58'56"E Sta. 279+64.22 208.93' N84°58'56"W S.R. 292, P.I. 30.00'-SURVEY REFERENCES: 30.02 State of Ohio right of way plans 1965, LOG-292-(5.09)(12.37) 60 1.533 Acres State Route 540 (C.R. 8) R/W Plans TATE Part of Cheryl L. Mabry's 0.109 acre part of 1934, Logan County Survey Index #1331, 16.888 acre Tract I and 16.888 acre Tract 1) Plan X-8A and F.B. 588, page 20 acres part of her 17.314 acre Tract II described in Official Record 1246, page 165 LEGEND: (0.158 acre in right of way) O Magnetic nail set 5/8 inch iron pin set with cap marked "CLAPSADDLE RS#6140" N84°57'40"W Cheryl L. Mabry Concrete monument found 217.86 16.888 acres, Tract / Cheryl L. Mabry O.R. 1246, Pg. 165 Magnetic nail found 17.314 acres, Tract II O.R. 1246, Pg. 165 3/8 inch iron pin found 100 Paul R. Clapsaddle and Associates I hereby certify that this plat was prepared from a field survey made under my supervision and that REGISTERED ENGINEERS AND SURVEYORS CLAPSADDLE monuments were placed as indicated hereon. Date: April 19, 2017 19019 WEST DARBY ROAD, MARYSVILLE OHIO 43040 Scale: 1"=100' (937) 747-2599 Project: MabryCherylApril17 Paul R. Clapsaddle, R.S. #6140 Paul R. Clapsaddle, P.E., P.S. Drawing: MabryCherylApril17 INDEXED ON MAP GUIDER SURVEYING, INC.







Legal Description 202.129 acres

The following described tract of land is situated in the State of Ohio, Logan County, Perry Township, VMS 5089, being all of Deana L. Hoyt and Vickie S. Lear's 89.23 acre Tract II, 101.5 acre Tract I and all of the remainder of 1.5 acre Tract III all described in Official Record 881, page 328 and being more particularly described as follows:

Beginning at a railroad spike found marking the intersection of the centerline of Township Road 129 (40') with the centerline of State Route 540 and marking the northwest corner of said 89.23 acre tract;

Thence North 86°19'24" East 1083.02 feet, following the centerline of State Route 540 and the north line of said 89.23 acre tract, to a railroad spike found;

Thence South 84°59'24" East 718.81 feet, following the centerline of State Route 540 and the north line of said 89.23 acre tract, to a MAG nail found marking the northwest corner of Theodore J. Ruchty and Julie A. Ruchty Co- Trustees original 17.314 acre tract (O.R. 1264, page 641), Tract Two;

Thence South 05°21'40" West 857.11 feet, following the east line of said 89.23 acre tract and the west line of said 17.314 acre tract, passing at 30.00 feet a 5/8" iron pin found to a stone found;

Thence South 85°20'44" East 885.64 feet, following the north line of said 89.23 acre tract and the south line of said 17.314 acre tract, to a stone found in the west line of Doit E. and Janet M. Miller's original 126.65 acre Tract One (D.V. 399, page 283);

Thence South 05°28'38" West 1710.66 feet, following the east line of said 89.23 acre and 101.5 acre tracts and the west line of said 126.65 acre tract, to a 3/4" iron pipe found marking the northwest corner of Ruby F. Everly, Trustee's 9.57 acre Parcel One (O.R. 1218, page 534);

Thence South 07°04'43" West 1641.36 feet, following the east line of said 101.5 acre tract and the west line of said 9.57 acre tract, to an iron pin set marking the northeast corner of Vickie Kay Metzler's 8.76 acre tract (O.R. 1024, page 128);

Thence North 87°23'23" West 1849.40 feet, following the south line of said 101.5 acre and south line of the remainder of said 1.5 acre tracts, the north line of said 8.76 acre tract and the north line of the Quaker cemetery, passing at 2.30' a 6" wood corner post found and passing at 1819.40 feet an iron pin set, to a MAG nail set in the centerline of Township Road 129;

Thence North 05°03'08" West 237.20 feet, following the centerline of Township Road 129 and the west line of said 1.5 acre tract and the east line of VMS 3436 to a 5/8" iron pin found marking the intersection of the centerline of Township Road 129 and County Road 2;

Thence North 05°18'54" West 2316.27 feet, following the centerline of Township Road 129 and the west line of said 101.5 acre and 89.23 acre tracts and the east line of VMS 3436, to a MAG nail set marking the southwest corner of Patricia I. Edwards' 1.77 acre tract (O.R. 1040, page 521);

Thence North 85°14'06" East 130.41 feet, following a north line of said 89.23 acre tract and the south line of said 1.77 acre tract, passing at 20.22 feet an iron pin set, to a 5/8" iron pin found,

Thence North 04°45'54" West 569.75 feet, following a west line of said 89.23 acre tract and the east line of said 1.77 acre tract, to a 3/4" iron pipe found;

Thence South 85°14'06" West 135.88 feet, following a south line of said 89.23 acre tract and the north line of said 1.77 acre tract, passing at 105.88 feet an iron pin set, to a MAG nail set in the centerline of Township Road 129;

Thence **North 05°18'54" West 1060.67 feet**, following the centerline of Township Road 129 and the west line of said 89.23 acre tract and the east line of VMS 3436, to the *point of beginning*, containing **202.129 acres**, more or less, 5.045 acres within the road right of ways. Subject to all valid easements and restrictions of record.

I, Timothy L. Guider, hereby certify that this description was prepared from an actual field survey made by me during the month of July 2017 and that monuments were set or found as indicated herein. Iron pins set are 5/8" x 30" reinforcing rods with caps marked "GUIDER S 7752." Basis of Bearing: State Plane Coordinate System, Ohio North Zone NAD83.

Timothy L. Guider R.S. #7752 19550 Delaware County Line Rd. Guider Surveying, Inc.

Timothy J. Ling

Marysville, Ohio 43040 (740)666-8902 TIMOTRY L.


GUIDER
S-7752

GUITER

ONAN S

Date: 7/18/17 Job# 17112

INDEXED ON MAP 9679 -3



07010

W