#### LOGANSVILLE COMMUNITY CHURCH SURVEY S. 9 & 15, T. 2, R. 14 PLEASANT TOWNSHIP LOGAN COUNTY, OHIO

The following described real estate situated in the State of Ohio, County of Logan, Township of Pleasant, being part of Sections 9 and 15, Town 2, Range 14, B.M.R.S. and more particularly described as follows:

Commencing at a 1 inch iron found at the intersection of the centerlines of S.R. 47 and C.R. 24.

THENCE, with the center of C.R. 24, S.26 $^{\circ}$ 37'42"E. 162.37 feet to a railroad spike found in the south line of the South Addition to the South Addition of Logansville, Plat Book B, Volume 2, Page 30, said railroad spike being the TRUE POINT OF BEGINNING of this description.

THENCE, with said south line, N.60 $^{\circ}$ 00'00"E. 235.47 feet to a 5/8 inch iron bar set.

THENCE,  $5.26^{\circ}37'42''E$ . 195.06 feet to a 5/8 inch iron bar set.

THENCE, S.60°00'00"W. 235.47 feet to a railroad spike set in the center of C.R. 24, passing a 5/8 inch iron bar set at 205.42 feet.

THENCE, with the center of C.R. 24, N.26 $^{\rm O}$ 37'42"W. 195.06 feet to the point of beginning.

Containing 1.053 acres, more or less, of which 0.134 acres are contained within road right-of-way. 0.931 acres contained in Section 15 and 0.122 acres contained in Section 9.

The above described 1.053 acre tract being part of the Trustees of the Logansville Community Church's 3.000 acre tract as described in O.R. 90, Page 336.

Basis for bearing: Centerline of S.R. 47, N.60 00'00'E.

This description prepared from an actual field survey.


Prepared By: Pilland

Richard A. Bruce, P.E., P.S. Reg. Surveyor No. 6993

September 5, 1992

6993

INDEXED ON MAP 3327 ID



RICHARD A. BRUCE, P.E., P.S. Registered Land Surveyor No. 6993

513/465 - 7412



## Bruce Land Surveying 4293 Road 171, West Liberty, Ohio 43357

# LOGANSVILLE CHRISTIAN CHURCH SURVEY S. 9 & 15, T. 2, R. 14 PLEASANT TOWNSHIP LOGAN COUNTY, OHIO

The following described real estate situated in the State of Ohio, County of Logan, Township of Pleasant, being part of Sections 9 and 15, Township 2, Range 14, of the between the Miami Rivers Survey and more particularly described as follows:

Commencing at a 1 inch iron found at the intersection of the centerlines of State Route 47 and County Road 24.

THENCE with the center of C.R. 24, S.26°37'42"E. 162.37 feet to a railroad spike set in the south line of the South Addition to the South Addition of Logansville, Plat Book B, Volume 2, Page 30, said railroad spike being the true point of beginning of this description.

THENCE with said south line, N.60<sup>o</sup>00'E. 562.15 feet to a 5/8 inch iron found marking the southeast corner of the Logansville Christian Church's 0.24 acre tract, D.B. 380, Page 566.

THENCE S.29<sup>0</sup>58'05"E. 229.73 feet to a 5/8 inch iron set.

THENCE S.60 $^{\circ}$ 00'W. 575.56 feet to a railroad spike set in the center of C.R. 24, passing a 5/8 inch iron set at 545.51 feet.

THENCE with the center of C.R. 24, N.26 37'42"W. 230.12 feet to the point of beginning.

Containing 3.000 acres, more or less, of which 1.07 acres are in Section 15 and 1.93 acres are in Section 9.

The above described 3.00 acre tract being part of Richard A. Russell, William K. Motz and Thomas E. Russell's 47.01 acre tract as described in D.B. 366, Page 95.

Basis for Bearings: Centerline S.R. 47 ( N.60000'E. )

This description prepared from an actual field survey.

Prepared by:


Richard A. Bruce, P.E., P.S.

Reg. Surveyor No. 6993

April 27, 1989

INDEXED ON MAP 3327 2D





#### Detwiler Survey

The following real estate situated in Sections 8 and 9, Town 2, Range 14 of the Between The Miami Rivers Survey, Pleasant Township, Logan County, Ohio and more particularly described as follows:

Commencing at an iron at the intersection of State Highway # 234 (Route # 47) and County Highway # 24 in Logansville, thence with said S. H. # 234 N. 60° East 435.25 feet, thence N. 60°-33' E. 56.75 feet to the east line of said village for a place of beginning; thence continuing with said S. H. # 234 N. 60°-33' E. 373.25 feet to the P. C. of a 1° curve to the left, thence with said curve 541.7 feet, thence N. 55°-00' E. 233.8 feet; thence S. 4°-23' W. 2376.4 feet to a post passing a post in south line of Section 9 at 2227.2 feet; thence N. 88°-19' W. 451.4 feet to the center of C. H. # 24; thence with said highway N. 26°-38' W. 1517.7 feet to the south line of said village of Logansville; thence with said south line N. 60°-00' E. 492.0 feet to a post; thence N. 26°-38' W. 161.5 feet with the east line to the place of beginning containing 49.12 acres.

Of the above described tract 45.12 acres are in Section 9, Town 2, Range 14 and 4.00 acres are in Section 8, Town 2, Range 14.

MODERED ON MAD 35



### Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

### THE TRUSTEES OF THE LOGANSVILLE COMMUNITY CHURCH 1.495 ACRES

Lying in Sections 9 & 15, Town 2, Range 14, Pleasant Township, Logan County, Ohio.

Being out of The Trustees of the Logansville Community Church 3.000 acre tract as deeded and described in Official Record 174, Page 342 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a 1 inch square iron bar found on the intersection of the center-lines of Sidney Street (Ohio Route 47) and Center Street (County Highway 24.

THENCE, with the center-line of County Highway 24 (60 feet wide), S 26°-38'-31"E, a distance of 162.30 feet to a railroad spike found on a south line of the Village of Logansville at the TRUE POINT OF BEGINNING.

THENCE, with the south lines of the Village of Logansville and the Del A. Jessee, Lot 58, Lot 59, Lot 60 and part of Lot 61 of the South Addition to the South Addition (Plat Cabinet A, Slide 143) (O.R. 316, Pg. 558, Tracts I, II and III and O.R. 928, Pg. 809), N 60°-00′-31″E, a distance of 276.76 feet to a 5/8 inch iron rod found, passing a 5/8 inch iron rod found at 28.91 feet.

THENCE, S  $29^{\circ}-59'-29''$ E, a distance of 229.77 feet to a 5/8 inch iron rod set.

THENCE, with a north line of the David P. Knight 44.01 acre tract (O.R. 835, Pg. 389, Parcel II), S 60°-00'-00"W, a distance of 290.21 feet to a railroad spike found on the center-line of County Highway 24, passing a 5/8 inch iron rod found at 260.27 feet.

THENCE, with the center-line of County Highway 24, N 26°-38'-31"W, a distance of 230.21 feet to the point of beginning.

Containing 1.495 acres, of which 0.159 acre is within the highway right-of-way. There is 0.443 acre is Section 9 and 1.052 acres in Section 15

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the center-line of Sidney Street, being N 60°-00'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on June 21, 2016.

WILLIAM K.
BRUCE
7437


FORTSTERE
ORIGINAL STAMP IN GREEN

Description prepared by:

William K. Bruce Professional Surveyor 7437 June 22, 2016

61120516

INDEXED ON MAP



INDEXED ON MAP