

Richland 9949

Brownell Survey

Cranny S. line Henning track by
fence $N 73^{\circ} 30' E$ (N 79 $^{\circ}$ 40' E)

at Mr A.C. Henning 55.20 a-
from remains of Mulberry stump
N 84 $^{\circ}$ 40' E 63 lks

Line "a"

from stone in east side Huntersville
pike - and center Brownell road
to stake set at Mr 55.20

N 77 $^{\circ}$ 40' E

(over)

Aug 3 - 1898

52)	450	18.65	
	416		8.65
	<hr/>		52
	340		1730
	312		<hr/>
			4325
	280		<hr/>
	260		44980

1590

INDEXED ON MAP

TABLE for reducing PERCHES to FEET. TABLE of Decimal parts of a FOOT for

Line "A"

Wk to SW¹/₄ Standard S¹/₄ stake
 Pin oak 6" N 28¹/₂ E 42¹/₂ lbs
 Hick 8" " " 79¹/₂ lbs
 This \angle was set 110' from stone
 in Brownell road
 N 7¹/₂ E
 at 865 set ^{stone} stake M¹/₂ Standard

Line "B"

N line Standard from stake above
 N 82¹/₂ E (O.K. Cor N 82¹/₂ E)
 at 1895¹/₂ set stake in line (more this point north 19 lbs)
 " 5200¹/₂ " " " " 3205'
 " 76.36 center of Ry. 1895¹/₂
 * By mistake Walter Standard set this 51.01
 stake at 50. this line intersects
 east line of Fleming tract at -51.71
 and 8.12 from S¹/₄ Standard
 450
 (over) $\frac{865}{52}$
 512

Line "C"

S. line 450 - N 82¹/₂ E
 set north from stake set for S¹/₄
 2'
 at 516¹/₂ set stake at 2'
 south of line as shown

Line "D"

east end of 450 - from end of
 to stone N 82¹/₂ E distance 4420
 at 500 set stake
 N 65¹/₂ E

this point north 19 lbs)
 3205'
 1895¹/₂
 51.01

1590

INDEXED ON MAP

Line "B"

from stake set at 5.60 and

of line "D"

produce "B" parallel to "C"

N 82 1/2° E 4.32 to center

Brownell Ditch

set stone in this line 12' east

of center of ditch

Line "E"

with Brownell Ditch

from end of "B" —

N 36 3/4° E 5' 00

Line "F"

S 65° E 14.95 1/2

to center of

1590

INDEXED ON MAP

Line "S"
with Ry. 530 1/2 ft. 4.38%

Line "H"
with Ry. 527 1/2 ft.
4.44

Line "X"
with Ry. 525 1/2 ft.
4.68

Line "M"
with Ry. 520 1/2 ft. 5.85 1/2
to center Brownell road.

Line "A" with Brownell
road. 553 ft.
10.17

Line "O" 100 ft. incl. 552 ft.
4.6% ft. 11.83

Aug 4 Brownell

From end of line "E"
N 35 1/2 E } 4.65

With Ry
S 33 1/2 W } 4.78

Line "R"
for N line 62° 0
S 65 E } 4.75
at 50' from center of Ry on
this line set stake for line
and corner at 12' from bank
of ditch

1590
INDEXED ON MAP

TABLE FOR REDUCING PERCHES TO FEET. TABLE OF DECIMAL PARTS OF A FOOT FOR