Beers Survey

The following described real estate situated in the Township of Richland, County of Logan, State of Ohio and being a part of Virginia Military Survey No. 9947 and being more particularly described as follows:

Beginning at a paint in the centerline of S. R. No. 366, said point being the northeast corner to Edmund E. Well's present 0.50 Acre tract and the north-west corner to C. G. Beer's present 1.88 Acre tract, said point also being Station No. 470429 as shown on Logan County Engineers Plan L-11, Pages 3-4;

Thence with Well's east line, S. 7° 10° W. 168.76 feet to an iron bar in the north line of William W. Hurley's land, passing through an iron bar at 30.00 feet;

Thence with Hurley's north line, S. 82° 30° E. 188.77 feet to an iron bar;

Thence N. 3° 58' E. 169.93 feet to a point in the centerline of S. R. No. 366, passing through an iron bar at 139.88 feet;

Thence with the centerline of S. R. No. 366, N. 82° 50' W. 179.28 feet to the place of beginning, containing 0.72 Acres, more or less.

The above described tract being surveyed off the west end of C. G. Beer's .

present 1.88 Acre tract as recorded in Deed Vol. 260 Page 548 (8-13-1959).

I hereby certify that this is a true and accurate description of a survey made by me on January 27, 1973.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 1041 N. Main St.

Bellefontaine, Ohio 43311

INDEXED ON MAP 94/3 ID

WILLIAM W. HURLEY ETAL 103.62 ACRES

REFERENCE: S. R. No. 366. Lo. Co. ENG. PLAN E-11.

· - 5/8" \$ IRON BARS SET.



INDEXED ON MAP.

BEER'S SURVEY
V.M.S. No. 9947
RICHLAND TOWNSHIP
LOGAN COUNTY, OHIO
JANUARY 27, 1973

SCALE:

SCALE: 1"=50"

SURVEYED AND PLATTED BY:
DANIEL E. GILBERT, P.S.
RES. SUR. NO. 5402
1041 N. MAIN ST.
BELLEFONTAINE, OHIO 43311

Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

HURLEY SHRVEY (TRACT 'A', 0.734 ACRE)

Lying in V.M.S. 9947, Richland Township, Logan County, Ohio and being out of the Hurley Estate (Volume 358, Page 737) and more particularly described as follows:

Beginning at a large post marking the northwest corner of said Hurley Estate and also being the southwest corner of a 0.50 acre tract (Volume 325, Page 378).

THENCE, with the south line of said 0.50 acre and the south line of a 0.72 acre tract (Volume 345, Page 402), the same being the north line of said Hurley Estate, S 82°-41' E, a distance of 319.77 feet to the southeast corner of said 0.72 acre tract.

THENCE, at right angles, S $7^{\circ}-19'$ W, a distance of 100.00 feet to an iron rod.

THENCE, again at right angles and parallel to the north line, N 82°-41' W, a distance of 319.51 feet to an iron rod set in the west line of the Hurley Estate.

THENCE, with said west line, N 7° -10' E, a distance of 100.00 feet to the point of beginning. Containing 0.734 acre.

Last preceding deed reference: Volume 358, Page 737. Volume 325, Page 378. Volume 345, Page 402.

Surveyed by:

Clayton M. Lee

Reg. Surveyor No. 6181

7-23-79

INDEXED ON MAP 5413 2D

В''	DATE	SUBJECT			SHEET NO	OF
CHKD.	. BY DATE				ON BOL	
200000000	******************			()	V marantemanipamen	and the second s
				SCA	7/	
				E / 1	NORTH	
				- [.	7/	1900
		120.28 AC.		=	11	178
		Vol. 323, Pg. 218		00.		HWY.
		P		N 7°-10'1	The second secon	517.471460
		12	Set	100.00'	168.00	
		HURLEY EST.	3	1		
		Vol. 358, Pg. 737	100		VO. 5	
			03		40	
			0	CAL CALL	50	
		¥	z	0. TF		1. 1
		L < 1 0	,,, l co		1	
		O ₹ R	9 10	82°- 319 A CT 734		
					<0	
	MI MILLIAM	Z. DM	51. W	C. D. 71 m	0.72 AC	
1111	Sign Sign	9 ~	<		5 A	The same of
THE THE THE	AL DE	0020		Ν	P .	0
1	SOL SIME	0 A 7 R			4	TA
17:	12 CE 4 E CE 12 CE	Z- IN				7
200	.0	イカエ 」	9	7°-19'W		HWY SYQ.
24	Commerce Office	~ ~ ~ ~		100,001	169.10	0 4681497
-/	The A state of the	OTOP	Set	.00,00		
		IFSC		76		77 6
	RC	O > 75	Iron	10		N
	Cloy	ZO	0	O T &	8 - B	D
	N S CO	D T Z	0 100	O > _	O C	
		4 4 0	00	C1 28	8 A	à 1886
	by: M. Lee 6181 7-23-79	TWP.	294.	82°- 294 7 AC.	AC 69 Pg. 333	
	5.7 6	ייו ס	4.	2°-4	Ci Ci	Y of he
	0	H A A	41.E	4.23.W	U)	
	* (UR				
	02	E m	=			
	\	m		7/2		
		< -		,		during do
		mo	N	1 7°-19 E	N 7-04E	465+4620
D 0		PROPE	27. 10	100.00'	7.45.6	
E G	19	7 20	+	1 2		
E 85		OP	7		< -	
veyin 55 E. S		171	2	1	Vol. 5 4	
TAIL Sa	EN \	27	Set Iron Rod		380.	
Nind &	DE VI	§ <u>∃</u>	2		0.,	
Sks M	4	i m			1.54 AC.	
Lee Surveying & Mapping Co. 855 E. Sandusky Ave. BELLEFONTAINE, OHIO 43311	INDEXED ON MAP	RTIES (Vol.358, Pg.797)		W.d.	817	
ing 43	E O	۵,			IVI II II	- 3 - 3 -
311	AP	0			= [-
- 8	V	75				11
		~				