PECENVED 6-16-94 OD /

## LESLIE H. GEESLIN

REGISTERED SURVEYOR NO. 5248 P.O. BOX 274 RUSHSYLVANIA, OHIO 43347

TELEPHONE: (513) 468-2793

## HALL SURVEY

June15, 1994

The following described real estate situated in the State of Ohio, County of Logan, Township of Richland, being part of Virginia Military Survey 9952 and more particularly described as follows:

Beginning at a 5/8 inch iron bar set in the centerline of State Route 638 that is S. 10° 27' 00" E. 1185.58 feet from a 1 1/4 inch iron bar found at the intersection of said centerline with the centerline of Township Road 51.

Thence N. 81° 26' 21" E. 364.00 feet to a 5/8 inch iron bar set, passing a 5/8 inch iron bar set at 30.02 feet.

Thence S. 10° 27' 00" E. 160.00 feet to a 5/8 inch iron bar set.

Thence S. 81° 26' 21" W. 364.00 feet to a 5/8 inch iron bar set in the centerline of said State Route 638.

Thence with said centerline N. 10° 27' 00" W. 160.00 feet to the place of beginning.

Containing 1.336 acres more or less of which 0.110 acre is in the right of way of State Route 638.


The above described 1.336 acre tract being on the west side of the Hubert N. Phillips Living Trust's (1/2 interest) 47.23 acre tract as described in O. R. Vol. 116 Page 864 and Nancy M. Phillips Living Trust's (1/2 interest) 47.23 acre tract as described in O. R. Vol.116 Page 868.

Bearings are based on an assumed bearing (N. 10° 27' 00" W.) for the centerline of State Route 638 in this field survey by Leslie H. Geeslin, Reg. Surveyor 5248 on June 15, 1994

Leslis H. Geslin

RI A:\01\HALL.SAM





2-12-14



## SURVEY FOR STEVE PHILLIPS 1.453 Acres February 4, 2014

The following described 1.453 acre tract of land is situated in the State of Ohio, County of Logan, Township of Richland, V.M.S. 9952, being part of Steve Phillips' 45.894 acre tract described in Official Record 1115, page 519, and said 1.453 acre tract being more particularly described as follows;

Beginning for reference at a 1 inch iron pin found at the intersection of the centerline of Township Road 51 (60 feet wide) with the centerline of State Route 638 (60 feet wide), said iron pin being at the northeast corner of V.M.S. 9951, northwest corner of V.M.S. 9952, southwest corner of V.M.S. 9973, and southeast corner of V.M.S. 9972;

Thence South 10°27'00" East (assumed bearing) 1035.62 feet, following the centerline of State Route 638, the east line of V.M.S. 9951, and the west line of V.M.S. 9952, to a magnetic nail set at a northwest corner of said 45.894 acre tract and at the southwest corner of Jon T. Watkins and Marie A. Watkins' 2.44 acre tract described in Official Record 942, page 70, said magnetic nail marking the *place of beginning*;

Thence *North* 78°55'49"East 462.36 feet, departing from the centerline of State Route 638 and entering V.M.S. 9952, following a north line of said 45.894 acre tract and the south line of said 2.44 acre tract, passing at 30.00 feet an iron pin set, to an iron pin set;

Thence South 11°04'11" East 24.72 feet, entering said 45.894 acre tract, to an iron pin set;

Thence South 49°49'57" West 94.30 feet, continuing through said 45.894 acre tract, to an iron pin set;

Thence South 00°24'44" East 96.97 feet, continuing through said 45.894 acre tract, to a 5/8 inch iron pin found at the northeast corner of Ralph O. Hall, II's 1.336 acre tract described in Official Record 231, page 205;

Thence *South 81°28'29" West 364.00 feet*, following a south line of said 45.894 acre tact and the north line of said 1.336 acre tract, passing at 333.75 feet a 5/8 inch iron pin found with cap marked "L. Geeslin S. 5248", to an iron pin found in the centerline of State Route 638, in the west line of V.M.S. 9952, and in the east line of V.M.S. 9951;

Thence *North* 10°27'00" *West* 149.72 *feet*, following the centerline of State Route 638, a west line of said 45.894 acre tract and V.M.S. 9952, and following the east line of V.M.S. 9951, to the *place of beginning*, *containing* 1.453 *acres*, more or less, and being subject to all valid easements and restrictions of record.

Of the above described 1.453 acre tract, 0.104 acre is within the right-of-way of State Route 638.

The above description was prepared from an actual field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor #6140 during the month of February 2014. Iron pins set are 5/8" by 30" reinforcing rods with caps marked "CLAPSADDLE RS #6140." Bearings indicated herein are based on an assumed meridian and are to denote angles only.

ATTEST:

Paul R. Clapsaddle, R.S. #6140 19019 West Darby Road

Marysville, Ohio 43040

(937) 747-2599








## SURVEY FOR STEVE PHILLIPS

STATE OF OHIO, COUNTY OF LOGAN TOWNSHIP OF RICHLAND, V.M.S. 9952



Paul R. Clapsaddle, P.E., P.S.

8916 2P