WY E CRA	Carl Lease Toly -5-1937 12 F. Warrant Asian alight Richardson
Terrell surrey	A 174/10 235 E1 25 12 05 12 05
Ever Lease Surry Book 480 Pages 57-59	37.57 E33
See Book C Page 156	1183.71 = 973.5 4 990 A
A. From Pipe found! (Same as A Burk 480 Poge 57) B. Concrete Post on Tup Line	74.07 Hors 1 22.00 5 22
C HUB (Same as C Book 480 Pg 57) = 0 Post (" " D " " " " " " " " " " " " " " " "	Ho count of K
F concerte RR curver Post	73° 39 1800 121810 735 137 103 133 133 133 133 133 133 133 133 133
H. Concrete Past on Tap Line K. Hub on Line A.M. M. Stone	
C.C.C. & ST.L. R.R. 1	South State of the
74.07 Rosherast 22.60 Botuptiet 9.6.69 Total	Pood 40 Belle Center & But AM Whitetown Extension Aire
DEDEXED ON MAP	(See Page 24) Store see Book 5\$2 Page 54

	Oct. 10,1974
	F. Wrant 24
Terrell surrey	
Rushcreek Tap.	\$82W
	P 7 2205172 6 + H
A - stone } Book 582 B - store } Pose 52-53	
C & Rood Al Fore Line	10 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DE from BOOK	0 =
EF C Page 156	1514.04
H.G. Measured By Wright Titus G. I. S Page 12 This Book 25 H	138 Acres 8
IC ? Measurd Oct. 6,1934	7 20
GI > Bearings from	
CB Map drawn to scalf	800 217 ECCESTL. Rood. 40
Map drown to scale using	
Distances and bearings as Shown Above. Checked fair	1582
	INDEXED ON MAP
	(see Page 12)

1934

INDEXED ON MAP

Terrill Survey.

The following described land being in V.N.S. 9978 and being in Rushcreek and Bokescreek Townships, Logan County, Ohio.

Beginning at an iron in the center of a road known as Road No. 115 said iron being on the line between Logan and Hardin Counties: thence with the center of said road S.10° 28' E. 1777 feet to an iron pipe, said pipe being the S.E. corner of a tract of land owned by Clay Lease and said iron being the beginning point of this survey; thence with the center of said road S.10°28' E. 762.0 feet to a wooden stake at the N. right-of-way line of C.C.C. & St. L.R.R. thence with the North right-of-way fence of said R.R. S.62° 46' W. 1218.0 feet to a concrete post marked Rushcreek - Bokescreek and said point being the line between the two Townships; thence continuing with said right-of-way fence s. 62°-46 W. 1800.0 feet to a concrete brace post in H.G. Terrill's E.line: thence with said H.G. Terrill's E. line N. 200 53' W. 2637.0 feet to a post at C. & A. Fish S.E. corner and Carl Lease S.W.corner; thence with said Carl Lease South line N.79° 35' E. 741.0 feet to a post in Clay Lease West line; thence with said Clay Lease West line S.10° 52' E. 1005.0 feet to a stake at Clay Lease S.W. corner: thence with Clay Lease South line N.79° 30! E. 1183.7 feet to a concrete post marked Rushcreek-Bokescreek and said post being the line between the two Townships: thence continuing with Clay Lease South line N.79° 30' E. 973.5 feet to the place of beginning, said tract containing 74.07 acres in Rushcreek Township and 22.60 acres

29

in Bokescreek Township making a total of 96.67 acres more or less and being the same tract as surveyed July 1934 as shown in Logan County Surveyor's Book 584 Pages 12 and 13.

EXED ON MAP

1582 ID-Z

1934

Terrell Survey (138 acres)

The following described land in V.M.S. 9978 Rushcreek Township, Logan County, Ohio.

Beginning at a stone at the S.W. corner of V.M.S. 9978, said stone being the center of Road No. 114 and Road 40; thence with the South line of said survey and the center of Road No. 40 N. 83 E. 833 feet to a stone at S.E. corner of Wm. Titus 25 acre tract and said stone being the beginning point of this survey; thence with Titus E. line N. $7\frac{1}{5}$ ° W. 1318 feet to said Titus N.E. corner; thence N. 80° E. 1514 feet to the S.E. corner of a 25 acre tract now owned by Terrell; thence with East line of said 25 acre tract and the East line of R. Stevenson land N.920 W. 1919.9 feet to said Stevenson's N.E. corner and in C. & A Fish South line; thence N. 82° E. 1464.7 feet to said Fish S.E. corner and C.Lease S.W. corner; thence S. 7 E. 2662.5 feet to the North R/W line of C.C.C. &. St. L. R.R. thence with said R/W line S. 65° W. 2175 feet toccenter of Road No. 40; thence with center of Road No. 40 S. 83° W. 866 feet to place of beginning said tract containing 138 acres more or less and being the same tract as shown in Logan County Survey Book 584 Page 24.

(1582) ID-3

INDEXED ON MAP

REL'D 3-9-12 8mg an

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

TERRILL, TRUSTEE 2.696 ACRES

Lying in Virginia Military Survey 9978, Rushcreek Township, Logan County, Ohio.

Being out of the Paul L. Terrill, Trustee, 140 acre tract as deeded and described in Official Record 230, Page 405 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a railroad spike found on the center-line of Township Road 114 at the intersection of the north line of Logan County and the south line of Hardin County.

THENCE, with the center-line of Township Road 114 (40 feet wide), S 05°-44'-45"E, a distance of 2082.51 feet to a 5/8 inch iron rod found.

THENCE, with the south line of the John D. Dugan 141.499 acre tract (O.R. 554, Pg. 137), N 84°-16'-28"E, a distance of 2301.03 feet to a stone found at the TRUE POINT OF BEGINNING.

THENCE, with the south line of the said 141.499 acre tract, N 83°-59'-01"E, a distance of 692.11 feet to a point in Fish Creek, passing a 5/8 inch iron rod set at 647.30 feet.

THENCE, S 56°-20'-36"W, a distance of 561.33 feet to a point in Fish Creek, referenced by a 5/8 inch iron rod set bearing N 22°-37'-02"W, a distance of 21.37 feet.

THENCE, S 74°-47'-33"W, a distance of 189.60 feet to a point in Fish Creek.

THENCE, with the east line of the Susan B. Dugan 80.38 acre tract (O.R. 102, Pg. 930, Tract 2), N 07°-31'-42"W, a distance of 290.80 feet to the point of beginning, passing a 5/8 inch iron rod set at 18.89 feet.

Containing 2.696 acres.

Property is subject to any and all previous easements and rights-of-way of record.

This parcel is to be attached to an adjoining parcel of land and is not to be used as a separate and independent parcel.

The basis for bearings is the center-line of Township Road 114, being S 05°-44'-45"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on March 7, 2012.

WILLIAM

K.

BRUCE

7437

ORIGINAL STAMP IN GREEN

Description prepared by:

William K. Bruce Professional Surveyor 7437

March 7, 2012

52860312

