T. R. No. 122 Description.

The following is located in the Township of Rushcreek, County of Logan, State of Ohio and being in Virginia Military Survey's No. 3314 and 13646 and being a 30 foot right of way (15 foot each side) on the following centerline course:

Beginning for reference, at an iron bar in the centerline of C. H. No. 26 where it intersects the line between Virginia Military Survey No. 3314 and 13646, and being an angle in the said centerline of C. H. No. 26;

Thence with the centerline of C. H. No. 26, S. 48° 15' W. 123.24 feet to a R. R. Spike at the intersection of the centerlines of C. H. No. 26 and T. R. No. 122 and being the true place of beginning for this survey;

Thence with the centerline of T. R. No. 122, N. 6° 17' W. 449.09 feet to an iron pin in the Greenville Treaty Line (V.M.S. No. 9989 and 13646), which is the south line of Patsy J. Davidhizar's present 38.56 Acre tract as recorded in Deed Volume 395 Page 884 (4-23-1982) and there terminate.

Said Township Road being 449.09 feet or 0.0851 Miles in length.

I hereby certify that this is a correct description of said Township Road No. 122 as prepared in the Office of Chester R. Kurtz, P.S., P.E., Logan County Engineer on September 4, 1986.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402

Logan County Deputy Surveyor





Patsy J. Davidhizar Vol. 395 P.884 (4-23-1982) 38.56 Acres

Per. Par. No. 40-053-00-00-036

3832 Acres

Per. Par. No. 40-053-00-00-040

*Treaty*N. 84° 13' E Greenville V.M.S. No. 9989 James L. Weisner et ux Maxine Yore Henery Vol. 408 P. 776 (3-21-1985) Vol. 363 P. 18 (3-10-1976) 122 23.47 Acres 20.63 Acres Per. Par. No. 40-067-00-00-010 Per. Par. No. 40-067-00-010 R/W V. M.S. No. IRON S. 84° 53'W. Basis of Magnetic Bearing Per. Par. No. 040-067-00-00-009

24.67 Acres

C. H. NO.

5.480



Plat of T. R. No. 122 V. M. S. No. 3314 & 13646 Rushcreek Township Logan County, Ohio September 4, 1986

Scale: I"=100'

Chester R. Kurtz, P.S., P.E.
Logan County Engineer

Daniel E. Gilbert BS

Daniel E. Gilbert, P.S. Reg. Sur. No. 5402

Logan County Deputy Surveyor

Survey Rd. 122 C. Keysor 7 Aug 47 S.M. D. Mitchell Stated 40' Wide (No records on width) Roberts 23 + 11.9 Hubs set for B/W Man 23400 20+00 Hobs set for 7/11 Min 15 too Hubs set for Ell Man 10+00 Hubs set of BIN New 4+00 Hubs set our E/N Non 1+00 Hobs sof Sor E/W Man 39+05.30 (4404 * This road has been vacated, see Kes. 359-86 Vol. OR 27 pgs, 729-733 9-12-86

· RECID 7-29-10 SMM OK

OFFICE OF THE LOGAN COUNTY ENGINEER P.O. BOX 427 1991 COUNTY ROAD 13 BELLEFONTAINE, OH 43311 www.co.logan.oh.us

SCOTT C. COLEMAN, P.E., P.S. LOGAN COUNTY ENGINEER

TELEPHONE: (937) 592-2791 FAX: (937) 599-2658

July 28, 2010

The Honorable Board of Logan County Commissioners 117 E. Columbus St., Suite 100 Bellefontaine, OH 43311

Gentleman:

We the Board of Rushcreek Township Trustees based on Section 5553.045 of the O.R.C. and by our resolution (no.______), wish to petition the Honorable Board of Logan County Commissioners to vacate that remaining part of Rushcreek Township Road No. 122 that was not vacated in 1986 via Commissioners Resolution No. 359-86.

That part of T.R. 122 that was not vacated in 1986 which we wish to vacate now is more particularly described as follows:

Situated in Rushcreek Township, Logan County, Ohio, and being part of Virginia Military Survey's No. 3314 and 13646. Said T.R. 122 being 30 feet wide, the centerline of which is described as follows:

Beginning for reference at a railroad spike at the intersection of the centerline of Logan County Road No. 26 with the centerline of T.R. 122. Said railroad spike being C.R. 26 centerline station 110+57.99 as shown on page 4 of C.R. 26 right of way plans X-26.

Thence with the centerline of T.R. 122, N. $11^{\circ} - 08^{\circ} - 24^{\circ}$ W., 36.84 feet to a point on the North right of way line of C.R. 26. Said point being the true point of beginning for this centerline description.

Thence continuing with the centerline of T.R. 122, N. $11^{\circ} - 08^{\circ} - 24^{\circ}$ W., 418.75 feet to a point on the Greenville Treaty Line (South line V.M.S. 9889 - North line V.M.S. 13646) and there terminate. The last described line passes through a 5/8 inch diameter iron pin on the South line of V.M.S. 13646 at 36.58 feet.

1ND DED ON MAP 4404 ZD-1 Said part of T.R. 122 that is to be vacated being 418.75 feet in length.

This description was prepared from a 2000 Clapsaddle survey of a 3.500 acre tract (Index No. 4793), by the Logan County Engineer's Office on July 12, 2010.

It is the intent of this petition to vacate all of the remaining part of T.R. 122 that has not been previously vacated.

Sincerely, Rushcreek Township Trus	itees
Harold Mobley	
Rick Kennedy	
Steve Jacobs	-
. Andrew Johnson, Fiscal	0.55

INDEXED ON MAP 4404 20-2

0

William M. Stoltz JoAnn Bayliss Trustee. 58.288 Ac. 23.87 Ac. (fract 11) O.P. Vol. 211, pg. 332 O.P. Vol. 708, pg. 416 Parcel III Greenville Treaty Line V.M. J. 9389 V.M.J. 13446 Vacated part of T.R.122 Escolution No. 359-84 O.R. Val. 27, pg. 729 JEFFREY L. Kite Etux Chad M. Carpenter etux 3.500 Ac. 48.14 Ac. O.R. Vol. 992, pg. 848 O. R. Vol. 470, pg. 330 Remaining part to be vacated -30' -P.I. 11(+8[.13 Iron bar Ref: X-24 V.M.S. 1340A60 V.M.S. 3314 5.79°-54'-54"W. 34.58'-P.O. B.-PIT. 110+57.99 P.R. Spike Ref: X-26 Part of T.R. 122 to be Vacated Rustiereck Township Logan County, Otio Scale: 1"=10" SEO/STERED RUE 4404 This plat was prepared from a 2000, Clapsadolle Survey of a 3.500 acre Curtis D. Dill DEPUTY SURVEYOR tract (Index No. 1793), by the Logar Co. Engineers Office on July 12, 2010. Logar, Co. Engineers Office Registered Surveyor No. 7310

a