BERID 8-25-04 SUMOR

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

PAINTER 7.419 ACRES

Lying in Virginia Military Survey 3314, Rushcreek Township, Logan County, Ohio.

Being all of the Robert D. Painter and Judy Painter 7.41 acre tract as deeded and described in Volume 334, Page 799 of the Logan County Records of Deeds and being more particulary described as follows:

Beginning at a MAG nail found on the southwest corner of Virginia Military Survey 3314 on the intersection of center-lines of Township Road 126 (40 feet wide) and Ohio Route 47.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47 (90 feet wide), N 85°-48'-24"E, a distance of 2203.50 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, with the east line of the Gary A. Stevens 5.56 acre tract (O.R. 134, Pg. 753), N 1°-16'-08"W, a distance of 300.28 feet to a 1 inch iron pipe found, passing a 5/8 inch iron rod set at 45.06 feet.

THENCE, with the south line of the Eddie Ross, Inc. original 168.02 acre tract (Vol. 376, Pg. 242, Tract I), N 85°-48'-33"E, a distance of 1159.19 feet to a 1/2 inch square iron bar found.

THENCE, with the west line of the Bernice Ross 7.74 acre tract (O.R. 15, Pg. 48, Tract No. 1-Parcel No. 2), S 26°-33'-34"W, a distance of 348.91 feet to a MAG nail set, passing a 5/8 inch iron rod set at 296.54 feet.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47, S 85°-48'-24"W, a distance of 996.10 feet to the point of beginning.

Containing 7.419 acres, of which 1.042 acres are within the highway right-of-way.

The basis for bearings is the south line of Virginia Military Survey 3314, being N 85°-48'-24"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on August 20, 2004.

Description prepared by:

Jeffley I. Lee Professional Surveyor 6359


August 23, 2004

ORIGINAL STAMP IN GREEN

LEE

INDEXED ON MAP

L-3882



INDEXED ON MAP 4792 P LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347

PHONE: (513) 468-2793

WHITNEY SURVEY April, 1978

The following described real estate situated in the State of Ohio, County of Logan, Township of Rushcreek and being part of Virginia Military Survey No. 3314 and more particularly described as follows:

Beginning at an iron bar in the centerline of State Route 47 at the southwest corner of V. M. S. 3314; thence with the west line of said V. M. S. N. 3° 22' 04" W. 1736.83 feet to a wood corner post at the southwest corner of Charles E. Whitney's 51.76 acre tract; thence with said Whitney's south line N. 35° 15' 52" E. 846.83 feet to an iron bar; thence S. 9° 13' 17" E. 925.67 feet to an iron bar; thence S. 2° 20' 30" E. 505.40 feet to a nail in the centerline of S. R. 47, passing an iron bar at the northwest corner of E. Ross' 6.94 acre tract at 206.00 feet and an iron bar in the north right-of-way line of S. R. 47 at 460.40 feet; thence with said centerline S. 85° 45' 00" W. 769.00 feet to the place of beginning.

Containing 34.07 acres more or less.

The above described 34.07 acres being on the west side of Doris E. O' Neil's 168.02 acre tract, described as tract 1 in D. B. Vol. 374 Pg. 676.

Reference is hereby made to a plat of this survey on file with the Logan County Engineer.

I hereby certify that the above is a true and accurate description of a survey made by me.

Leslie H. Gesslin

20

TO SEE OF MAP

CHARLES E. WHITNEY 5/8" IRON BAR SET 51.76 Ac. WOOD COR. IN BASE OF OLD COR. POST D.B. VOL. 235 PG. 77 POST N. 85° 15' 52" E. 846.83' 34.07 Ac. 5/8" IRON BAR 5/8" IRON BAR WHITNEY SURVEY APRIL, 1978 V. M.S. No. 3314 RUSHCREEK TOWNSHIP LOGAN. COUNTY, OHIO SCALE 1"=100' -5/8"\$ IRON BAR FO. E. Ross 6.94 Ac. D.B. YOL. 318 PG. 586 LESLIE H. GEESLIN -5/8" RON BAR SET RUSHSYLYANIA, OHIO S.R. 47 (90') 5.85° 45' 00" W. 769.00' L.P.K. NAIL SET 1/2" /RON BAR FO

> INDEXED ON MAP 4792

Received 6-5 06 OF 78

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

1975-2005 - 30 YEARS OF EXCELLENCE

ROSS 6.941 ACRES

Lying in Virginia Military Survey 3314, Rushcreek Township, Logan County, Ohio.

Being all of the Bernice Ross 6.94 acre tract as deeded and described in Official Record 15, Page 48, Tract No. 1, Parcel No. 1 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing at a MAG nail found at the southwest corner of Virginia Military Survey 3314 on the intersection of center-lines of Ohio Route 47 and Township Road 126.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47 (variable widths), N 85°-45'-00"E, a distance of 769.00 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, with the east line of The Whitney Partnership 34.07 acre tract (Vol. 394, Pg. 422, Tract VII), N 2°-17'-46"W, a distance of 300.06 feet to a 3/4 inch square iron bar found, passing a 5/8 inch iron rod set at 45.03 feet.

THENCE, with the south line of the Eddie Ross, Inc., 168.02 acre tract (Vol. 376, Pg. 242, Tract I), N 85°-45'-05"E, a distance of 964.22 feet to a 1 inch iron pipe found.

THENCE, with the west line of the Gary A. Stevens 5.56 acre tract (O.R. 134, Pg. 753), S 18°-49'-17"E, a distance of 309.83 feet to a MAG nail found on the south line of Virginia Military Survey 3314 and on the center-line of Ohio Route 47, passing a 5/8 inch iron rod set at 253.04 feet.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47, S 85°-45'-00"W, a distance of 1052.40 feet to the point of beginning.

Containing 6.941 acres, of which 1.278 acres are within the highway right-of-way.

The basis for bearings is the south line of Virginia Military Survey 3314, being N 85°-45'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on May 30, 2006.

Description prepared by:

Jeffrey Lee

Professional Surveyor 6359

May 31, 2006

INDEXED ON MAP

Promo 6/5/06 0x gr

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

1975-2005 - 30 YEARS OF EXCELLENCE

ROSS 6.007 ACRES

Lying in Virginia Military Survey 3314, Rushcreek Township, Logan County, Ohio.

Being out of the Bernice Ross original 7.74 acre tract as deeded and described in Official Record 15, Page 48, Tract No. 1, Parcel No. 2 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing at a MAG nail found at the southwest corner of Virginia Military Survey 3314 on the intersection of center-lines of Ohio Route 47 and Township Road 126.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47 (variable widths), N 85°-45'-00"E, a distance of 3199.60 feet to a MAG nail found at the TRUE POINT OF BEGINNING.

THENCE, with the east line of the Robert D. Painter 7.41 acre tract (Vol. 334, Pg. 799), N 26°-30'-10"E, a distance of 348.89 feet to a 3/4 inch square iron bar found, passing a 5/8 inch iron rod found at 52.37 feet.

THENCE, with the south line of the Eddie Ross, Inc., 168.02 acre tract (Vol. 376, Pg. 242, Tract I), N 85°-45'-05"E, a distance of 783.48 feet to a 3/4 inch square iron bar found.

THENCE, S 4°-15'-28"E, a distance of 299.81 feet to a point on the south line of Virginia Military Survey 3314 and on the center-line of Ohio Route 47, passing a 5/8 inch iron rod set at 254.81 feet.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47, S 85°-45'-00"W, a distance of 961.92 feet to the point of beginning.

Containing 6.007 acres, of which 0.980 acre is within the highway right-of-way.


TE OF

The basis for bearings is the south line of Virginia Military Survey 3314, being N 85°-45'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on May 30, 2006.

Description prepared by:

Seffrey Lee Professional Surveyor 6359

May 31, 2006



perceived 6-5-06 OKgA+

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

1975-2005 - 30 Years of Excellence

ROSS 0.860 ACRE

Lying in Virginia Military Survey 3314, Rushcreek Township, Logan County, Ohio.

Being out of the Bernice Ross original 7.74 acre tract as deeded and described in Official Record 15, Page 48, Tract No. 1, Parcel No. 2 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing at a MAG nail found at the southwest corner of Virginia Military Survey 3314 on the intersection of center-lines of Ohio Route 47 and Township Road 126.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47 (variable widths), N 85°-45'-00"E, a distance of 4161.52 feet to a point at the TRUE POINT OF BEGINNING.

THENCE, N 4°-15'-28"W, a distance of 299.81 feet to a 3/4 inch square iron bar found, passing a 5/8 inch iron rod set at 45.00 feet.

THENCE, with the south line of the Eddie Ross, Inc., 168.02 acre tract (Vol. 376, Pg. 242, Tract I), N 85°-45'-05"E, a distance of 125.00 feet to a 3/4 inch square iron bar found.

THENCE, with the west line of the Janet L. Watkins 0.86 acre tract (O.R. 513, Pg. 214), S 4°-15'-30"E, a distance of 299.81 feet to a point on the south line of Virginia Military Survey 3314 and on the center-line of Ohio Route 47, passing a 5/8 inch iron rod set at 254.81 feet.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47, S 85°-45'-00"W, a distance of 125.00 feet to the point of beginning.

Containing 0.860 acre, of which 0.129 acre is within the highway right-of-way.

The basis for bearings is the south line of Virginia Military Survey 3314, being N 85°-45'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on May 30, 2006.

Description prepared by:

Jeffrey Lee

Professional Surveyor 6359

May 31, 2006

CHETTALLY



Perened 6-5.06 ox git

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

1975-2005 - 30 YEARS OF EXCELLENCE

ROSS 0.859 ACRE

Lying in Virginia Military Survey 3314, Rushcreek Township, Logan County, Ohio.

Being out of the Bernice Ross original 7.74 acre tract as deeded and described in Official Record 15, Page 48, Tract No. 1, Parcel No. 2 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing at a MAG nail found at the southwest corner of Virginia Military Survey 3314 on the intersection of center-lines of Ohio Route 47 and Township Road 126.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47 (variable widths), N 85°-45'-00"E, a distance of 4411.48 feet to a point at the TRUE POINT OF BEGINNING.

THENCE, with the east line of the Janet L. Watkins 0.86 acre tract (O.R. 513, Pg. 214), N 4°-14'-42"W, a distance of 299.81 feet to a 3/4 inch square iron bar found, passing a 5/8 inch iron rod set at 45.00 feet.

THENCE, with the south line of the Eddie Ross, Inc., 168.02 acre tract (Vol. 376, Pg. 242, Tract I), N 85°-45'-05"E, a distance of 124.61 feet to a 3/4 inch iron bar found.

THENCE, with the west line of the Amanda J. Prinkey 0.63 acre tract (Vol. 371, Pg. 1, Tract II), S 4°-19'-09"E, a distance of 299.81 feet to a point on the south line of Virginia Military Survey 3314 and on the center-line of Ohio Route 47, passing a 5/8 inch iron rod set at 254.81 feet.

THENCE, with the south line of Virginia Military Survey 3314 and the center-line of Ohio Route 47, S 85°-45'-00"W, a distance of 125.00 feet to the point of beginning.

Containing 0.859 acre, of which 0.129 acre is within the highway right-of-way.

The basis for bearings is the south line of Virginia Military Survey 3314, being N 85°-45'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on May 30, 2006.

Description prepared by:

Soffrey I. Lee

Professional Surveyor 6359

May 31, 2006

KED ON MAP

