Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

DONALD ROPP (10.00 ACRES)

Lying in V.M.S. 10631, Rushcreek Township, Logan County, Ohio.

Being out of that 54.62 acres (Volume 349, Page 597, Tract V) of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a square iron bar found on the center-line of County Highway 5 on the south line of V.M.S. 10631, a distance of 3636.4 feet north of the center-line of County Road 20.

THENCE, with the said center-line of County Highway 5, N 8°-00' W, a distance of 572.92 feet to a railroad spike.

THENCE, N 82°-09'-50" E, a distance of 752.51 feet to a $\frac{1}{2}$ " iron rod.

THENCE, S 9°-33'-50" E, a distance of 573.18 feet to a $\frac{1}{2}$ " iron rod set on the south line of V.M.S. 10631.

THENCE, with said V.M.S. line, S 82°-09'-50" W, a distance of 768.15 feet to the point of beginning.

Containing 10.00 acres.


This description prepared from an actual field survey. Basis for bearings: Center-line of County Highway 5 (N 8°-00' W). From description of Tract I.

Prepared by:

Registered Professional Surveyor No. 6181

September 15, 1987

ORIGINAL STAMP TO CHEEN



1-1617-4

INDEXED ON MAP 7678 P RICHARD A. BRUCE, P.E., P.S. Registered Land Surveyor No. 6993

513/465 - 7412



Bruce Land Purveying 4293 Road 171, West Liberty, Ohio 43357

COONS SURVEY V.M.S. 10631 RUSHCREEK TOWNSHIP LOGAN COUNTY, OHIO

The following described real estate situated in the State of Ohio, County of Logan, Township of Rushcreek, being part of Virginia Military Survey 10631 and more particularly described as follows:

Commencing at a 2 inch square iron found in the center of County Road 5 in the south line of V.M.S. 10631. Said iron being Station 36+36.4 as noted in Logan County Engineer's Field Book 599, Page 52.

THENCE with the center of County Road 5, N.8000'00"W. 734.87 feet to a railroad spike set. Said railroad spike being the true point of beginning of this description.

THENCE S.76°38'49"W. 386.08 feet to a 5/8 inch iron set.

THENCE N.16°16'32"W. 20.92 feet to a 5/8 inch iron set.

THENCE N.64°09'06"W. 148.36 feet to a 5/8 inch iron set.

THENCE S.83041'17"W. 119.90 feet to an 8" wood corner post.

THENCE S.36004'29"W. 188.26 feet to an 8" wood corner post.

THENCE S.81017'19"W. 28.57 feet to a 5/8 inch iron set.

THENCE N.7036'48"W. 347.11 feet to a 5/8 inch iron set in the south line of David L. Kramer's 70.96 acre tract, D.B. 395, Page 916.

THENCE with said Kramer's south line and the south line of John R. Reynolds' 5.16 acre tract, D.B. 227, Page 136, N.82^o23'12"E. 786.95 feet to a 1 inch square iron found in the center of County Road 5 marking said Reynolds' southeast corner.

THENCE with the center of County Road 5, S.8000'00"E. 278.13 feet to the point of beginning.

Containing 5.000 acres, more or less.

The above described 5.000 acre tract being part of Larry E. and Judith K. Coons' 57.31 acre tract as described in O.R. 50, Page 423.

Basis for Bearings: Centerline C.R. 5 (N.8000'00"W.)


This description prepared from an actual field survey. Prepared by:

A. Since Richard A. Bruce, P.E., P.S.

Reg. Surveyor No. 6993

May 5, 1989





RELID 9-29-98 8WM OKV

LESLIE H. GEESLIN

REGISTERED SURVEYOR 5248 P. O. BOX 274 RUSHSYLVANIA, OHIO 43347 TELEPHONE: (937) 468-2793 FAX: (937) 468-2080

COONS SURVEY

SEPTEMBER 23, 1998

The following described real estate situated in the State of Ohio, County of Logan, Township of Rushcreek, being part of Virginia Military Survey 10631 and more particularly described as follows:

Beginning at a magnetic nail set in the centerline of County Highway 5 at the northeast corner of James P. Shaw, et ux's 2.69 acre tract as described in O. R. Vol. 9 Page 718.

Thence with said Shaw's north line S. 82° 20' 26" W. 259.40 feet to a 5/8 inch iron bar set at said Shaw's northwest corner, passing a 5/8 inch iron bar set at 30.00 feet.

Thence N. 9° 04' 33" W. 330.40 feet to a 5/8 inch iron bar set.

Thence N. 81° 28' 39" E. 265.61 feet to a magnetic nail set in the centerline of said C. H. 5, passing a 6 inch wood post found at 235.61 feet.


Thence with the centerline of said C. H. 5 S. 8° 00' 00" E. 334.31 feet to the place of beginning.

Containing 2.003 acres more or less of which 0.230 acre is in the right of way of County Highway 5.

The above described 2.003 acre tract being part of Judith K. Coon's original 57,31 acre tract as described in O. R. Vol. 123 Page 138 (Par. II, Tr. I).

Bearings are based on an assumed bearing (S. 8° 00' 00" E.) for the centerline of County Highway 5 in this field survey by Leslie H. Geeslin, Reg. Surveyor 5248 on September 23, 1998.

RUSHCRK\23\COONS.SAM



SURVEY OF Z.DO3 ACRES
IN VIRGINIA MILITARY SURVEY 10631,
RUSHCREEK TOWNSHIP LOGAN
COUNTY, OHIO FOR JUDY
COONS ON SEPTEMBER 23, 1998

INDEXED ON MAP 7678 3P LESLIE H. GEESLIN PH: (937) 468:2793 FAX: (937) 468:2793