39° 18' 08" E. 126.17'		50.00	100.00	(# 112)	
(#117)	(#109)		(#104)		
	50' BUILDING		SETBACK LINE	200	
LOT 1284	10 LOT 1285	179	LOT 1286	O JOHN FISHER O 0.344 AC. O OR. VOL. 93 PG 956	
7			Ž	13/20	637
	200	279. 279. 79.26		90,2	YEA YEA YEA YEA YEA
, o	17		<i>y</i>	N	29.1
6	7.			5,89° 19'11"E. 100.00'	0000
	N. 89°15'00"W. 100.00'		N.89° 15'00" W. 103.70 5.89° 15'00" E. 103.7	29.35 . 29.06"W.	N 5. 65 %.
89° 15' 00" E. 2	25.37'	00.00° 14° 14° 14° 16° 16° 16° 16° 16° 16° 16° 16° 16° 16		(#108)	99
LOT 1288	200	7. 7. 00.0	in 207	1287	7. V.
(#113)	0. 50.7	25:140	50 36)		· No least the second s
N. 89° 15'00" W.	224.93	1) N.89"15"00"N. 39" 15"00" N.	N. 89°15'00"W. 481.86'	206.93'	5) X
	711 6		0.10963		

BOUNDARY DESCRIPTION OF NICHELSON'S SOUTH
BEGINNING AT A 5/8 INCH IRON BAR FOUND IN THE SOUTH LINE OF
KRESS STREET AT THE NORTHWEST CORNER OF JOHN FISHER'S 0.344 ACRE
TRACT AS DESCRIBED IN O. R. VOL. 93 PAGE 956.

THENCE WITH SAID FISHER'S WEST LINE S. 00° 29' 06" E. 150.00 FEET TO A 5/8 INCH IRON BAR FOUND.

THENCE WITH SAID FISHER'S SOUTH LINE S. 89° 19' 11" E. 100.00 FEET TO A 5/8 INCH IRON BAR FOUND IN THE WEST LINE OF R. L. NEAL'S 0.57 ACRE TRACT AS DESCRIBED IN O. R. VOL. 28 PAGE 637.

THENCE WITH SAID NEAL'S WEST LINE S. 00° 29' 11" E. 26.10 FEET

TO A 3/4 INCH IRON PIPE FOUND.

THENCE WITH SAID NEAL'S WEST LINE S. 65° 31' 11" E. 45.03 FEET TO A 3/4 INCH IRON PIPE FOUND.

THENCE WITH SAID NEAL'S WEST LINE S. 24° 40' 40" W. 93.28 FEET TO A 3/4 INCH IRON PIPE FOUND IN THE NORTH LINE OF KENNETH COOPER'S

3.26 ACRE TRACT AS DESCRIBED IN D. B. VOL. 314 PAGE 101.

THENCE WITH SAID COOPER'S NORTH LINE N. 89° 15' 00" W. 481.86

FEET TO A 3/4 INCH IRON PIPE FOUND IN THE EAST LINE OF JAMES DUFF'S

129.01 ACRE TRACT (WEST LINE OF SECTION 1, TOWN 7, RANGE 8) AS

DESCRIBED IN D. B. VOL. 333 PAGE 281 AND D. B. VOL. 388 PAGE 102.

THENCE WITH THE WEST LINE OF SECTION 1 AND SAID DUFF'S EAST LINE N. 00° 26' 31" E. 279.01 FEET TO A 3/4 INCH IRON PIPE FOUND. THENCE WITH THE SOUTH LINE OF KRESS STREET AND SAID KRESS

THENCE WITH THE SOUTH LINE OF KRESS STREET AND SAID KRESS STREET PROJECTED S. 89° 18' 08" E. 376.17 FEET TO THE PLACE OF BEGINNING.

CONTAINING 2.772 ACRES MORE OR LESS.

BEARINGS ARE BASED ON THE NORTH LINE OF

KENNETH COOPER'S 3.26 ACRE TRACT (N.89° 15'00"W.)

THE ACCOMPANYING PLAT REPRESENTS A SUBDIVISION OF LAND IN SECTION 1, TOWN 7, RANGE 8, VILLAGE OF RUSSELLS POINT, WASHINGTON TOWNSHIP, LOGAN COUNTY, OHIO.

THIS TRACT HAS AN AREA OF 2.772 ACRES OF WHICH 0.321 ACRE IS IN A PRIVATE STREET AND 2.451 ACRES ARE IN FIVE LOTS.

THE PRIVATE STREET IS DEDICATED FOR THE JOINT USE OF AND MAINTENANCE

THE PRIVATE STREET IS DEDICATED FOR THE JOINT USE OF AND MAINTENAND THE OWNERS OF LOTS 1285, 1286, 1287 AND 1288.

ALL MEASUREMENTS ARE IN FEET AND DECIMALS OF A FOOT.


I HEREBY CERTIFY THAT THE ACCOMPANYING PLAT IS A CORRECT REPRESENTATION OF NICHESON'S SOUTH AS SURVEYED AND THAT ALL MONUMENTS AS SHOWN HEREON HAVE BEEN OR WILL BE SET.


REGISTERED SURVEYOR 5248
DATED 5/30/90

SUB-DIVIDER :

N

DALE R. SMITH & WILLIAM KEMPER 1929 WASHINGTON WOODS DR. DAYTON, OHIO 45459





LEGEND:

VICINITY

NO SCALE

© = 3/4" IRON PIPE FOUND

• = 5/8" IRON BAR FOUND • = 5/8" IRON BAR SET

(#104) HOUSE NUMBER



RESTRICTIONS NO PERMANENT STRUCTURE, PLANTINGS, ETC. SHALL BE PERMITTED WITHIN AN EASEMENT AREA. KNOW ALL MEN BY THESE PRESENTS THAT DALE R. SMITH AND WILLIAM A. KEMPER, PROPRIETORS OF THE LAND INDICATED ON THE ACCOMPANYING PLAT, HAVE AURHORIZED THE PLATTING THEREOF AND DO HEREBY CERTIFY SAME.

WITNESSES PROPRIETORS

BEFORE ME, A NOTARY PUBLIC, PERSONALLY CAME DALE R. SMITH AND WILLIAM A. KEMPER, WHO ACKNOWLEDGED THE SIGNING OF THE FOREGOING INSTRUMENT TO BE THEIR VOLUNTARY ACT AND DEED FOR THE USES AND PURPOSES THEREIN EXPRESSED.

IN WITNESS WHEREOF I HAVE HEREUNTO SET MY HAND AND AFFIXED MY SEAL THIS 44 DAY OF ALMO, 1990.

	STAL STATE OF OTHER PROPERTY.	KIM S. KESSLER Notary Public, State of Ohlo My Commission Expires Mar. 25, 1991	NOTARY PUBLIC FORMERLY: KIMS. KESSLER		
12	APPROVED THIS	DAY OF	MAYOR, RUSSELLS POINT		
	APPROVED THIS	DAY OF	there , 1990.		

APPROVED THIS //TH DAY OF JUNE, 1990.

TRANSFERRED THIS 14 TH DAY OF June, 1990.

RECORDED THIS 14 TH DAY OF JUNE, 1990 IN CABINET A FIRE NO. 719-A

Carolyn Collins

LOGAN COUNTY RECORDER

APPROVED THIS	7 th	DAY OF	June -		, 1990.
122-212-2		. 7	Lans E	: Pugh	
			INDIAN LAK	E SANITARY	SEWER

R-8039

PRESIDENT OF VILLAGE COUNCIL







EXHIBIT "A"

Permanent Easement for Gas Main Section 1 - Town 7S - Range 8E Village of Russells Point Logan County, Ohio

OWNER:

Parcel: #52-032-13-33-001-003

Eric T. Stallkamp & Vanessa L. Stallkamp, Trustees

General Warranty Deed Instrument No. 2013000509

Official Record Volume 1095, Page 956

EXECUTED DATE: January 16, 2013 RECORDED DATE: January 22, 2013

Parcel: #52-032-13-33-001-003

Dawn Elaine McKee General Warranty Deed Instrument No. 2007007837

Official Record Volume 892, Page 386

EXECUTED DATE: October 12, 2007 RECORDED DATE: October 16, 2007

1792 square feet permanent easement 0.0411 acres permanent easement

Job No. 1153371-Stallkamp





Permanent Easement

Situated in Section 1 - Town 7S - Range 8E, Village of Russells Point, Washington Township, Logan County, Ohio and being upon a tract of land conveyed to Eric T. Stallkamp & Vanessa L. Stallkamp, Trustees by General Warranty Deed recorded in Instrument No. 2013000509, Official Record Volume 1095, Page 956, Also Dawn Elaine McKee by general Waranty Deed recorded in Instrument No. 20070007837, Official Record Volume 892, Page 386, and being Lot 1285 of the Plat of Nichelson's South, as recorded in Plat Book Cabinet A, Slide 719-A, said easement being more particularly described as follows:

Commencing at a point at the northwest corner of lot 1284 of said Plat of Nichelson's South;

Thence along the north line of said Lot 1284, the north line of said Lot 1285, and the south right-of-way line of Kress Street, South 89°01'05" East, a distance of 216.17 feet to a point, said point being the True Point of Beginning of the herein described easement;

Thence with the north line of said Lot 1285 and the south right-of-way of Kress Street, South 89°01'05" East, A distance of 10.00 feet to a point, said point being the northeast corner of said Lot 1285;

Thence with the east line of said Lot 1285 and the west line of a 50-foot Private Street as recorded in said Plat of Nichelson's South, South 00°58'55" West, a distance of 179.19 feet to a point, said point being the southeast corner of said Lot 1285, and the northeast corner of Lot 1288 as recorded in said Plat of Nichelson's South;

Thence with the south line of said Lot 1285, and the north line of said Lot 1288, North 88°57′57″ West, a distance of 10.00 feet to a point;

Thence across said Lot 1285, North 00°58′55″ West, a distance of 179.18 feet to the True Point of Beginning, being the terminus of the herein described easement, containing 0.0411 acres, more or less;

Job No. 1153371-Stallkamp

Page 2 of 3





Bearings are based on the Ohio State Plane Coordinate System, South Zone, NAD 83(2011) from actual field measurements.

The above description is the result of field survey, measurements, and record information prepared by Anthony W. Williams, Ohio Professional Surveyor #7726 and Volkert, Inc., Dated June 21, 2023.

Anthony W. Williams

Professional Surveyor #7726

June 21, 2023

* ANTHONY W. *

WILLIAMS S

ONAL

ONAL

Job No. 1153371-Stallkamp

Page 3 of 3



Suite 202 Dayton, Ohio 45459

Permanent Easement for Gas Main Eric T. Stallkamp & Vanessa L. Stallkamp, Trustees Instument No. 2013000509 (OR Vol. 1095, Pg. 956) Section 1 - Town 7S - Range 8E Village of Russells Point, Washington Twp. Logan County, Ohio


NOTE:

a boundary survey.



Permanent Easement for Gas Main Dawn Eleaine McKee Instument No. 2007007837 (OR Vol. 892, Pg. 386) Section 1 - Town 7S - Range 8E Village of Russells Point, Washington Twp. Logan County, Ohio

EXHIBIT "B"



INDEXED ON MAP

Sheet 1 of 1

Job No. 1153371

5-11-2023





7601 Paragon Road Suite 202 Dayton, Ohio 45459



EXHIBIT "A"

Permanent Easement for Gas Main Section 1 - Town 7S - Range 8E Village of Russells Point Logan County, Ohio

OWNER:

Parcel: #52-032-13-33-001-006

William J Davis & Joy J. DesLauriers Davis

General Warranty Deed

Official Record Volume 1155, Page 103

EXECUTED DATE: August 4, 2014
RECORDED DATE: August 6, 2014

1000 square feet permanent easement 0.023 acres permanent easement


Permanent Easement

Situated in Section 1 - Town 7S - Range 8E, Village of Russells Point, Washington Township, Logan County, Ohio and being upon a tract of land conveyed to William J. Davis & Joy J. DesLauriers Davis by General Warranty Deed recorded in Official Record Volume 1155, Page 103 and being Lot 1288 of the Plat of Nichelson's South, as recorded in Plat Book Cabinet A, Slide 719-A, said easement being more particularly described as follows:

Commencing at a point at the southwest corner of lot 1288 of said Plat of Nichelson's South;

Job No. 1153371-Davis

Page 1 of 2







Thence with the south line of said Lot 1288, South 88°57'57" East, a distance of 214.93 feet to a point, said point being the True Point of Beginning of the herein described easement;

Thence across said Lot 1288, North 00°58′55″ East, a distance of 100.00 feet to a point in the north line of said Lot 1288 and the south line of Lot 1285, as recorded in said Plat of Nichelson's South;

Thence with the north line of said Lot 1288, and the south line of said Lot 1285, South 88°57′57″ East, a distance of 10.00 feet to a point, said point being the northeast corner of Lot 1288, and the southeast corner of Lot 1285;

Thence with the east line of said Lot 1288, and the west line of a 50-foot Private Street as recorded in said Plat of Nichelson's South, South 00°58'55" West, a distance of 100.01 feet to a point, said point being the southeast corner of Lot 1288

Thence with the south line of said Lot 1288, North 88°57'57" West, a distance of 10.00 feet to the True Point of Beginning, being the terminus of the herein described easement, containing 0.023 acres, more or less;

Bearings are based on the Ohio State Plane Coordinate System, South Zone, NAD 83(2011) from actual field measurements.

The above description is the result of field survey, measurements, and record information prepared by Anthony W. Williams, Ohio Professional Surveyor #7726 and Volkert, Inc., Dated May 8, 2023.

5/8/23

Anthony W. Williams

Professional Surveyor #7726

May 8, 2023

* ANTHONY W * WILLIAMS 7726

Job No. 1153371-Davis

Page 2 of 2





Permanent Easement for Gas Main William J. Davis & Joy J. DesLauriers Davis OR Vol. 1155, Pg. 103


Section 1 - Town 7S - Range 8E

Village of Russells Point, Washington Twp. EXHIBIT "B"

Logan County, Ohio Ex. 20' Easement Plat Cab. A, Slide 719-A Kress St (30' R/W) R/W LINE TABLE L1: S88°57'57"E 214.93' L2: N00°58'55"E 100.00' Private Street L3: S88°57'57"E 10.00' L4: S00°58'55"W 100.01' Lot 1284 Lot 1285 Lot 1286 L5: N88°57'57"W 10.00' Plat of Nichelson's South Plat Cab. A, Slide 719-A L3 Lot 1288 Ex. 10' Wide Electric Easement Dayton Power & Light Company OR Vol. 135, Pg. 620 Parcel: 52-032-13-33-001-006 William J. Davis & Joy J. DesLauriers Davis ? General Warranty Deed Lot 1287 August 6, 2014 OR Vol. 1155, Pg. 103 10.0'-L1 PERMANENT EASEMENT .5 P.O.C. 1000 Sq. Ft. T.P.O.B. 0.023 Acres **LEGEND**

The horizontal data shown on this exhibit are based upon a positional solution derived from Global Positioning System (GPS) observations processed by the Ohio Department of Transportation VRS RTK Network, All coordinates, bearings, distances and coordinates are referenced to the Ohio State Plane Coordinate System, South Zone, NAD83 (2011), U.S. Survey Feet,

This drawing is not intended to be represented as a boundary survey.







- Permanent Easement

- Denotes Deed Line or Ownership Change

- Parcel Number

Job No. 1153371

Sheet 1 of 1

