


o - 5/8"x 30" Rebars Set.

DANIEL E. GILBERT, P.S.
REG. SUR. NO. 5402
400 N. PARK ST.
BELLEFONTAINE, OHIO 43311
TELEPHONE: 1 (513) 593-1428

INDEXED ON MAP




WHITAKER SURVEY
Lots No. 864 Pt-865
Village of Russells Point
Washington Township
Logan County, Ohio
November 17, 1994

SECTION 1, TOWN 7, RANGE 8 VILLAGE OF RUSSELLS POINT WASHINGTON TOWNSHIP LOGAN COUNTY, OHIO

Section 36, Town 6, Range 8 Section 1, Town 7, Range 8

ELLIOT ROAD (50')



BUCKEYE AVENUE (30')

SCALE IN FEET

HARRY R. SWANK SURVEY

Being a retracement survey of Lots 869 and 870 (originally Lots 339 and 340) of Nichelsons First Addition to the Village of Russells Point as designated on the plat of said Village of Russells Point as designated on the plat of said Addition recorded in Plat Cabinet A, Slide 228.

I hereby certify that this plat was prepared from an actual field 7873 survey and that monuments were placed as indicated hereon.


George A. Blackburn, R.S. 7873

Filename: Hurt 11-03 Scale: 1" = 20' Date: 11/6/03 F.B. 9, pg. 30

BLACKBURN SURVEYING

12125 GREEN STREET MIDDLEBURG, OHIO 43336 (937) 666-5605

INDEXED ON MAP





Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

ROBBINS 0.220 ACRE

Lying in the Village of Russells Point, Washington Township, Logan County, Ohio.

Being all of the Janene L. Robbins Lots 803, 804 and 805 of Nichelsons 1st Addition (Plat Cabinet A, Slides 227-229) as deeded and described in Official Record 315, Page 420 and Official Record 89 and Page 641 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 5/8 inch iron rod set on the intersection of the east right-of-way of High Avenue (30 feet wide) and the south right-of-way of Elliott Road (50 feet wide) on the northwest corner of Lot 803.

THENCE, with the south right-of-way of Elliott Road and the north lines of Lots 803 and 804, S 89°-12'-00"E, a distance of 79.91 feet to a 5/8 inch iron rod found on the northeast corner of Lot 804.

THENCE, with the east lines of Lots 804 and 805 and the west lines of Lots 869 and 868, S 00° -39'-30"W, a distance of 119.93 feet to a 5/8 inch iron rod found on the southeast corner of Lot 805.

THENCE, with the south line of Lot 805 and the north line of Lot 806, N 89°-10'-14"W, a distance of 79.97 feet to a 5/8 inch iron rod found on the southwest corner of Lot 805 and on the east right-of-way of High Avenue.

THENCE, with the east right-of-way of High Avenue and the west lines of Lots 805 and 803, N 00° -41'-06"E, a distance of 119.89 feet to the point of beginning.

Containing 0.220 acre.

OF

WILLIAM

BRUCE

7437

EGISTER

ORIGINAL STAMP IN GREEN

SS/ONAL

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is south right-of-way of Elliott Road, being S 89°-12'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on June 22, 2015.

Description prepared by:

William K. Brúce

Professional Surveyor 7437

June 22, 2015

59540615



