
REC'D 10-21-05 Sum Ole LEGEND: LOT 57 SCAL MAG NAIL SET 1 INCH IRON PIPE FOUND 5/8 INCH IRON ROD SET LOT 56 CONCRETE PARKING AREA RETRACEMENT SURVEY OF THE DAVID M. THOMAS LOT 55 AND JAN THOMAS DAVID M. THOMAS LOT 55 AND JAN THOMAS MIDLAKE SUBDIVISION NO. 3 O.R. 793, PG. 489 PLAT CABINET A, SLIDE 343 OFFICIAL RECORD 793, PAGE 489 STOKES TOWNSHIP LOT 42 LOGAN COUNTY, OHIO SURVEYED BY: JEFFREY 1. LEE PROFESSIONAL SURVEYOR 6359 OCTOBER 18, 2005 2 WORKING DAYS COPYRIGHT 2005 BY: NOTE: LEE SURVEYING & MAPPING CO., INC.
117 North Madriver Street
BELLEFONTAINE, OHIO 43311 BEFORE YOU DIG 286 DISTANCES TO CENTER-LINE OF CHANNEL ARE SCALED FROM MAP RECORDED IN PLAT CABINET A, SLIDE 343. CALL TOLL FREE 800-362-2764 (937) 593-7335 ORIGINAL STAMP IN GREEN KSR ONIO UTILITIES PROTECTION SERVICE. 4140105 D1005 L-4140-3



Received 5/21/09 OK 9CH

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

LANGE 0.230 ACRE

Lying in Stokes Township, Logan County, Ohio.

Being all of the R. Lewis Lange and Debora L. Lange Lots 123 and 124 of Tecumseh Island (Plat Cabinet A, Slide 225) as deeded and described in Official Record 841, Page 589, Parcel I and Parcel II of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 5/8 inch iron rod set on the intersection of the northwesterly right-of-way of Buckeye Drive (50 feet wide) and the southwesterly right-of-way of Oak Street (30 feet wide) at the east corner of Lot 124.

THENCE, with the northwesterly right-of-way of Buckeye Drive and the southeasterly lines of Lots 124 and 123, S 34°-36'-00"W, a distance of 100.05 feet to a 5/8 inch iron rod set at the south corner of Lot 123.

THENCE, with the southwesterly line of Lot 123 and the northeasterly line of Lot 101, N 55°-24'-20" W, a distance of 99.95 feet to a point in a channel at the west corner of Lot 123, passing a 5/8 inch iron rod found at 70.00 feet.

THENCE, with the northwesterly lines of Lots 123 and 124 and the southeasterly line of Lot 40 of Midlake Subdivision No. 2 (Plat Cabinet A, Slide 327), N 34°-34'-14"E, a distance of 100.00 feet to a 5/8 inch iron rod found on the southwesterly right-of-way of Oak Street, at the north corner of Lot 124.

THENCE, with the southwesterly right-of-way of Oak Street and the northeasterly line of Lot 124, S 55°-26'-05"E, a distance of 100.00 feet to the point of beginning.

Containing 0.230 acre.

HIMINIMAN OF KE OF

BRUA 7437
7437
85/ONAL SUMMINIMUM STAMP IN

ORIGINAL STAMP IN GREEN

The basis for bearings is the center-line of Buckeye Drive, being S 34°-36'-00"W. and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on May 19, 2009.

Description prepared by:

William K. B.


William K. Bruce


Professional Surveyor 7437


May 20, 2009


4791059















INDEXED ON MAP



INDEXED ON MAP