Lones Survey

The following described real estate situated in the Township of Stokes, County of Logan, State of Ohio and being a part of Virginia Military Survey No. 12276 and being more particularly described as follows:

Beginning at an iron bar in the centerline of T. R. No. 93, said iron bar being the northeast corner to The Indian Lake Church of The Nazarine's present 0.43 Acre tract;

Thence with the centerline of T. R. No. 93, N. 17° 00° W. 516.40 feet to a R. R. Spike, said R. R. Spike being the true place of beginning for this survey;

Thence S. 73° 00° W. 160.00 feet to an iron bar, passing through an iron

bar at 20.00 feet;

Thence N. 17° 00' W. 160.00 feet to an iron bar;

Thence N. 73°00° E. 160.00 feet to a R. R. Spike in the centerline of T. R. No. 93, passing through an iron bar at 140.00 feet;

Thence with the centerline of T. R. No. 93, S. 17° 00° E. 160.00 feet to the place of beginning, containing 0.59 Acres, more or less.

The above described real estate being surveyed out of the east side of 'Vivian Lones's present 21.39 Acre tract.


I hereby certify that this is a true and accurate description of a survey made by me on April 15, 1972.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 1041 N. Main St.

Bellefontaine, Ohio 43311

MOEXED ON MAP



INDEXED ON MAP

SURVEYED AND PLATTED BY:

DANIEL E. GILBERT, P.S.

REG. SUR. NO. 5402

1041 N. MAIN ST.

BELLEFONTAINE, OHIO 43311

LONES SURVEY
V. M.S. NO. 12276
STOKES TOWNSHIP
LOGAN COUNTY, OHIO
APRIL 15, 1972

SCALE: 1"=50"

Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

VIVIAN AND FLOYD LONES, Sr. TO GEORGE LONES

Lying in V.M.S. 12276, Stokes Township, Logan County, Ohio.

Being the north part of that land lying in the name of Vivian and Floyd Lones, Sr. deeded and described in Volume 348, Page 566 of the Logan County Records of Deeds and more particularly described as follows:

Beginning at an iron spike set on the center-line of Township Road 93, a distance northerly, along said center-line, of 974.39 feet from the center-line of State Route No. 235.

THENCE, at right angles to the center-line of said Township Road 93, S 73°-00' W, a distance of 721.14 feet to an iron rod set on the east line of a 30 acre tract (Volume 319, Page 525). The same being the west line of grantor's land.

THENCE, with said west line, N 16°-58'-20" W, a distance of 600.17 feet to the south line of a 25 acre tract (Volume 200, Page 102). This point marking the northwest corner of grantor's land.

THENCE, with grantor's north line, the following 3 bearings and distances:

N 73°-30' E, a distance of 456.60 feet to a post.

S 18°-15'-10" E, a distance of 149.95 feet to a post.

N 73°-30' E, a distance of 261.00 feet to an iron spike set on the center-line of Township Road 93, marking the northeast corner of grantor's land.

THENCE, with said center-line, S 17°-00' E, a distance of 148.81 feet to an iron pipe found marking the northeast corner of a 0.58 acre lot (Volume 287, Page 137).

THENCE, with the boundary of said 0.58 acre, the following 3 bearings and distances:

S 73°-00' W, a distance of 145.00 feet.

S 17°-00' E, a distance of 173.92 feet.

N 73°-00' E, a distance of 145.00 feet to an iron pipe found on the center-line of Township Road 93.

THENCE, with said center-line, S 17°-00' E, a distance of 121.26 feet to the point of beginning. Containing 8.399 acres.

Last previous deed reference: Volume 348, Page 566.

Surveyed by:/

Clayton M. Lee

Reg. Surveyor No. 6181

6-10-80

Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

VIVIAN AND FLOYD LONES, Sr. TO FLOYD LONES, Jr.

Lying in V.M.S. 12276, Stokes Township, Logan County, Ohio.

Being out of that land lying in the name of Vivian and Floyd Lones, Sr. deeded and described in Volume 348, Page 566 of the Logan County Ree cords of Deeds and more particularly described as follows:

Beginning at an iron spike set on the center-line of Township Road 93, a distance of 605.97 feet northerly along said center-line from the center-line of State Route 235.

THENCE, at right angles to the center-line of Said Township Road 93, S 73°-00' W, a distance of 721.32 feet to an iron rod set on the east line of a 30 acre tract (Volume 319, Page 525). The same being the west line of grantor's land.

THENCE, with said west line, N 16°-58'-20" W, a distance of 368.42 feet to an iron rod set for the northwest corner of this survey.

THENCE, parallel to the south line of this survey, N 73°-00' E, a distance of 721.14 feet to an iron spike set on the center-line of Township Road 93.

THENCE, with said center-line, S 17°-00° E, a distance of 121.26 feet to a railroad spike found marking the northeast corner of a 0.59 acre lot (Volume 342, Page 251).

THENCE, with the boundary of said 0.59 acre lot, the following 3 bearings and distances:

S 73°-00' W, a distance of 160.00 feet. S 17°-00' E, a distance of 160.00 feet.

M. LEE **

N 73°-00' E, a distance of 160.00 feet to a railroad spike found on the center-line of Township Road 93.

THENCE, with said center-line, S 17°-00' E, a distance of 87.16 feet to the point of beginning. Containing 5.512 acres.


Last previous deed reference: Volume 348, Page 566.


Surveyed by:

Clayton M. Lee

Reg. Surveyor No. 6181

6-10-80





Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

FLOYD AND VIVIAN LONES TO DODDS

Lying in V.M.S. 12276, Stokes Township, Logan County, Ohio.

Being out of that 7.209 acres lying in the name of Vivian and Floyd Lones (Original 21.55 acres, Volume 348, Page 566) and more particularly described as follows:

Beginning at a railroad spike set on the center-line of Township Road 93, a distance northerly along said center-line of 301.25 feet from its intersection with the center-line of State Route 235.

THENCE, S 69°-50' W, a distance of 401.78 feet to an iron rod set on the east line of a 2.60 acre tract (Volume 333, Page 350) being a distance, northerly, along said east line of 295.30 feet from the center-line of State Route 235.

THENCE, with the boundary of said 2.60 acre tract, the following 2 bearings and distances:

N 20°-18'-35" W, a distance of 55.00 feet to an iron rod. S 68°-07' W, a distance of 318.24 feet to an iron rod set by a corner post on the west line of grantor's property.

THENCE, with said west property line, N 16°-58'-20" W, a distance of 298.36 feet to the north line of grantor's 7.209 acres and also being the southwest corner of a 5.512 acre tract lying in the name of Floyd Lones, Jr.

THENCE, along the south line of said 5.512 acres, S 73°-00' W, a distance of 721.32 feet to an iron spike found on the center-line of Township Road 93.

THENCE, with said center-line, S 17°-00' E, a distance of 304.72 feet to the point of beginning. Containing 5.003 acres.

Last previous deed reference: Volume 348, Page 566.


Surveyed By:

EARD ON M

Clayton M.Lee

Reg. Surveyor No. 6181

May 2, 1983





FOR JEFF S. BROWN 3.753 ACRES December 7, 2023

The following described 3.753 acre tract of land is situated in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio and being part of Jeff S. Brown's and Tina M. Brown's 5.003 acre tract described in Official Record Volume 1415, page 674, said 3.753 acre tract of land more particularly described as follows:

Beginning for reference at a magnetic nail found at the intersection of the centerline of State Route 235 (60 feet wide) with the centerline of Township Road 93 (40 feet wide);

Thence North 07°01'14" West 177.16 feet, following the centerline of Township Road 93, to a railroad spike found;

Thence North 07°21'23" West 124.28 feet, continuing along the centerline of Township Road 93, to a railroad spike found at the northeast corner of Josephine B. Finn's 1.814 acre tract described in Official Record Volume 1201, page 261 and at the southeast corner of said 5.003 acre tract;

Thence North 07°19′50″ West 263.76 feet, continuing along the centerline of Township Road 93 and following the east line of said 5.003 acre tract, to a magnetic nail set and marking the **place of beginning**;

Thence **South 82°45'21" West 223.00 feet**, departing from the centerline of Township Road 93 and entering said 5.003 acre tract, passing an iron bar set at 20.00 feet, to an iron bar set;


Thence **South 16°00'16" East 276.84 feet** to an iron bar set in the north line of said 1.814 acre tract and in the south line of said 5.003 acre tract;

Thence **South 79°38′42″ West 220.17 feet**, following the south line of said 5.003 acre tract, the north line of said 1.814 acre tract and the north line of Jeffery S. Brown's and Tina M. Brown's Exhibit "A" (1.034 acres) described in Official Record Volume 1405, pg. 5078, passing an iron bar set at 63.17 feet, to a 5/8 inch iron bar found in the east line of Jeffery Brown's and Tina Brown's 2.60 acre tract described in Official Record Volume 1398, page 15;

Thence North 11°47'43" West 55.37 feet, following the east line of said 2.60 acre tract and a west line of said 5.003 acre tract, to a 5/8 inch iron bar found;

Thence **South 77°51′33" West 317.44 feet**, following the north line of said 2.60 acre tract and the south line of said 5.003 acre tract, to a 5/8 inch iron bar found at the northeast corner of John R. Shultz's and Sharon L. Shultz's original 3.000 acre tract described in Official Record Volume 928, page 898 and at the southeast corner of Daniel A. Gossard's and Kimberly J. Gossard's Exhibit "A" (31.652 acres) described in Official Record Volume 1401, page 2207;

Thence North 07°14′11" West 298.37 feet, following the west line of said 5.003 acre tract and the east line of said 31.652 acre tract, to a one inch iron bar found at the southwest



corner of Mark J. Valentine's and Teresa E. Valentine's Exhibit "A", Parcel 2 (5.512 acres) described in Official Record Volume 1304, page 980;

Thence **North 82°45'21" East 721.25 feet**, departing from the east line of said 31.652 acre tract, following the south line of said 5.512 acre tract and the north line of said 5.003 acre tract, passing a ½ inch iron bar found at 701.39 feet, to a railroad spike found in the centerline of Township Road 93;

Thence **South 07°19'50" East 40.91 feet**, following the centerline of Township Road 93 and the east line of said 5.003 acre tract, to the **place of beginning**, **containing 3.753 acres** more or less and subject to all valid easements and restrictions of record.

The road right-of-way of Township Road 93 (40 feet wide) contains 0.019 acres more or less.

The above description was prepared from an actual field survey made by Blackburn Surveying, LLC, George A. Blackburn, Registered Surveyor # 7873, during the month of December 2023. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS # 7873." Bearings indicated herein are based on the centerline of Township Road 93 (40 feet wide) bearing South 07°19′50" East and being derived from GPS observations based on Ohio State Plane Coordinate System, North Zone (NAD83), Geoid Model 2018.


Description prepared by:

George A. Blackburn, RS # 7873

6879 State Route 287

West Liberty, Ohio 43357 (937) 465-0424







FOR JEFF S. BROWN 1.249 ACRES December 7, 2023

The following described 1.249 acre tract of land is situated in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio and being part of Jeff S. Brown's and Tina M. Brown's 5.003 acre tract described in Official Record Volume 1415, page 674, said 1.249 acre tract of land more particularly described as follows:

Beginning for reference at a magnetic nail found at the intersection of the centerline of State Route 235 (60 feet wide) with the centerline of Township Road 93 (40 feet wide);

Thence North 07°01′14″ West 177.16 feet, following the centerline of Township Road 93, to a railroad spike found;

Thence North 07°21′23″ West 124.28 feet, continuing along the centerline of Township Road 93, to a railroad spike found at the northeast corner of Josephine B. Finn's 1.814 acre tract described in Official Record Volume 1201, page 261 and at the southeast corner of said 5.003 acre tract, said railroad spike marking the **place of beginning**;

Thence **South 79°38'43" West 181.50 feet**, departing from the centerline of Township Road 93, following the south line of said 5.003 acre tract and the north line of said 1.814 acre tract, passing a 5/8 inch iron bar found at 20.00 feet, to an iron bar set;

Thence North 16°00′16″ West 276.84 feet, departing from the north line of said 1.814 acre tract and entering said 5.003 acre tract, to an iron bar set;

Thence **North 82°45′21″ East 223.00 feet**, passing an iron bar set at 203.00 feet, to a magnetic nail set in the centerline of Township Road 93 and in the east line of said 5.003 acre tract;

Thence **South 07°19'50" East 263.76 feet**, following the centerline of Township Road 93 and the east line of said 5.003 acre tract, to the **place of beginning, containing 1.249 acres** more or less and subject to all valid easements and restrictions of record.

The road right-of-way of Township Road 93 (40 feet wide) contains 0.121 acres more or less.


The above description was prepared from an actual field survey made by Blackburn Surveying, LLC, George A. Blackburn, Registered Surveyor # 7873, during the month of December 2023. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS # 7873." Bearings indicated herein are based on the centerline of Township Road 93 (40 feet wide) bearing South 07°19′50" East and being derived from GPS observations based on Ohio State Plane Coordinate System, North Zone (NAD83), Geoid Model 2018.

Description prepared by: _

George A. Blackburn, RS # 7873

6879 State Route 287

West Liberty, Ohio 43357 (937) 465-0424



(937) 465-0424

OF 1