### JEAN B. DIXON SURVEY 2.000 ACRES July 14, 2004

The following described 2.000 acre tract of land is situated in Virginia Military Survey 3753, Zane Township, Logan County, Ohio and being part of Jean B. Dixon, Carol S. Moon and Rebecca J. Dixon, Trustees, Parcel One, 175.05 acres, described in Official Record 328, page 506, said 2.000 acre tract more particularly described as follows:

Beginning at a railroad spike found at the intersection of the centerline of County Road 153 (60 feet wide) with the northwest line of V.M.S. 3753 and the southeast line of V.M.S. 3161, said railroad spike also marking the northernmost corner of said 175.05 acre tract and the easternmost corner of John F. and Cynthia L. Campbell's 5.439 acre tract described in Official Record 454, page 750;

Thence **South 58°46'00" East 166.77 feet**, following the centerline of County Road 153 and the northeast line of said 175.05 acre tract, to a magnetic nail set;

Thence South 31°14'00" West 348.48 feet, departing from the centerline of County Road 153 and entering said 175.05 acre tract, passing an iron pin set at 30.00 feet, to an iron pin set;

Thence North 58°46'00" West 333.25 feet to an iron pin set in the northwest line of V.M.S. 3753, the southeast line of V.M.S. 3161, the northwest line of said 175.05 acre tract, and the southeast line of said 5.439 acre tract;

Thence North 56°46'03" East 386.20 feet, following the northwest line of V.M.S. 3753, the southeast line of V.M.S. 3161, the northwest line of said 175.05 acre tract, and the southeast line of said 5.439 acre tract, passing an iron pin set at 352.95 feet, to the place of beginning, containing 2.000 acres, more or less, and subject to all valid easements and restrictions of record.

Of the above-described 2.000 acre tract of land, 0.120 acre is within the road right-of-way of County Road 153.


The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of July 2004. Iron pins set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of County Road 153 (60 feet wide) bearing South 58°46'00" East.

Description prepared by:


George A. Blackburn, R.S. #7873

12125 Green Street Middleburg, Ohio 43336

(937) 666-5605



# VIRGINIA MILITARY SURVEY 3753 ZANE TOWNSHIP LOGAN COUNTY, OHIO



Being a 2.000 acre tract split out of Jean B. Dixon, Carol S. Moon and Rebecca J. Dixon, Trustees, Parcel One, 175.05 acres, described in Official Record 328, page 506.



- O Magnetic nail set
- Railroad spike found
- O 5/8" Iron pin set

I hereby certify that this plat was prepared from an actual field survey and that monuments were placed as indicated hereon.

George A. Brückburn, R.S. 7873



BLACKBURN SURVEYING

SCALE IN FEET

Filename: Moon 7-04 Scale: 1" = 100' Date: 7/14/04 F.B. 10, pg. 56 12125 GREEN STREET MIDDLEBURG, OHIO 43336 (937) 666-5605

### REBECCA J. DIXON SURVEY 7.592 ACRES November 24, 2002

The following described 7.592 acre tract of land is situated in Virginia Military Survey 3753, Zane Township, Logan County, Ohio and being part of Jean B. Dixon, Carol S. Moon and Rebecca J. Dixon, Trustees, Parcel One, 175.05 acres, described in Official Record 328, page 506, said 7.592 acre tract more particularly described as follows:

Beginning for reference at a railroad spike found at the intersection of the centerline of County Road 153 (60 feet wide) with the northwest line of V.M.S. 3753, said railroad spike also marking the northernmost corner of said 175.05 acre tract;

Thence South 58°46'00" East 1336.22 feet, following the centerline of County Road 153, to a magnetic nail set in the northeast line of said 175.05 acre tract, said nail marking the **place of beginning**;

Thence **South 58°46'00" East 589.61 feet**, following the centerline of County Road 153 and the northeast line of said 175.05 acre tract, to a railroad spike found at the northernmost corner of Edith A. Rarick's 2.000 acre tract described in Official Record 340, page 586;

Thence South 50°26'10" West 249.06 feet, departing from the centerline of County Road 153, following the northwest line of said 2.000 acre tract and the southeast line of said 175.05 acre tract, passing an iron pin set at 31.77 feet, to a one-inch iron pin found;

Thence South 56°41'58" West 430.52 feet, following the northwest line of said 2.000 acre tract, the northwest line of Richard Deckling and Judy L. Rogers' 9.67 acre tract described in Official Record 96, page 542, and the southeast line of said 175.05 acre tract, to a 10-inch wood corner post found at the northernmost corner of Carol W. and Charolet L. Losey's Tract IV, 109.50 acres, described in Deed Volume 390, page 696;

Thence South 57°00'17" West 141.96 feet, following the northwest line of said 109.50 acre tract and the southeast line of said 175.05 acre tract, to an iron pin set;

Thence North 36°52'52" West 336.62 feet, departing from the northwest line of said 109.50 acre tract and entering said 175.05 acre tract, to an iron pin set;

Thence North 35°56'02" East 628.37 feet, passing an iron pin set 598.27 feet, to the place of beginning, containing 7.592 acres, more or less, and subject to all valid easements and restrictions of record.

Of the above described 7.592 acre tract, 0.403 acre is within the road right-of-way of County Road 153.


The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of November 2002. Iron pins set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of County Road 153 being South 58°46'00" East.


Description prepared by:\_\_(

George A. Blackburn, R.S. #7873 12125 Green Street

Middleburg, Ohio 43336

(937) 666-5605





PEUD 5-14-03 SM OK

### JEAN B. DIXON SURVEY 2.276 ACRES May 6, 2003

The following described 2.276 acre tract of land is situated in Virginia Military Survey 3753, Zane Township, Logan County, Ohio and being part of Jean B. Dixon, Carol S. Moon and Rebecca J. Dixon, Trustees, Parcel One, 175.05 acres, described in Official Record 328, page 506, said 2.276 acre tract more particularly described as follows:

Beginning for reference at a railroad spike found at the intersection of the centerline of County Road 153 (60 feet wide) with the northwest line of V.M.S. 3753, said railroad spike also marking the northernmost corner of said 175.05 acre tract;

Thence South 58°46'00" East 623.98 feet, following the centerline of County Road 153, to a railroad spike found at the easternmost corner of Carol S. Moon's 2.00 acre tract described in Official Record 496, page 951 and at an angle point in the northeast line of said 175.05 acre tract, said railroad spike marking the **place of beginning**;

Thence South 58°46'00" East 298.73 feet, continuing along the centerline of County Road 153 and following the northeast line of said 175.05 acre tract, to a magnetic nail set;

Thence South 35°16'21" West 344.83 feet, departing from the centerline of County Road 153 and entering said 175.05 acre tract, passing an iron pin set at 30.08 feet, to an iron pin set;

Thence North 59°38'50" West 274.48 feet to a 5/8 inch iron pin found at the southernmost corner of said 2.00 acre tract and at an angle point in the northeast line of said 175.05 acre tract;

Thence North 31°14'06" East 348.19 feet, following the southeast line of said 2.00 acre tract and the northeast line of said 175.05 acre tract, passing a 5/8 inch iron pin found at 318.15 feet, to the place of beginning, containing 2.276 acres, more or less, and subject to all valid easements and restrictions of record.

Of the above-described 2.276 acre tract of land, 0.205 acre is within the road right-of-way of County Road 153.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of May 2003. Iron pins set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of County Road 153 (60 feet wide) bearing South 58°46'00" East.

Description prepared by:


George A. Blackburn, R.S. #7873


12125 Green Street

Middleburg, Ohio 43336

(937) 666-5605







MOON SURVEY

July 31, 1973

The following described tract of land is situated in the State of Ohio, County of Logan, Township of Zane, V.M.S. No. 3753, being a part of Doris Jean Dixon's 177.05 acre tract described in Logan County Deed Record Volume 293, Page 69, being more particularly described as follows:

Commencing at a R.R. spike in the centerline of C.R. No. 153, referenced as Sta. 162+00 in Logan County Engineer's Survey Field Book No. 573, Page 52; thence following the centerline of C.R. No. 153, N 58°-46' W, 1655.01 feet passing thru a R.R. spike at 353.07 feet being the northeast corner of Doris Jean Dixon's 177.05 acre tract of which the tract herein described is a part, to a R.R. spike being the PLACE of BEGINNING,

thence S 31°-14' W, 348.48 feet passing thru an iron pin marking the southerly right-of-way line of C.R. No. 153 at 30.00 feet, to an iron pin,

thence N  $58^{\circ}$ -46' W, 250.00 feet to an iron pin,

thence N 310-14' E, 348.48 feet passing thru an iron pin at 318.48 feet marking the southerly right-of-way line of C.R. No. 153, to a R.R. spike on the centerline of C.R. No. 153,

thence following the centerline of C.R. No. 153, S 580-46' E, 250.00 feet to the FLACE of BEGINNING.

The above described tract of land contains 2.00 acres of which 0.17 acre is dedicated for highway purposes.

The above description is the result of a survey completed July 14, 1973, by Paul R. Clapsaddle, S.I.T., and Chester R. Kurtz, R.S. # 4849.

ATTEST: Charle R. Kut P. P.C. C. P.S.

INDEXED ON MAP 5499 4D



Scale: 1"= 100'

Date: 7/31/73

Drawing No.73-00098

Surveyed By:

Paul R. Clapsaddle, SIT

& Chester R. Kurtz, RS

MOON SURVEY State of Ohio County of Logan Township of Zane V.M.S. No. 3753



INDEXED ON MAP

ATTEST: Chesli R. Kurtz, P.E. & R.S.



### CAROL S. MOON 2.169 ACRE TRACT October 17, 2020

The following described 2.169 acre tract of land is situated in Virginia Military Survey 3753, Zane Township, Logan County, Ohio and being part of Carol S. Moon's 163.182 acre tract described in Official Record Volume 1300, page 401, said 2.169 acre tract of land being more particularly described as follows:

Beginning for reference at a railroad spike found at the intersection of the centerline of County Road 153 (60 feet wide) (Minor Collector Street) with the west line of V.M.S. 3753;

Thence South 59°25′24″ East 922.71 feet, following the centerline of County Road 153, to a magnetic nail found at the east corner of Tori England's 2.276 acre tract described in Official Record Volume 1364, page 23 and at a north corner of said 163.182 acre tract;

Thence South 59°25′24″ East 170.10 feet, following the centerline of County Road 153 and the northeast line of said 163.182 acre tract, to a magnetic spike set and marking the place of beginning;

Thence **South 59°25'24" East 243.34 feet**, following the centerline of County Road 153 and the northeast line of said 163.182 acre tract, to a magnetic nail found at the north corner of Anita Louise Dunham's 7.592 acre tract described in Official Record Volume 1182, page 250;

Thence **South 35°14′58" West 447.71 feet**, departing from the centerline of County Road 153, following the northwest line of said 7.592 acre tract and a southeast line of said 163.182 acre tract, passing a 5/8 inch iron bar found at 30.10 feet, to an iron bar set;

Thence **North 53°56′15″ West 248.13 feet**, departing from the northwest line of said 7.592 acre tract and entering said 163.182 acre tract, to an iron bar set;

Thence North 37°24'36" East 156.48 feet to an iron bar set;

Thence South 56°01'07" East 132.24 feet to an iron bar set;

Thence North 35°14'58" East 90.75 feet to an iron bar set;

Thence North 59°25'24" West 130.90 feet to an iron bar set;



Thence North 34°36′36″ East 185.00 feet, passing an iron bar set at 154.93 feet, to the place of beginning, containing 2.169 acres more or less and subject to all valid easements and restrictions of record.

The above described 2.169 acre tract of land contains 0.167 acres within the road right-of-way of County Road 153.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of October 2020. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of County Road 153 bearing South 59°25′24" East.

Description prepared by:

George A. Blackburn, R.S. #7873

6879 State Route 287

West Liberty, Ohio 43357 (937) 465-0424







### DESCRIPTION OF SURVEY FOR CAROL S. MOON 1.851 ACRE TRACT October 17, 2020

The following described 1.851 acre tract of land is situated in Virginia Military Survey 3753, Zane Township, Logan County, Ohio and being part of Carol S. Moon's 163.182 acre tract described in Official Record Volume 1300, page 401, said 1.851 acre tract of land being more particularly described as follows:

Beginning for reference at a railroad spike found at the intersection of the centerline of County Road 153 (60 feet wide) (Minor Collector Street) with the west line of V.M.S. 3753;

Thence South 59°25′24″ East 922.71 feet, following the centerline of County Road 153, to a magnetic nail found at the east corner of Tori England's 2.276 acre tract described in Official Record Volume 1364, page 23 and at a north corner of said 163.182 acre tract, said magnetic nail marking the **place of beginning**;

Thence **South 59°25′24″ East 170.10 feet**, following the centerline of County Road 153 and the northeast line of said 163.182 acre tract, to a magnetic spike set;

Thence **South 34°36′36″ West 185.00 feet**, departing from the centerline of County Road 153 and entering said 163.182 acre tract, passing an iron bar set at 30.07 feet, to an iron bar set;

Thence South 59°25'24" East 130.90 feet to an iron bar set;

Thence South 35°14'58" West 90.75 feet to an iron bar set;

Thence North 56°01'07" West 132.24 feet to an iron bar set;

Thence South 37°24'36" West 156.48 feet to an iron bar set;

Thence North 52°36′07" West 159.55 feet to an iron bar set;

Thence North 34°36′36″ East 404.55 feet, passing at 59.88 feet, a 5/8 inch iron bar found at the south corner of said 2.276 acre tract, following the southeast line of said 2.276 acre tract thereafter and passing a second 5/8 inch iron bar found at 374.48 feet, to the place of beginning, containing 1.851 acres more or less and subject to all valid easements and restrictions of record.

The above described 1.851 acre tract of land contains 0.117 acres within the road right-of-way of County Road 153.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of October 2020. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of County Road 153 bearing South 59°25′24" East.

Description prepared by:

George A. Blackburn, R.S. #7873

6879 State Route 287

West Liberty, Ohio 43357

(937) 465-0424







## DESCRIPTION OF SURVEY FOR CAROL S. MOON COMMON ACCESS DRIVEWAY EASEMENT October 17, 2020

The following described 60 feet wide common access driveway easement is situated in Virginia Military Survey 3753, Zane Township, Logan County, Ohio and being over Carol S. Moon's 163.182 acre tract described in Official Record Volume 1300, page 401, said common access driveway easement being more particularly described as follows:

Beginning for reference at a railroad spike found at the intersection of the centerline of County Road 153 (60 feet wide) (Minor Collector Street) with the west line of V.M.S. 3753;

Thence South 59°25′24″ East 922.71 feet, following the centerline of County Road 153, to a magnetic nail found at the east corner of Tori England's 2.276 acre tract described in Official Record Volume 1364, page 23 and at a north corner of said 163.182 acre tract;

Thence South 59°25′24″ East 170.10 feet, following the centerline of County Road 153 and the northeast line of said 163.182 acre tract, to a magnetic spike set and marking the **place of beginning**;

Thence **South 34°36'36" West 185.00 feet**, departing from the centerline of County Road 153 and entering said 163.182 acre tract, passing an iron bar set at 30.07 feet, to an iron bar set;

Thence North 55°23'24" West 60.00 feet to a point;

Thence **North 34°36'36" East 180.77 feet** to a point in the centerline of County Road 153 and in the northeast line of said 163.182 acre tract;

Thence **South 59°25′24" East 60.15 feet**, following the centerline of County Road 153 and the northeast line of said 163.182 acre tract, to the **place of beginning** and subject to all valid easements and restrictions of record.

The above described common access driveway easement contains 0.041 acres within the road right-of-way of County Road 153.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of October 2020. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of County Road 153 bearing South 59°25′24" East.

Description prepared by:

George A. Blackburn, R.S. #7873

6879 State Route 287

West Liberty, Ohio 43357

(937) 465-0424





10-24-2020 PLAT OF SURVEY IN VIRGINIA MILITARY SURVEY 3753 ZANE TOWNSHIP LOGAN COUNTY, OHIO 200 Reference Beginning COUNTY ROAD 153 (60%) SCALE IN FEET (Bosis of Bearing) Place of Beginning for 1.851 acre tract Place of Beginning for and fi Ex. Gravel Tori England Driveway 2.276 acres O.R. 1364, pg. 23 2.169 Acres Anita Louise Dunham 7.592 acres (0.167 Acres in road O.R. 1182. pg. 250 right-of-way) Carol S. Moon 163.182 acres O.R. 1300, pg. 401 NOTE: **LEGEND** The 1.851 acre tract shown hereon has an existing 2 story wood frame home in place. Railroad spike found Magnetic nail found Sight distance from CAD easement shown hereon exceeds 550' in both directions. Magnetic spike set 5/8" Iron bar found O 5/8" Iron bar set I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM AN ACTUAL FIELD SURVEY AND THAT MONUMENTS WERE PLACED AS INDICATED HEREON. GEORGE A. BLACKBURN, R.S. 7873

BLACKBURN SURVEYING 6879 STATE ROUTE 287 WEST LIBERTY, DHID 43357 (937) 465-0424

DATE: SCALE: 10/17/2020 1" = 100

FILE: Carol Moon 10-20

PLAT PREPARED FOR CAROL S. MOON

Sheet 1 of 1

INDEXED ON MAP