#### LESLIE H. GEESLIN

### REGISTERED SURVEYOR NO. 5248 P.O. BOX 274

#### RUSHSYLVANIA, OHIO 43347 TELEPHONE: (513) 468-2793

#### TATEMAN SURVEY

January 3, 1994

The following described real estate situated in the State of Ohio, County of Logan, Township of Stokes, being part of Virginia Military Survey 12276 and more particularly described as follows:

Beginning at a 5/8 inch iron bar found at the southeast corner of Lot 4 of Shawnee Island.

Thence with the east line of Lot 4 N. 23° 11' 12" W. 93.23 feet to a 5/8 inch iron bar set.

Thence with the east line of said Lot 4 and Lot 3 N. 20° 52' 47"E. 180.92 feet to a 5/8 inch iron bar set.

Thence with the north line of Lot 3 N. 45° 33' 10" W. 14.30 feet to a 5/8 inch iron bar found.

Thence N. 79° 33' 50" E. 22.96 feet to a chisled cross on a concrete retaining wall at the waterline of Indian Lake.

Thence with said retaining wall and waterline S.  $8^{\circ}$  08' 17" W. 72.48 feet to a point.

Thence partly with said retaining wall and waterline S. 7° 02' 30" W. 100.26 feet to a point.

Thence S.  $8^{\circ}$  47' 17" E. 25.00 feet to a point on said retaining wall.

Thence with retaining wall and shoreline S. 13° 35' 10" E. 79.05 feet to a chisled cross found.

Thence with the south line of Lot 4 projected N. 84° 31' 17" W. 40.17 feet to the place of beginning.


Containing 0.221 acre more or less of 9618.5 square feet.

The above described 0.221 acre tract being part of excess State lands on Shawnee Island.

Bearings are based on an assumed bearing for the east line of Lot 4 ( N. 23° 11' 12" W. ) in this field survey by Leslie H. Geeslin.

INDEXED ON MAP 1D

Leslin At Mashin



REC'D 6-2-10 8MM QK

# Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

### TATEMAN 0.371 ACRE

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being out of the William G. Tateman part of Lot 4 of Shawnee Island (Plat Cabinet A, Slide 233) as deeded and described in Volume 387, Page 370 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a  $rac{3}{4}$  inch iron bar found on the northwest corner of Lot 7 of Shawnee Island on the east right-of-way of Lake Shore Drive West.

THENCE, with the east right-of-way of Lake Shore Drive West (30 feet wide), N 05°-28'-13"E, a distance of 148.40 feet to a 5/8 inch iron rod set.

THENCE, S 84°-13'-33"E, a distance of 110.78 feet to a 5/8 inch iron rod set.

THENCE, with the west lines of the W. G. Tateman 0.221 acre tract (O.R. 250, Pg. 515), the following two courses:

S 20°-52'-47"W, a distance of 68.48 feet to a 5/8 inch iron rod set.

S 23°-11'-12"E, a distance of 93.23 feet to a ½ inch iron rod found on the northeast corner of Lot 7.

THENCE, with the north line of Lot 7 and the Richard E. Weider part of Lot 7 (Vol. 343, Pg. 281), N 84°-31'-17"W, a distance of 137.29 feet to the point of beginning.

Containing 0.371 acre.

THE THE PERSON OF THE PERSON O **ORIGINAL STAMP IN GREEN** 

Property is subject to any and all previous easements and rights-of-way of record.


The basis for bearings is the north line of Lot 7 of Shawnee Island, being N 84°-31'-17"W, and all other bearings are from angles and distances measured in a WILLIAM K. BRUCE 7437 field survey by Lee Surveying and Mapping Co., Inc. on May 27, 2010.

Description prepared by:

William K. Bruce

Professional Surveyor 7437

May 28, 2010



RECTO 62-10 8My on

## Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

### TATEMAN 0.159 ACRE

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being out of the W. G. Tateman 0.221 acre tract as deeded and described in Official Record 250, Page 515 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 1/2 inch iron rod found on the northeast corner of Lot 7 of Shawnee Island (Plat Cabinet A, Slide 233).

THENCE, with the east lines of the William G. Tateman part of Lot 4 (Vol. 387, Pg. 370), the following two courses:

N 23°-11'-12"W, a distance of 93.23 feet to a 5/8 inch iron rod set.

N 20°-52'-47"E, a distance of 68.48 feet to a 5/8 inch iron rod set.

THENCE, S 84°-13'-33"E, a distance of 36.05 feet to a point on the face of a concrete seawall, passing a 5/8 inch iron rod set at 30.05 feet.

THENCE, with the face of the concrete seawall, the following three courses:

S 07°-02'-30"W, a distance of 48.72 feet to a chiseled "x" set.

S 08°-47'-17"E, a distance of 25.00 feet to a chiseled "x" set.

S 13°-35'-10"E, a distance of 79.05 feet to a chiseled "x" found.

THENCE, with the north line of the Richard E. Weider 0.0936 acre tract (O.R. 75, Pg. 635), N 84°-31'-17"W, a distance of 40.17 feet to the point of beginning.

Containing 0.159 acre.

S/ONAL

William William

ORIGINAL STAMP IN GREEN

Property is subject to any and all previous easements and rights-of-way of record.


The basis for bearings is the north line of Lot 7 of Shawnee Island, being N 84°-31'-17"W, and all other bearings are from angles and distances measured in a WILLIAM
K.
BRUCE
7437 field survey by Lee Surveying and Mapping Co., Inc. on May 27, 2010.

Description prepared by:

William K. Bruce

Professional Surveyor 7437

May 28, 2010



LEE SURVEYING & MAPPING CO., INC.
117 North Madriver Street
BELLEFONTAINE, OHIO 43311
(937) 593-7335 L-4952-3 SURVEY OF 0.371 ACRE OUT OF THE OFFICIAL RECORD 250, PAGE 515 VIRGINIA MILITARY SURVEY 12276 WILLIAM K. BRUCE
PROFESSIONAL SURVEYOR 7437
MAY 27, 2010
COPYRIGHT 2010 B'
LEE SURVEYING & MAPF
117 North Modriv
BELLEFONTAINE.
(937) 593 COPYRIGHT 2010 BY: TATEMAN LOGAN COUNTY, OHIO 4952510 STOKES TOWNSHIP 0.221 ACRE TRACT 0.159 ACRE W. G. TATEMAN 387, PAGE WILLIAM G. SHAWNEE CABINET PART VOLUME AND SURVEY NAIGNI JY Y 7 S 08°47'17" E 25.00 2 13,32,10, E ,90.6L N 84°31'17" 2 01,05,30, M RICHARD E. WEIDER 0.0936 ACRE 0.R. 75, PC. 635 40.17 6.00, 48,72 \$ 84"13"33" W. G. TATEMAN 0.221 ACRE 0.R. 250, PG. 515 0.159 ACRE -36.05-55.58 .8489 M .L+,25,025 LOT 3 101 4 N 84°31'17" W (BASIS FOR BEARINGS) RICHARD E. WEIDER PART OF LOT 7 VOL. 343, PG. 281 S 84"13"33" E M WILLIAM G. TATEMAN PART OF LOT 4 VOL. 387, PG. 370 137.29 110.78 4.00 27.40 N 02,58,12, E 148,40 N 02,58,13, E (30, MEZL SHORE DRIVE CALL TOLL FREE 800-362-2764

TEL 10 -2-10 8WM ON

3/4 INCH IRON BAR FOUND

LEGEND:

1/2 INCH IRON ROD FOUND

CHISELED "X" FOUND

 $\boxtimes$ 


CHISELED "X" SET

X

5/8 INCH IRON ROD FOUND

0

5/8 INCH IRON ROD SET



BEFORE YOU DIG

2 WORKING DAYS

PECID 6-7-10 8M an

## Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

## **TATEMAN** 0.471 ACRE

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being part of the William G. Tateman, part of Lot 4 of Shawnee Island (Plat Cabinet A, Slide 233) as deeded and described in Volume 387, Page 370 and all of the 4 feet off north side of Lot 4, part of Lot 1 and part of Lot 3 of Shawnee Island as deeded and described in Volume 387, Page 372 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a 34 inch iron bar found on the northwest corner of Lot 7 of Shawnee Island on the east right-of-way of Lake Shore Drive West.

THENCE, with the east right-of-way of Lake Shore Drive West (30 feet wide), N 05°-28'-13"E, a distance of 148.40 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, with the east right-of-way of Lake Shore Drive West, N 05°-28'-13"E, a distance of 180.58 feet to a 1/2 inch iron pipe found, passing a 5/8 inch iron rod found at 27.40 feet and a 5/8 inch iron rod found on the northwest corner of Lot 4 at 31.40 feet.

THENCE, with the line of the Lona J. Evans 0.276 acre tract (O.R. 743, Pg. 346), S 79°-35'-42"E, a distance of 57.07 feet to a 5/8 inch iron rod found on the westerly line of Lot 1.

THENCE, with the westerly line of Lot 1 and the said 0.276 acre tract, S 45°-35'-45"E, a distance of 93.57 feet to a 5/8 inch iron rod found.

THENCE, with the southerly line of the said 0.276 acre tract, N 79°-39'-15"E, a distance of 13.88 feet to a point on the easterly line of Lot 1.

THENCE, with the easterly line of Lot 1, S 15°-45'-42"W, a distance of 12.92 feet to a 5/8 inch iron rod set on the southeast corner of Lot 1.

THENCE, with the west line of the W. G. Tateman 0.221 acre tract (O.R. 250, Pg. 515), S 20°-52'-47"W, a distance of 112.58 feet to a 5/8 inch iron rod set.

THENCE, N 84°-13'-33"W, a distance of 110.78 feet to the point of beginning.

Containing 0.471 acre.

STERES WELL

**ORIGINAL STAMP IN GREEN** 

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the east right-of-way of Lake Shore Drive West, being N 05°-28'-13"E, and all other bearings are from angles and distances measured in a Description prepared by:

WILLIAM

BRUCE
7437

William K. Bruce
Professional Surveyor 7437

Lune 2, 2010

June 2, 2010

INDEXED ON MAP 8868 30-

RECID 6-7-10 844 an

# Lee Surveying and Mapping Co., Inc.

Land Surveys · Topography · Subdivisions · Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

### TATEMAN 0.060 ACRE

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being part of the W. G. Tateman 0.221 acre tract as deeded and described in Official Record 250, Page 515 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a ¾ inch iron bar found on the northwest corner of Lot 7 of Shawnee Island (Plat Cabinet A, Slide 233) on the east right-of-way of Lake Shore Drive West.

THENCE, with the east right-of-way of Lake Shore Drive West (30 feet wide), N 05°-28'-13"E, a distance of 148.40 feet to a 5/8 inch iron rod set.

THENCE, S 84°-13'-33"E, a distance of 110.78 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, with the west line of the William G. Tateman part of Lot 4 (Vol. 387, Pg. 370 and the William G. Tateman 4 feet off the north side of Lot 4 and part of Lot 3 (Vol 387, Pg. 372) of Shawnee Island, N 20°-52'-47"E, a distance of 112.58 feet to a 5/8 inch iron rod set on the southeast corner of Lot 1.

THENCE, with the east line of the William G. Tateman part of Lot 1 (Vol. 387, Pg. 372) and the east line of Lot 1, N 15°-45'-42"E, a distance of 12.92 feet to a point on the concrete seawall.

THENCE, with a southerly line of the Lona J. Evans 0.276 acre tract (O.R. 743, Pg. 346) extended, N 79°-39'-15"E, a distance of 8.69 feet to a point on the face of a concrete seawall.

THENCE, with the face of the concrete seawall and the shoreline of Indian Lake, the following two courses:

S 07°-56'-19"W, a distance of 72.34 feet to a point.

S 07°-02'-30"W, a distance of 51.54 feet to a point.

THENCE, N  $84^{\circ}-13'-33"W$ , a distance of 36.05 feet to the point of beginning, passing a 5/8 inch iron rod set at 6.00 feet.

Containing 0.060 acre.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the east right-of-way of Lake Shore Drive West, being N 05°-28'-13"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on June 2, 2010.

Survey by Lee Survey.

WILLIAM

K.

BRUCE

7437

ORIGINAL STAMP IN GREEN


Description prepared by:

William K. Bruce Professional Surveyor 7437

June 2, 2010

INDEXED ON MAP 8868 30-2

RECID 10-7-10 8MM OM SCALE LEGEND: 3/4 INCH IRON BAR FOUND 1/2 INCH IRON PIPE FOUND 5/8 INCH IRON ROD FOUND 5/8 INCH IRON ROD SET WITH PLASTIC I.D. CAP STAMPED "LSM 7437" LONA J. EVANS S 79"35'42" E 0.276 ACRE SURVEY OF 0.471 ACRE OUT OF THE O.R. 743, PG. 346 (30, WILLIAM G. TATEMAN PART OF LOT 4 WEST VOLUME 387, PAGE 370, 4 FEET OFF NORTH SIDE OF LOT 4, N 79°39'15" E LAKE SHORE DRIVE N 79°39'15" E 8.69 PART OF LOT 1 13.88 (0.385 ACRE) AND PART OF LOT 3 (0.002 ACRE) **VOLUME 387, PAGE 372** S 15°45'42" W 0.471 ACRE SHAWNEE ISLAND 12.92'-PLAT CABINET A, SLIDE 233 X WILLIAM G. TATEMAN VOL. 387, PG. 372 V AND 0.060 ACRE OUT OF THE W. G. TATEMAN 0.060 0.221 ACRE TRACT (0.011 ACRE) 4.00-LOT 3 OFFICIAL RECORD 250, PAGE 515 A VIRGINIA MILITARY SURVEY 12276 27. (0.073 ACRE) 0 STOKES TOWNSHIP 110.78 N 84°13'33" W -36.05 LOGAN COUNTY, OHIO N 84°13'33" SURVEYED BY: 6.00 A STATES OF THE PARTY OF THE PA TE OF WILLIAM G. TATEMAN PART OF LOT 4 VOL. 387, PG. 370 INDEXED ON MAP WILLIAM WILLIAM K. BRUCE K. 8868 3P PROFESSIONAL SURVEYOR 7437 BRUCE W. G. TATEMAN JUNE 2, 2010 0.221 ACRE COPYRIGHT 2010 BY: O.R. 250, PG. 515 2 WORKING DAYS LEE SURVEYING & MAPPING CO., INC. BEFORE YOU DIG 117 North Madriver Street BELLEFONTAINE, OHIO 43311 **ORIGINAL STAMP IN GREEN** (937) 593-7335 CALL TOLL FREE 800-362-2764 surveys@lsminc.us 4952610 OHIO UTILITIES PROTECTION SERVICE. KSS D0610 L-4952-3



1,616 7 SURVEYOR GEESLIN 5248 No was 4/1/ 12 P. PE 90 49.41 M N.79°33'50"E. 22.96' 150.00 LOT 72.40 200 DRIVE SIS BAR 113.30 Q 5 WEST M 0 200126 0 LOT SURVEY 11/2000 land the Mark South South いろうどの人 0 25.00 EXCES VO 100 l displo 5.840 31:17" = 107 7

INDEXED ON MAP

7000

-

680-0

LE51/A M. GEES. RUSY/AMA, OF/O ON 5/3-448-2793