2ECID 6-2-90 Suy an

## LESLIE H. GEESLIN

REGISTERED SURVEYOR 5248 P. O. BOX 274 RUSHSYLVANIA, OHIO 43347 TELEPHONE: (937) 468-2793

#### ROBIN MILLER SURVEY

May 26, 1998

#### Tract 1

The following described real estate situated in the State of Ohio, County of Logan, Township of Stokes, being part of Lots 67-68 and 69 of Seminole Island Allotment as shown on Slide 233 of Cabinet A

Beginning at a 5/8 inch iron bar set in the north line of Chinook Drive that is S. 65° 14' 00" E. 22.50 feet from a 5/8 inch iron bar set at the southeast corner of Lot 68.

Thence with the north line of said Chinook Drive N. 65° 14' 00" W. 79.50 feet to a 5/8 inch iron bar found, passing a 5/8 inch iron bar set at 22.50 feet.


Thence through said Lots 67 and 68 with the east line of Jean A. Miller's Pt. Lot 67 and Pt Lot 68 as described in O. R. Vol. 233 Page 249 N. 24° 46′ 00″ E. 80.00 feet to a 5/8 inch iron bar set in the south line of Lot 66 and the north line of Lot 67.

Thence with the north line of Lot 67 and Lot 69 S. 65° 14' 00" E. 79.50 feet to a 5/8 inch iron bar set, passing a 5/8 inch iron bar set at the northwest corner of Lot 69 at 57.00 feet.

Thence S. 24° 46' 00" W. 80.00 feet to the place of beginning.

The above described parcel being all of Michael A. Pagliarulo's Pt. Lots 67 and 68 and part of his Lot 69 as all are described in O. R. Vol. 292 Page 569.

Bearings are based on an assumed bearing (N. 65° 14' 00" W.) for the north line of Chinook Drive in this field survey by Leslie H. Geeslin, Reg. Surveyor 5248, on May 22, 1998.



LESLIE H.

GEESLIN

5248

SIONAL

STOKES\64\MILLER1.SAM

RECIP 6-2-98 SWY OUV

## LESLIE H. GEESLIN

REGISTERED SURVEYOR 5248 P. O. BOX 274 RUSHSYLVANIA, OHIO 43347 TELEPHONE: (937) 468-2793

#### ROBIN MILLER SURVEY

May 22, 1998

#### Tract 2

The following described real estate situated in the State of Ohio, County of Logan, Township of Stokes, being part of Lots 69 and 70 of Seminole Island Allotment as shown on Slide 233 of Cabinet A.

Beginning at a 5/8 inch iron bar set in the north line of Chinook Drive that is N. 65° 14' 00" W. 27.50 feet from a 5/8 inch iron bar set at the southeast corner of Lot 69.

Thence N. 24° 46' 00" E. 80.00 feet to a 5/8 inch iron bar set in the south line of Lot 63 and the north line of Lot 69.

Thence with the south line of Lot 63 and the south line of Cherokee Court S. 65° 14' 00" E. 67.50 feet to a 5/8 inch iron bar set in the west line of Delaine K.Thrailkill's Pt. Lot 70 as described in O. R. Vol. 77 Page 529, passing a 5/8 inch iron bar set at the northwest corner of Lot 70 at 27.50 feet.

Thence with said Thrailkill's west line S. 24° 46' 00" W. 80.00 feet to a 5/8 inch iron bar set in the north line of Chinook Drive.

Thence with the north line of Chinook Drive N. 65° 14' 00" W. 67.50 feet to the place of beginning, passing a 5/8 inch iron bar set at 40.00 feet.

The above described tract being all of Michael A. Pagliarulo's Pt. Lot 70 and part of his Lot 69 as described in O. R. Vol. 292 Page 569

Bearings are based on an assumed bearing (N. 65° 14' 00" W.) for the north line of Chinook Drive in this field survey by Lelie H. Geeslin, Reg. Surveyor 5248, on May 22, 1998.

INDEXED ON MAP

LESLIE H.

GEESLIN


5248

SIONAL

SURVEY

SIONAL

STOKES\64\MILLER2.SAM



LEGEND:

= \$8" IRON BAR FOUND

0=5/8"/RON BAR SET

MAY 22, 1998 SCALE:1"=20' 20 40 60 80

9196 IP

GEESLIN
5248
SOINAL
SOINAL
SOINAL

LESLIE H GEESLIN RUSHSYLVANIA, ON PH 937-468-2793 REC! D 8-24-98 8WY ON JOH

## LESLIE H. GEESLIN

REGISTERED SURVEYOR 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347
TELEPHONE: (937) 468-2793
FAX: (937) 468-2082

#### ROBIN MILLER SURVEY

August 25, 1998

The following described real estate situated in the State of Ohio, County of Logan, Township of Stokes, being part of Lots 67 and 68 of Seminole Island Allotment as shown in Cabinet "A" Slide 233 and more particularly described as follows:

Beginning at a 5/8 inch iron bar found in the north line of Chinook Drive that is N. 65° 14' 00" W. 57.00 feet from a 5/8 inch iron bar found at the southeast corner of Lot 68, said 5/8 inch iron bar being the southwest corner of Robin Miller's tract as described in O. R. Vol. 370 Page 76.

Thence with the north line of said Chinook Drive N. 65° 14' 00" W. 4.50 feet to a 5/8 inch iron bar set.

Thence passing through Lots 68 and 67 N. 24° 46′ 00" E. 80.00 feet to a 5/8 inch iron bar set in the south line of Lot 66 and the north line of Lot 67.

Thence with the south line of said Lot 66 and the north line of said Lot 67 S. 65° 14' 00" E. 4.50 feet to a 5/8 inch iron bar found at the northwest corner of said Robin Miller's tract.

Thence with said Miller's west line S. 24° 46' 00" W. 80.00 feet to the place of beginning.

Containing 360 s. f. more or less.

The above described 360 s. f. tract being on the east side of Jean A. Miller's Pt. Lots 68 and 67 of Seminole Island Allotment (Cabinet "A" Slide 233) as described in O. R. Vol. 233 Page 249.

Bearings are based on an assumed bearing (N. 65° 14′ 00″ W.) for the north line of Chinook Drive in this field survey by Leslie H. Geeslin, Reg. Surveyor 5248 on August 25, 1998

INDEXED ON MAP

LESLIE H.


GEESLIN

5248

SONAL SURFIN

STOKES\64\MILLER3.SAM

Feshi A Stalin



SURVEY OF PART OF LOTS 67 AND 68 OF SEMINOLE ISLAND ALLOTMENT, STOKES TOWNSHIP, LOGAN COUNTY, OHIO FOR ROBIN MILLER AUGUST 25, 1998 SCALE: 1"=70"

LEGEND: = 5/3"IRON BAR FOUND = 5/8" IRON BAR SET 20 40 60 80 REVISED: 8-5-98

9194 ZF

LESLIE H GEESLIN RLISHSTLVANIA, OH PH 937-468-2793

LESLIE H

GEESLIN

Received 9-26-02 OF gett

# Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

### MILLER 0.124 ACRE PART OF LOTS 67, 68 AND 69

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being out of the Anthony R. Joy and Robin E. Miller part of Lots 67, 68 and 69 of Seminole Island Allotment (Plat Cabinet A, Slide 233) as deeded and described in Official Record 407, Page 888 and Official Record 409, Page 577 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8 inch iron rod found on the north line of Chinook Drive (30 feet wide) on the southeast corner of said Lot 68.

THENCE, with the north line of Chinook Drive, N 65°-14'-00" W, a distance of 61.50 feet to a 5/8 inch iron rod found, passing a 5/8 inch iron rod found at 57.00 feet.

THENCE, with the east line of the Susan E. Jefferson part of Lots 67 & 68 (O.R. 409, Pg. 581), N 24°-46'-00" E, a distance of 80.00 feet to a 5/8 inch iron rod found.

THENCE, with the south line of Lot 66, Lot 64 and Lot 63, S 65°-14'-00" E, a distance of 67.50 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod found at 4.50 feet and at 61.50 feet.

THENCE, S 24°-46'-00" W, a distance of 80.00 feet to a 5/8 inch iron rod set.

THENCE, with the north line of Chinook Drive, N 65°-14'-00" W, a distance of 6.00 feet to the point of beginning.

Containing 0.124 acre.

The basis for bearings is the north line of Chinook Drive, being N 65°-14'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on September 9, 2002.

JEFFREY

LEE

6359

760/STERE

ORIGINAL STAMP IN GREEN


Description prepared by:

Jeffrey I. Lee

Professional Surveyor 6359

September 9, 2002

L-3434



# Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

### MILLER 0.030 ACRE PART OF LOT 69

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being out of the Anthony R. Joy and Robin E. Miller part of the Anthony R. Joy and Robin E. Miller part of Lots 67, 68 and 69 of Seminole Island Allotment (Plat Cabinet A, Slide 233) as deeded and described in Official Record 407, Page 888 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 5/8 inch iron rod found on the north line of Chinook Drive (30 feet wide) on the southeast corner of said Lot 68.

THENCE, with the north line of Chinook Drive, S 65°-14'-00" E, a distance of 6.00 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, N 24°-46'-00" E, a distance of 80.00 feet to a 5/8 inch iron rod set.

THENCE, with the south line of Lot 63, S 65°-14'-00" E, a distance of 16.50 feet to a 5/8 inch iron rod found.

THENCE, S 24°-46'-00" W, a distance of 80.00 feet to a 5/8 inch iron rod found.

THENCE, with the north line of Chinook Drive, N 65°-14'-00" W, a distance of 16.50 feet to the point of beginning.

Containing 0.030 acre.

The basis for bearings is the north line of Chinook Drive, being N 65°-14'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on September 9, 2002.

JEFFREY

LEE

6359

6359

ORIGINAL SURV

ORIGINAL STAMP IN GREEN

Description prepared by:


Jeffrey 1. Lee


Professional Surveyor 6359


September 9, 2002

Revised October 25, 2002

1-3434







EG10 3.9-10 8WM OK SCALE 19 107 CHEROKEE COURT DRIVE (30') 3 65°14'00" E 20 LEGEND: 107,00 MAG NAIL FOUND 5/8 INCH IRON ROD FOUND 0.00-0.R. 309, PAGE 883, 70 PAGE 883, TACT. 5/8 INCH IRON ROD SET WITH PLASTIC 89/07 I.D. CAP STAMPED "LSM 7437" THOMAS M. CULLEN PART OF LOTS 69 & 70 RETRACEMENT SURVEY OF THE O.R. 600, PG. 608 TRACT 1 CURTIS C. CIRCLE LOT 71 AND 69 107 PART OF LOT 70 107/07 CURTIS C. CIRCLE SEMINOLE ISLAND ALLOTMENT LOT 71 (30,) PLAT CABINET A, SLIDE 233 MOHAW TOOO'E ESTENDES)

MOHAW DRIVE (3) O.R. 909, PG. 883 67.50 N 65°14'00" TRACT I OFFICIAL RECORD 909, PAGE 883 TRACT I AND TRACT II 02 107 CHINOOK DRIVE (30') 107 STOKES TOWNSHIP LOGAN COUNTY, OHIO SURVEYED BY: WILLIAM K. BRUCE PROFESSIONAL SURVEYOR 7437 MARCH 5, 2010 COPYRIGHT 2010 BY: 2 WORKING DAYS LEE SURVEYING & MAPPING CO., INC.

BEFORE YOU DIG

CALL TOLL FREE 800-362-2764
ONLO UTILITIES PROTECTION SERVICE.

INDEXEDONMAP

EE SURVEYING & MAPPING CO., INC.
117 North Madriver Street
BELLEFONTAINE, OHIO 43311

(937) 593-7335 surveys@lsminc.us D0310 4911310 L-4911-3

KSS

REZID 5.24-10 8mm on

# Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

### BARNES 0.467 ACRE

Lying in Virginia Military Survey 12276, Stokes Township, Logan County, Ohio.

Being all of the Ronald K. Barnes and Cheryl L. Barnes Lots 78, 79, 52 and 51 of Seminole Island (Plat Cabinet A, Slide 233) as deeded in Volume 371, Page 467, Volume 385, Page 390 and Volume 387, Page 753 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on a 5/8 inch iron rod found on the northeast corner of Lot 53 of Seminole Island on the southerly right-of-way of Cherokee Drive.

THENCE, with the southerly right-of-way of Cherokee Drive (30 feet wide), the following two courses:

S 65°-15'-00"E, a distance of 126.40 feet to a 5/8 inch iron rod found.

With a curve to the right, having a central angle of 106°-08'-43", a radius of 15.88 feet, an arc length of 29.42 feet, a chord bearing S 14°-52'-39"E, a distance of 25.39 feet to a 5/8 inch iron rod found on the west right-of-way of Buckeye Drive.

THENCE, with the west right-of-way of Buckeye Drive (50 feet wide). S 37°-52'-11"W, a distance of 124.26 feet to a 5/8 inch iron rod found on the northerly right-of-way of Chinook Drive.

THENCE, with the northerly right-of-way of Chinook Drive (30 feet wide), the following two courses:

With a curve to the right, having a central angle of 77°-29'-55", a radius of 25.18 feet, an arc length of 34.06 feet, a chord bearing S 77°-02'-17"W, a distance of 31.52 feet to a 5/8 inch iron rod set.

N 65°-13'-10"W, a distance of 89.20 feet to a point under the concrete drive, passing a MAG nail set for reference at 88.20 feet.

THENCE, with the easterly lines of Lot 77 and Lot 53, N 24°-39'-35"E, a distance of 159.80 feet to the point of beginning, passing a 5/8 inch iron rod found at 80.00 feet.

Containing 0.467 acre.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the southerly right-of-way of Cherokee Drive, being S 65°-15'-00"E, and all other bearings are from angles and distances measured in a S 65°-15'-00"E, and all other bearings are from angles and distances methods are field survey by Lee Surveying and Mapping Co., Inc. on May 18, 2010.

Description prepared by:

WILLIAM

BRUCE
7437

William K. Bruce
Professional Surveyor 7437
May 19, 2010

ORIGINAL STAMP IN GREEN

4963510

9196 6D

ORIGINAL STAMP IN GREEN

REZID 5-24-10 SWY OK LEGEND: 5/8 INCH IRON ROD FOUND 5/8 INCH IRON ROD SET WITH PLASTIC I.D. CAP STAMPED "LSM 7437" CHEROKEE DRIVE (30') S 65°15'00" E 407 56 200.11 MAG NAIL SET (BASIS FOR BEARINGS) 40153 RONALD K. BARNES AND CHERYL L. BARNES VOL. 387, PG. 753 2/107 RETRACEMENT SURVEY OF THE LOT 51 RONALD K. BARNES AND CHERYL L. BARNES RONALD K. BARNES AND CHERYL L. BARNES LOTS 78, 79, 52 AND 51 VOL. 385, PG. 390 LOT 52 SEMINOLE ISLAND PLAT CABINET A, SLIDE 233 12 107 VOLUME 371, PAGE 467 0.467 ACRE VOLUME 385, PAGE 390 S 65°13'10° **VOLUME 387, PAGE 753** RONALD K. BARNES AND CHERYL L. BARNES VIRGINIA MILITARY SURVEY 12276 CHINOOK DRIVE (30") VOL. 371, PG. 467 STOKES TOWNSHIP LOGAN COUNTY, OHIO SEE DETAIL SURVEYED BY: DETAIL TE OF POINT UNDER NOT TO SCALE CONCRETE WILLIAM K. BRUCE DRIVE WILLIAM PROFESSIONAL SURVEYOR 7437 MAY 18, 2010 BRUCE COPYRIGHT 2010 BY: 2 WORKING DAYS LEE SURVEYING & MAPPING CO., INC.
117 North Modriver Street BEFORE YOU DIG CURVE DELTA ANGLE **RADIUS** ARC LENGTH CHORD BEARING CHORD LENGTH SIONAL BELLEFONTAINE, OHIO 43311 106°08'43" C1 15.88 29.42 S 14°52'39" E 25.39 MINIMAL CALL TOLL FREE 800-362-2764 (937) 593-7335 77°29'55" 25.18 34.06 S 77°02'17" W. 31.52 surveys@lsminc.us ORIGINAL STAMP IN GREEN OHI O UTILLITIES PROTECTION SERVICE. D0510 4963510 L-4963-3

INDEXED ON MAP