Raymond R. Rothhar to Lewistown Methodist Church


August 3, 1962

The following described real estate situated in Washington Township, Logan County, Ohio, and being part of the southeast 1/4 of Section 14, Town 7 South, Range 8 east of the First Principal Meridian and more particularly described as follows:

Commencing at an iron pin in the center of County Highway 91 and in the east line of said southeast ½ section as shown in Logan County Engineer's Field Book 575, page 60, said iron pin being the southeast corner of Raymond R Rothhar's 23.70 acre tract; thence with the center line of said County Highway 91, N. 56° 00'W. 654.7 feet to an iron pin, said iron pin being the beginning point of this description; thence continuing with said centerline, N. 56° 00'W. 117.0 feet to an iron pin; thence N. 5° 26' E. 200.0 feet to an iron pin; thence S. 62° 27' E. 166.7 feet to an iron pin; thence S. 20° 23' W. 200.0 feet to the place of beginning.

Containing 0.62 of an acre more or less.

The above described tract being part of Raymond R. Rothhar's 23.70 acre tract



Raymond R. Rothhar to Lewistown Methodist Church

August 3, 1962

The following described real estate situated in Washington Township, Logan County, Ohio, and being part of the southeast % of Section 14, Town 7 South, Range 8 east of the First Principal Meridian and more particularly described as follows:

Commencing at an iron pin in the center of County Highway
91 and in the east line of said southeast % section as shown
in Logan County Engineer's Field Book 575, page 60, said iron
pin being the southeast corner of Raymond R Rothhar's 23.70
acre tract; thence with the center line of said County Highway
91, N. 56° 00'W. 654.7 feet to an iron pin, said iron pin being
the beginning point of this description; thence continuing with
said centerline, N. 56° 00' W. 117.0 feet to an iron pin; thence
N. 5° 26' E. 200.0 feet to an iron pin; thence S. 62° 27' E.
166.7 feet to an iron pin; thence S. 20° 23' W. 200.0 feet to
the place of beginning.

Containing 0.62 of an acre more or less.

The above described tract being part of Raymond R. Rothhar's 23.70 acre tract.



ROTHHOR SURVEY SEC. 14, T-75, R-8 E. WASHINGTON TOWNSHIP

September 4, 1962

The following described real estate situated in Washington Township, Logan County, Ohio and being part of the southeast 1/4 of Section 14, Town 7 South, Range 8 East of the First Principal Meridian and more particularly described as follows:

Commencing at an iron pin in the center of County E ghway 91 and in the east line of said Southeast 1/4 section as shown in Logan County Engineer's Field Book 575, page 60, said iron pin also being the southeast corner of Raymond R. Rothhar's 23.70 acretract; thence with the center line of said County Highway 91, N. 56° 00° W. 534.7 feet to an iron pin, said iron pin being the beginning point of this description; thence continuing with said center line N. 56° 00° W. 120.0 feet to an iron pin at the southeast corner of the Lewistown Methodist Church's 0.62 acretract; thence with said east line N. 20° 23° E. 200.0 feet to an iron pin at the northeast corner of said 0.62 acretract; thence S. 56° 00° E. 130.0 feet to an iron bar; thence S. 23° 12° W. 197.9 feet to the place of beginning.

Containing 0.56 of an acre more or less.

ROTHHAR SURVEY SEC. 14, T-75, R-8 E. WASHINGTON TOWNSHIP

SEPTEMBER 4, 1962

TRACT 3

The following described real estate situated in Washington Township, Logan County, Ohio and being part of the southeast 1/4 of Section 14, Town 7 South, Range 8 East of the First Principal Meridian and more particularly described as follows:

Commencing at an iron pin in the center of County
Highway 91 and in the east line of said southeast 1/4
Section as shown in Logan County Engineer's Field
Book 575, page 60, said iron pin also being the
southeast corner of Raymond R. Rothhar's 23.70 acre tract;
thence with the centerline of said County Highway 91,
N. 56°00' W. 414.7 feet to an iron pin, said iron pin
being the beginning point of this description; thence
continuing with said centerline, N. 56°00' W. 120.0 feet
to an iron pin; thence N. 23°12' E. 197.9 feet to an iron
bar; thence S. 56°00' E. 130.0 feet to an iron bar; thence
S. 26°04' W. 196.3 feet to the place of beginning.

Containing 0.56 of an acre more or less.

INDEXED ON MAR

ROTHHAR SURVEY SEC. 14, T-75, R-8 E. WASHINGTON TOWNSHIP


SEPTEMBER 4, 1962

TRACT 4

The following described real estate situated in Washington Township, Logan County, Ohio and being part of the southeast 1/4 of Section 14, Town 7 South, Range 8 East of the First Principal Meridian and more particularly described as follows:

Commencing at an iron pin in the center of County
Highway 91 and in the east line of said Southeast 1/4
Section as shown in Logan County Engineer's Field Book 575,
page 60, said iron pin also being the southeast corner of
Raymond R. Rothhar's 23.70 acre tract; thence with the
centerline of said County Highway 91, N. 56°00' W.
294.7 feet to an iron pin, said iron pin being the
beginning point of this description; thence continuing
with said centerline, N. 56°--' W. 120.0 feet to an iron
pin; thence N. 26°-4' E. 196.3 feet to an iron bar; thence
S. 56°00' E. 130.0 feet to an iron bar; thence S. 28°59' W.
195.1 feet to the place of beginning.

Containing 0.56 of an acre more or less.



Market Market Commencer Co			
ROTHHAR SURVEY	Dodon Geest.	9-4-62	1"pipe
WASHINGTON TWP.			Found
The state of the s	autorial la company	1.7	- Server
	during the same of	762	1
		30.12	Spl Set
1,00966 1,00384	5/8 Ban	95.12' 8'	Se+
30 30 30		8,	
1,01803	P	92	
30,54090		12:961 30.09	set set
1.0289 2	20 + 00 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	12.961	26+
3086760	100	0	
	P	021	
	1 311	30.54	50+
	5/042		1000
	5/8 Par 13	3 0	
	2	20.60	D.D.
	C. C.	30.87	R.R.spk Tours
	14 5 No	+	N
INDEXED ON MAP	1 6 Bar Jours	-5 6	
3501		To all the	
		0	

1-30-2020

APPROVED

SURVEY FOR THE INDIAN LAKE SCHOOL DISTRICT 0.010 Acre July 17, 2020

The following described 0.010 acre tract is situated in the State of Ohio, County of Logan, Township of Washington, Section 14, Town 7, and Range 8, being part of Lewistown United Methodist Church's 0.19 acre Tract II described in Deed Record 322, page 956, and said 0.010 acre tract being more particularly described as follows:

Beginning for reference at a 1 inch iron pipe found on the centerline of County Road 91 (50 feet wide), in the east line of said Section 14, and in the west line of Section 13, Town 7, Range 8;

Thence North 54°34'56" West (assumed bearing) 796.75 feet, following the centerline of County Road 91, to a magnetic nail set at the southeast corner of The Indian Lake School District, Logan County Ohio's 88.258 acre tract described in Official Record 289, page 529 and at the southwest corner of Lewistown United Methodist Church's 0.03 acre Tract I described in Deed Record 322, page 956;

Thence North 18°52'22" East 105.36 feet, following an east line of said 88.258 acre tract and the west line of said 0.03 acre tract, to a 5/8 inch iron pin found at a west corner of The Methodist Church of Lewistown, Ohio's 0.62 acre tract described in Deed Record 283, page 378;

Thence North 6°50'57" East 85.10 feet, following an east line of said 88.258 acre tract and a west line of said 0.19 acre tract, to a 1 ½ inch iron pin found at the southwest corner of Lewistown United Methodist Church's 0.19 acre Tract II described in Deed Record 322, page 956, said spike marking the *place of beginning*;

Thence *North 6°50'57" East 49.86 feet*, following an east line of said 88.258 acre tract and the west line of said 0.19 acre tract, to a 5/8 inch iron pin found;

Thence South 62°05'03" East 18.56 feet, following the north line of said 0.19 acre tract and a south line of said 88.258 acre tract, to an iron pin set;

Thence South 28°42'03" West 46.53 feet, crossing said 0.19 acre tract, to the place of beginning, containing 0.010 acre and being subject to all valid easements and restrictions of record.

The above described 0.010 acre tract has no road frontage and is to be acquired by The Indian Lake School District, Logan County, Ohio.

The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor 6140, during the month of July 2020. Bearings indicated herein are based on an assumed meridian with all others based on angles turned. Iron pins set are 5/8 inch by 30 inch reinforcing rods with caps marked "CLAPSADDLE RS 6140".

ATTEST:

Paul R. Clapsaddle, R.S. 6140 19019 West Darby Road Marysville, Ohio 43040

(937) 747-2599

CLAPSADOLE 6140

INDEXED ON MAP



SURVEY FOR THE LEWISTOWN METHODIST CHURCH 0.122 Acre July 17, 2020

The following described 0.122 acre tract is situated in the State of Ohio, County of Logan, Township of Washington, Section 14, Town 7, and Range 8, being part of The Indian Lake School District Logan County, Ohio's 88.258 acre tract described in Official Record 289, page 529, and said 0.122 acre tract being more particularly described as follows:

Beginning for reference at a 1 inch iron pipe found on the centerline of County Road 91 (50 feet wide), in the east line of said Section 14, and in the west line of Section 13, Town 7, Range 8;

Thence North 54°34'56" West (assumed bearing) 796.75 feet, following the centerline of County Road 91, to a magnetic nail set at the southeast corner of said 88.258 acre tract, and at the southwest corner of Lewistown United Methodist Church's 0.03 acre Tract I described in Deed Record 322, page 956, said nail marking the *place of beginning*;

Thence *North 54°34'56" West 50.00 feet*, following the centerline of County Road 91 and a southwest line of said 88.258 acre tract, to a magnetic nail set;

Thence North 28°42'03" East 176.95 feet, crossing the southeast corner of said 88.258 acre tract, to a 1 ½ inch iron pipe found at the southwest corner of Lewistown United Methodist Church's 0.19 acre Tract II described in Deed Record 322, page 956, and at the northwest corner of The Methodist Church of Lewistown, Ohio's 0.62 acre tract described in Deed Record 283, page 378;

Thence **South** 6°50'57" **West** 85.10 feet, following an east line of said 88.258 acre tract and a west line of said 0.62 acre tract, to a 5/8 inch iron pin found at the north corner of said 0.03 acre tract;

Thence South 18°52'22" West 105.36 feet, following an east line of said 88.258 acre tract and a west line of said 0.03 acre tract, passing at 79.28 feet a magnetic nail set, to the place of beginning, containing 0.122 acre, more or less, and being subject to all valid easements and restrictions of record.

The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor 6140, during the month of July 2020. Bearings indicated herein are based on an assumed meridian with all others based on angles turned. Iron pins set are 5/8 inch by 30 inch reinforcing rods with caps marked "CLAPSADDLE RS 6140".

ATTEST:

Paul R. Clapsaddle, R.S. 6140 19019 West Darby Road

Marysville, Ohio 43040

(937) 747-2599

CLAPSADDLE STAGE

INDEXED ON MAP 3501