Extension to Lot No. 83 Part Orchard Island Plat

The following described real estate situated on the Island of Orchard Island, Township of Washington, County of Logan, State of Ohio and being a part of Section 36, T.6S., R.8E. and being an extension of a part of Lot No. 83 of the Orchard Island Plat as recorded in Plat Book B Volume 2 Page 121:

Beginning at an iron bar at the northwest corner of Let No. 83 as recorded; Thence with the west line of Let No. 83, S. 20° 32.9° E. 36.59 feet to an iron bar, 4.50 feet north of the south line of Let No. 83;

Thence with an extension of the line that is 4.50 feet north of and parallel with the south line of Let Ne. 83, S. 83° 20° W. 71.00 feet to the shere line of Indian Lake, passing through an iron bar at 64.80 feet;

Thence with the shere line of Indian Lake, N. 13° 19.8° W. 35.76 feet to a point in the extension of the north line of Lot No. 83;

Thence with the extension of the north line of Lot No. 83, N. 83° 20° E. 66.38 feet to the place of beginning, passing through an iron bar at 10.45 feet, containing 0.056 Acres, more or less.

I hereby certify that this is a true and accurate description of a survey made by me on March 31, 1975.

Daniel E. Gilbert, P.S. Reg. Sur. No. 5402

1041 N. Main St.

Bellefentaine, Ohio 43311



Extension to Let No. 84 Orchard Island Plat

The following described real estate situated on the Island of Orchard Island, Township of Washington, County of Logan, State of Ohio and being a part of Section 36, T.6S., R.8E. and being an extension of Lot No. St. of the Orchard Island Plat as recorded in Plat Book B Volume 2 Page 121:

Beginning at an iron bar at the northwest corner of Lot No. 84 as recorded;

Thence with the west line of Lot No. 84, S. 13° 37.9' E. 40.32 feet to an

iron bar at the southwest corner to Lot No. 84;

Thence with an extension of the south line of Lot No. 84, S. 83° 20' W. 66.38 feet to the shore line of Indian Lake, passing through an iron bar at 55.93 feet;

Thence with the shore line of Indian Lake, N. 13° 47.7° W. 40.33 feet to a point on the extension of the north line of Lot No. 84;

Thence with the extension of the north line of Lot No. 84, N. 83° 20' E. 66.50 feet to the place of beginning, passing through an iron bar at 4.85 feet, containing 0.061 Acres, more or less.

I hereby certify that this is a true and accurate description of a survey made by me on March 31, 1975.

Daniel E. Gilbert, P.S Reg. Sur. No. 5402

1041 N. Main St.

Bellefontaine, Ohio 43311



Extension to Lot No. 85 Orchard Island Plat

The following described real estate situated on the Island of Orchard Island, Township of Washington, County of Logan, State of Ohio and being a part of Section 36, T.6S. R.8E. and being an extension of Lot No. 85 of the Orchard Island Plat as recorded in Plat Book B Volume 2 Page 121:

Beginning at an iron bar at the northwest corner of Lot No. 85 as recorded;

Thence with the west line of Lot No. 85, S. 0° 37.4' W. 40.35 feet to an iron bar at the southwest corner to Lot No. 85;

Thence with an extension of the south line of Lot No. 85, S. 83° 20° W. 66.50 feet to the shore line of Indian Lake, passing through an iron bar at 61.65 feet;

Thence with the shore line of Indian Lake, N. 12° 54.3' W. 40.26 feet to a point on the extension of the north line of the north line of Lot No. 85;

Thence with the extension of the north line of Let No. 85, N. 83° 20' E. 76.00 feet to the place of beginning, passing through an iron bar at 34.20 feet, containing 0.065 Acres, more or less.

I hereby certify that this is a true and accurate description of a survey made by me on March 31, 1975.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 1041 N. Main St.

Bellefentaine, Ohio 43311



Extension to Lot No. 86 Orchard Island PTat

The following described real estate situated on the Island of Orchard Island, Township of Washington, County of Logan, State of Ohio and being a part of Section 36, T.6S., R.8E. and being an extension of Lot No. 86 of the Orchard Island Plat as recorded in Plat Book B Volume 2 Page 121:

Beginning at an iron bar at the northwest corner of Let No. 86 as recorded;

Thence with the west line of Let No. 86, S. 6° 30° E. 40.02 feet to an iron
bar at the southwest corner to Let No. 86;

Thence with an extension of the south line of Lot No. 86, S. 83° 20' W. 76.00 feet to the shore line of Indian Lake, passing through an iron bar at 41.80 feet;

Thence with the shere line of Indian Lake, N. 16° 25.7' W. 40.61 feet to a point in the extension of the north line of Lot No. 86;

Thence with the extension of the north line of Let Ne. 86, N.83° 20' E. 83.00 feet to the place of beginning, containing 0.073 Acres, more or less.


I hereby certify that this is a true and accurate description of a survey made by me on March 31, 1975.

Daniel E. Gilbert, P.

Reg. Sur. No. 5402 1041 N. Main St.

Bellefontaine, Ohio 43311





REG. SUR. NO. 5402. IN. 1041 N. MAIN ST. BELLEFONTAINE, OHIO 43311

Lot 85 Extension Description Orchard Island Plat

The following described real estate situated in the Township of Washington; County of Logan, State of Ohio and being a part of Section 36 T.6S. R.8E. and being an extension to Lot No. 85 of the Orchard Island Plat as the same is recorded:

Beginning at an iron bar at the northwest corner to Lot No. 85 of said Orchard Island Plat;

Thence with an extension of the north line of said Lot No. 85, S. 83° 30° W. 76.00 feet to a point on the shore line of Indian Lake, passing through an iron bar at 41.80 feet;

Thence with the shore line of Indian Lake, S. 12° 33.1° E. 40.22 feet to a point on said shore line and being in the extension of the south line of Lot No. 85;

Thence with the extension of the south line of Lot No. 85, N. 83° 30' E. 66.75 feet to an iron bar at the southwest corner to Lot No. 85, passing through an iron bar at 4.90 feet;

Thence with the west line of Lot No. 85, N. 0° 37.5' E. 40.31 feet to the place of beginning, containing 0.066 Acres, more or less.


I hereby certify that this is a true and accurate description of a survey made by me on February 22, 1975.

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 1041 N. Main St.

Bellefontaine, Ohio 43311





Easement

To be used by Washington Township Toustees to obtain a 10 foct easement across the property of James F. Costin. et al. (Vol. 378 pg. 45/47)

Said easement to be for the purpose of maintaining a 10" storm sewer on the property.

DESCRIPTION


Being a part of Lot No. 86. Orchard Island Allotment. Section 36. Town 6 South. Range 8 East. Washington Township. County of Logan. State of Ohic:

Being a Ten foot (10') Strip of land along the following described centerline:


Beginning at a point approximately 35 feet south of the Northeast corner of Lot No. 86 in the West right - of - line of Mauger Street and the east line of Lot No 86, where a 10 inch tile crosses:


thence northwesterly at a 45 degree (45-00'-00'') a distance of approximately 40 feet to a point:

thence westerly 5 feet south of and parallel with the north line of Lot No 86 a distance of approximately 150 to the waters of Indian Lake and there terminate.



35	D					Dodson 3/15/77
100		SEO T	LE ON	Lot 8	6	Pogh 70° 45
FB 70	8 00	CHARD	750	Desa	572	TARA CAROLE
11173	TO U.S.		15 19	Livis of	7	
STA	4	HI	High torus	Elou,	Markey	New 6" love wall of Bost wall
0 +00	6.22	1006.72	141	1000.00	Top law wall	0+00
+00		Service .	7.35	998.87	Hzo best India take	4 4 4 4 9
0 +50	Van en en en en	DE WAY	5.76	1000.46		3' 1
	The Marie To	do	6.2	1000.0	Ge	
1400		Tieril.	6.15	1000.07	Top Hub	86
		197.5	6.7	999.5	Ge.	Chair
1+50		To be 14	5.11	1001.11	Top Hub	8.9.
		M.O.	5.8	10004	GR	News I I I I I I I I I I I I I I I I I I I
2+00		TO PORT	5.1	1001,1	No Hub	GARAGE 3
+23	15 7	1779-1	6.60	999.62	The BUCINE	
1-11/0-19	- Mary	1300.05	6.21	1000-01	He laws	Corrace 8'
0400		Brown Cla	6.22	1000.00		
		4100			100	1+50
		1 1 2 9	EA			
	Direct	To be	Coner	ععدموه	By	D a
		TRUSTEE				
FURNIMED BY PROPERTY OWNER,					wee,	2 100 As But
	De. C	CHITED,	40.0			The state of the s
		le le la le	57	03	THE STATE OF THE S	MANGER AVE EIN
	2 FA	774			77-7	
		COLUMN .	ONDEX	ED ON MA		BASIN BASIN
	3/4/19		I want	N. Carlotte		
	The La			1000	Name (III)	





RETRACEMENT SURVEY OF PART OF THE HUNTINGTON NATIONAL BANK, TRUSTEE LOTS 84, 85 AND 86 OFFICIAL RECORD 732, PAGE 15 AND HUNTINGTON NATIONAL BANK, TRUSTEE 0.061 ACRE, 0.065 ACRE AND 0.073 ACRE TRACTS OFFICIAL RECORD 744, PAGE 681 AND SHARON L. FREITAG AND GREGORY M. FREITAG LOT 87 AND 0.0773 ACRE TRACT OFFICIAL RECORD 831, PAGE 585 PARCEL I AND PARCEL II ORCHARD ISLAND PLAT CABINET A, SLIDE 219 SECTION 36, TOWN 6, RANGE 8 WASHINGTON TOWNSHIP LOGAN COUNTY, OHIO

SURVEYED BY:

WILLIAM K. BRUCE PROFESSIONAL SURVEYOR 7437 JANUARY 16, 2014

COPYRIGHT 2014 BY:

LEE SURVEYING & MAPPING CO., INC.
117 North Madriver Street
BELLEFONTAINE, OHIO 43311

(937) 593-7335 WWW.LSMINC.US surveys@lsminc.us

S D0114 5

51980114

L-5198-3

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

HUNTINGTON NATIONAL BANK, TRUSTEE 0.025 ACRE

Lying in Section 36, Town 6, Range 8, Washington Township, Logan County, Ohio.

Being out of the Huntington National Bank, Trustee, Lot 85 of Orchard Island (Plat Cabinet A, Slide 219) as deeded and described in Official Record 732, Page 15 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a 5/8 inch iron rod found on the west right-of-way of Mauger Avenue, on the northeast corner of Lot 84 and the southeast corner of Lot 85.

THENCE, with the north line of Lot 84 and the south line of Lot 85, S 83° -20'-31''W, a distance of 75.09 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, with the north line of Lot 84 and the south line of Lot 85, S 83°-20'-31"W, a distance of 29.91 feet to a point on the northwest corner of Lot 84 and the southwest corner of Lot 85, referenced by a 5/8 inch iron rod found bearing S 83°-20'-31"W, a distance of 53.98 feet.

THENCE, with the east line of the Huntington National Bank, Trustee 0.065 acre tract (O.R. 744, Pg. 681) and the west line of Lot 85, N 00°-36'-05"E, a distance of 40.44 feet to a point on the northwest corner of Lot 85 and the southwest corner of Lot 86, referenced by a 5/8 inch iron rod found bearing S 83°-24'-35"W, a distance of 50.89 feet.

THENCE, with the north line of Lot 85 and the south line of Lot 86, N 83°-24'-35"E, a distance of 24.80 feet to a point under a building.

THENCE, S 06°-39'-29"E, a distance of 40.09 feet to the point of beginning, passing a 5/8 inch iron rod set at 20.04 feet.

Containing 0.025 acre.

OF

WILLIAM

BRUCE

7437

ORIGINAL STAMP IN GREEN

SS/ONAL

3

Property is subject to any and all previous easements and rights-of-way of record.

This parcel is to be attached to an adjoining tract of land and is not to be used as a separate and independent parcel.

The basis for bearings is the west right-of-way of Mauger Avenue, being S 06°-30'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on January 22, 2015.

Description prepared by:

William K. Bruce

Professional Surveyor 7437

January 23, 2015

51980115A



1-29-15

Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

HUNTINGTON NATIONAL BANK, TRUSTEE BUILDING EASEMENT

Lying in Section 36, Town 6, Range 8, Washington Township, Logan County, Ohio.

Being a building easement over a portion of the Huntington National Bank, Trustee, Lot 85 of Orchard Island (Plat Cabinet A, Slide 219) as deeded and described in Official Record 732, Page 15 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a 5/8 inch iron rod found on the west right-of-way of Mauger Avenue, on the northeast corner of Lot 84 and the southeast corner of Lot 85.

THENCE, with the north line of Lot 84 and the south line of Lot 85, S 83°-20'-31"W, a distance of 75.09 feet to a 5/8 inch iron rod set.

THENCE, N 06°-39'-29"W, a distance of 35.56 feet to a point at the TRUE POINT OF BEGINNING, passing a 5/8 inch iron rod set at 20.05 feet.

THENCE, S 83°-40'-00"W, a distance of 11.53 feet to a point.

THENCE, N 06°-20'-00"W, a distance of 4.47 feet to a point on the north line of Lot 85 and the south line of Lot 86.

THENCE, with the north line of Lot 85 and the south line of Lot 86, N 83°-24'-35"E, a distance of 11.50 feet to a point under a building.

THENCE, S 06°-39'-29"E, a distance of 4.53 feet to the point of beginning.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the west right-of-way of Mauger Avenue, being S 06°-30'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on January 22, 2015.

Description prepared by:

William K. Bruce

OF

WILLIAM

BRUCE

ORIGINAL STAMP IN GREEN

SS/ONAL


Professional Surveyor 7437


January 23, 2015

51980115A









- O 5/8 INCH IRON ROD FOUND
- 5/8 INCH IRON ROD SET WITH PLASTIC I.D. CAP STAMPED "LSM 7437"

SURVEY OF 0.025 ACRE OUT OF THE HUNTINGTON NATIONAL BANK, TRUSTEE LOT 85 ORCHARD ISLAND PLAT CABINET A, SLIDE 219 OFFICIAL RECORD 732, PAGE 15 SECTION 36, TOWN 6, RANGE 8 WASHINGTON TOWNSHIP LOGAN COUNTY, OHIO

SURVEYED BY:

WILLIAM K. BRUCE PROFESSIONAL SURVEYOR 7437 JANUARY 22, 2015

COPYRIGHT 2015 BY:

LEE SURVEYING & MAPPING CO., INC. 117 North Madriver Street BELLEFONTAINE, OHIO 43311

(937) 593-7335 WWW. LSMINC. US

surveys@lsminc.us D0115 51980115A

> INDEXED ON MAP 5703 5P

L-5198-3

Surveying

Land Surveys • Topography Subdivisions Construction

Bellefontaine OH 43311 117 N. Madriver St.



surveys@lee-surveing.com Phone: Fax: (937) 593-7444 (937) 593-7335

HUNTINGTON NATIONAL BANK, 0.069 ACRE TRUSTEE

County, Ohio (all re Records of Deeds). Lying in Section 36, Ohio (all records referenced herein refer to the Logan County Town 6, Range 8, Washington Township, Logan

the Cabinet Gregory M. and being more particularly described as follows: gory M. Freitag IRA (1/2 interest) and Hunting National Bank, Trus Sharon L. Freitag IRA (1/2 interest) Lot 85 of Orchard Island (Plat inet A, Slide 219), as deeded and described in Official Record 732 Being the remainder of the Huntington National Bank, Trustee Trustee for 732, for the Page

said Lot 85 and the northeast corner of Lot 84, being on the of-way line of Mauger Avenue (35 feet wide); BEGINNING at a 5/8 inch iron rod found at the southeast corner westerly rightof

THENCE, with the common line to said Lots 85 and 84, \$ 83°-20'-31" W, a distance of 75.09 feet to a 5/8 inch iron the southeast corner of the Gregory M. Freitag and Sharon L. acre tract, part of Lot 85, as deeded and described in Official Page 267 (First Description); deeded and described in Official Record 1175 Freitag 0.025 rod found on

THENCE, with the common line to said remainder of Lot 85 and said 0.025 acre tract, N 06°-39'-29" W, passing a 5/8 inch iron rod found at distance of 20.05 feet, a total distance of 40.09 feet to a point on the south line of Lot 86; and said

also the THENCE, N 83°-24'35" northeast corner of said Lot 85 and southeast corner of said being on said westerly right-of-way line of Mauger Avenue; E, a distance with the line common to said Lots of 75.20 feet to a 5/8 inch iron rod found at 85 and 86, Lot 86,

the way line of Mauger Avenue, POINT OF BEGINNING. THENCE, with the east line of said Lot 85 ne of Mauger Avenue, S 06°-30'-00" E, a E, a distance of 40.00 feet to and said westerly right-of-

Containing 0.069 acre, more or less.

diameter Iron rods set, where indicated, are 30 inches in length, ter with an orange plastic I.D. cap stamped "P.S. 8533" 5/8 inch in

of record. Property is subject to any and all previous easements and rights-of-way

distances measured in a field survey by Lee Surveying and Mapping Co. expressed in U.S. Survey Feet. westerly 2018 The basis for bearings, described herein, is right-of-way of Mauger Avenue, being S 06°-30'-00" E. Distances a All other measurements are from angles and Distances are on July


Description prepared by:

Daniel A Professional Surveyor No. A. Neer 8533

30, 2018

NO CONTROL OF THE PROPERTY OF

51980718



12-20-18

INDEXED ON MAP