
15' ALLEY 3/4" \$ FD 1/2"PIPE FP 0.32' 280.00 OLD HUB FOR BAR SYCAMORE ST. (30') SURVEY OF LOT 122 ORCHARD ISLAND WASHINGTON TOWNSHIP LOGAN COUNTY, DHIO JULY, 1977 SCACE 1"=30" 1 = 98 IRON BAR SET D=2" X Z" IRON MONUMENT FD. ELM ST. INDEXED ON MAR

LESLIE H. GEESLIN REG. SURVEYOR 5248 RUSHSYLVANIA, OHIO





DISTANCES SHOWN HEREON

ARE IN U.S. SURVEY FEET

OCCUPATION NOTE:

NO EVIDENCE OF OCCUPATION ALONG BOUNDARY LINES UNLESS OTHERWISE SHOWN

BASIS FOR BEARINGS:

BEARINGS AND DISTANCES, SHOWN HEREON, ARE DERIVED FROM GPS OBSERVATIONS BASED ON GRID NORTH, OHIO STATE PLANE COORDINATE SYSTEM, NORTH ZONE, NAD83 (2011, EPOCH 2010), WITH THE NORTHERLY RIGHT-OF-LINE OF SYCAMORE STREET, HAVING A BEARING OF S 83'14'05" W.

THIS SURVEY WAS PREPARED IN THE ABSENCE OF A COMPLETE AND ACCURATE TITLE SEARCH AND DOES NOT GUARANTEE TITLE.


COPYRIGHT 2021 BY:



117 N. Madriver Street · Bellefontaine, OH 4331 (937) 593-7335 · www.diz.com Project #2121-2044.00

DEED & SURVEY REFERENCES:

LOGAN COUNTY ENGINEER'S MAP ROOM FILES: 4798 AND 6064



R/W = RIGHT-OF-WAY

○ 5/8 INCH IRON REBAR FOUND

□ 2 INCH BY 2 INCH SQUARE IRON BAR FOUND

● 5/8 INCH BY 30 INCH IRON REBAR SET WITH

PLASTIC I.D. CAP STAMPED "DLZ OHIO INC."

C/L = CENTER-LINE

O.R. = OFFICIAL RECORD

PG. = PAGE

X DENOTES FENCE LINE

RETRACEMENT SURVEY

S 83"14"05" W

LOT 121 ORCHARD ISLAND PLAT CABINET A, SLIDE 219 WASHINGTON TOWNSHIP LOGAN COUNTY, OHIO



5

DANIEL A. NEER PROFESSIONAL SURVEYOR NO. 8533 APRIL 6, 2021

MAUGER AVENUE

(35)

DRAWN BY:	DESCRIPTION	REV. NO.	DATE
KSS			4/15/2021
			""





INNOVATIVE IDEAS EXCEPTIONAL DESIGN **UNMATCHED CLIENT SERVICE**

STATE OF OHIO **INDIAN LAKE RESERVOIR LANDS** 0.062 ACRE

Lying in Section 36, Town 6 South, Range 8 East, South and East of the First Principal Meridian Survey, Washington Township, Logan County, Ohio (all records referenced herein refer to the Logan County Records of Deeds).

Being out of the State of Ohio Indian Lake Reservoir Lands and being more particularly described as follows:

BEGINNING at an iron rebar set at the southwest corner of Lot 121 of Orchard Island as recorded in Plat Cabinet A, Slide 219 and being on an easterly line of said Reservoir lands;

THENCE, with new lines through said reservoir lands, the following four (4) courses:

- 1. S 83°-14'-05" W, with the southerly line of said Lot 121 extended, passing an iron rebar set at a distance of 10.63 feet, a total distance of 28.15 feet to a point on the face of a concrete walk and seawall;
- 2. N 19°-39'-53" W, with the face of said walk and seawall, a distance of 27.05 feet to a point at an angle point of said walk and seawall;
- 3. N 08°-13'-53" W, partly with the face of said walk and seawall, partly across a boat well and partly with the face of said walk and seawall again, a distance of 44.36 feet to a point at the corner of said walk and seawall; and
- 4. N 83°-19'-26" E, with the northerly line of said Lot 121 extended, passing an iron rebar set at a distance of 17.87 feet, a total distance of 45.47 feet to an iron rebar set at the northwest corner of said Lot 121;

THENCE, with the westerly line of said Lot 121, S 01°-24'-29" W, a distance of 71.37 feet to the POINT OF BEGINNING.

Containing **0.062** acre, more or less.

Iron rebar set, where indicated, are 30 inches in length, 5/8 inch in diameter with a plastic I.D. cap stamped "DLZ OHIO INC."

117 N Madriver St, Bellefontaine, OH 43311 | OFFICE 937.593.7335 | ONLINE WWW.DLZ.COM



THE PROM

DANIEL A. NEER S-8533

INNOVATIVE IDEAS EXCEPTIONAL DESIGN UNMATCHED CLIENT SERVICE

Property is subject to any and all previous easements and rights-of-way of record.

Bearings and distances, described herein, are derived from GPS observations based on Grid North, Ohio State Plane Coordinate System, North Zone, NAD83 (2011, Epoch 2010), with the northerly right-of-way line of Sycamore Street, having a bearing of S 83°-14'-05" W. Distances are expressed in U.S. Survey Feet. All other measurements are from angles and distances measured in a field survey by DLZ Ohio, Inc. on April 21, 2021.


Description prepared by:

Daniel A. Neer


Professional Surveyor No. 8533

April 22, 2021

2121-2044.00







SCALE: 1" = 20'DISTANCES SHOWN HEREON ARE IN U.S. SURVEY FEET

OCCUPATION NOTE:

NO EVIDENCE OF OCCUPATION ALONG BOUNDARY LINES UNLESS OTHERWISE SHOWN

BASIS FOR BEARINGS:

BEARINGS AND DISTANCES, SHOWN HEREON. ARE DERIVED FROM GPS OBSERVATIONS BASED ON GRID NORTH, OHIO STATE PLANE COORDINATE SYSTEM, NORTH ZONE, NAD83 (2011, EPOCH 2010), WITH THE NORTHERLY RIGHT-OF-WAY LINE OF SYCAMORE STREET, HAVING A BEARING OF S 83'14'05" W.

THIS SURVEY WAS PREPARED IN THE ABSENCE OF A COMPLETE AND ACCURATE TITLE SEARCH AND DOES NOT GUARANTEE TITLE.


COPYRIGHT 2021 BY:



Madriver Street · Bellefontaine, OH 4331 (937) 593-7335 · www.dlz.com Project #2121-2044.00 REV1

DEED & SURVEY REFERENCES:

LOGAN COUNTY ENGINEER'S MAP ROOM FILES: 4798 AND 6064



LEGEND:

□ 2 INCH BY 2 INCH SQUARE IRON BAR FOUND

○ 5/8 INCH IRON REBAR FOUND

● 5/8 INCH BY 30 INCH IRON REBAR SET WITH PLASTIC I.D. CAP STAMPED "DLZ OHIO INC."

P.O.B. = POINT OF BEGINNING

R/W = RIGHT-OF-WAY

C/L = CENTER-LINE

O.R. = OFFICIAL RECORD

PG. = PAGE

-X DENOTES FENCE LINE

SURVEY OF 0.062 ACRE

15' ALLEY

SECTION 36, TOWN 6 SOUTH, RANGE 8 EAST

SOUTH AND EAST OF THE FIRST PRINCIPAL MERIDIAN SURVEY

STATE OF OHIO

INDIAN LAKE RESERVOIR LANDS

AND

RETRACEMENT SURVEY

LOT 121

ORCHARD ISLAND

PLAT CABINET A, SLIDE 219

WASHINGTON TOWNSHIP LOGAN COUNTY, OHIO

NYE OF OH! DANIEL A. NEER S-8533

DANIEL A. NEER PROFESSIONAL SURVEYOR NO. 8533

APRIL 6, 2021

REVISED APRIL 21, 2021

DRAWN BY:	DESCRIPTION	REV. NO.	DATE
KSS			4/15/2021
KSS	REVISED TO SHOW RESERVOIR LANDS	1	4/21/2021

INDEXED ON MAP 6064

MAUGER AVENUE

(35)