

LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347

(6909) ID-1
TELEPHONE: (513) 468-2793

INDEXED ON MAP

PENN-CENTRAL CORPORATION

TO

LOGAN COUNTY

September, 1983

The following described real estate situated in the State of Ohio,
County of Logan, Township of Washington, being part of Section 1, Town 7 S.,
Range 8 E., Section 36, Town 6 S., R.8 E. and Section 35, Town 6 S., R.8 E.,
having 7.14 acres in the Village of Russells Point and more particularly
described as follows:

Beginning at an iron bar in the south line of Section 36 and the north
line of Section 1 in Elliott Road; thence with said setion line S. $89^{\circ} 56'$ W.
17.32 feet to an iron bar; thence S. $11^{\circ} 02' 48''$ E. 3378.31 feet to an iron
bar; thence N. $89^{\circ} 56'$ E. 17.32 feet to an iron bar; thence S. $11^{\circ} 02' 48''$ E.
 $119\frac{1}{4}$.00 feet to an iron bar; thence S. $89^{\circ} 56'$ W. 17.32 feet to an iron bar;
thence S. $11^{\circ} 02' 48''$ E. 424.30 feet to a point, passing an iron bar at 414.30
feet; thence S. $78^{\circ} 57' 12''$ W. 66.00 feet to a point; thence N. $11^{\circ} 02' 48''$ W.
437.10 feet to an iron bar, passing an iron bar at 10.00 feet; thence S. 89°
 $56'$ W. 17.32 feet to an iron bar; thence N. $11^{\circ} 02' 48''$ W. $119\frac{1}{4}$.00 feet to an
iron bar; thence N. $89^{\circ} 56'$ E. 17.32 feet to an iron bar; thence N. $11^{\circ} 02' 48''$ W.
3378.31 feet to an iron bar in the south line of Section 36; thence with said
south line S. $89^{\circ} 56'$ W. 17.32 feet to an iron bar; thence N. $11^{\circ} 02' 48''$ W.


63.79 feet to a point; thence with a 4724.74 foot radius curve to the left, the chord of which measures N. $13^{\circ} 23' 03''$ W. 385.40 feet, to a point; thence with a 3769.8 foot radius curve to the left, the chord of which measures N. $24^{\circ} 38' 00''$ W. 1167.97 feet to a point; thence parallel with and 82.15 feet from the centerline of U. S. R. 33 N. $33^{\circ} 32' 42''$ W. 605.75 feet, to an iron bar; thence on a 3769.83 foot radius curve to the left, the chord of which measures N. $42^{\circ} 31' 30''$ W. 1177.06 feet, to an iron bar in the north line of State Route 720; thence with said north line projected east S. $85^{\circ} 47' 00''$ E. 102.99 feet to an iron bar in the west right-of-way line of U. S. R. 33; thence with said R/W line on a 3385.46 foot radius curve to the right, the chord of which measures S. $46^{\circ} 10' 48''$ E. 491.73 feet, to a point; thence with said R/W line on a 4207.47 foot radius curve to the right, the chord of which measures S. $37^{\circ} 46' 51''$ E. 621.44 feet, to an iron bar that is 31 feet left of Station 268 plus 80.16; thence with said R/W line, parallel with and 31.00 feet from the centerline of U. S. R. 33, S. $33^{\circ} 32' 42''$ E. 741.76 feet to a point; thence with said R/W line on a 2832.97 foot radius curve to the right, the chord of which measures S. $30^{\circ} 02' 33''$ E. 365.92 feet, to a point; thence with said R/W line on a 2939.79 FOOT RADIUS curve to the left, the chord of which measures S. $41^{\circ} 57' 08''$ E. 148.78 feet, to a point; thence on a 4454.87 foot radius curve to the right, the chord of which measures S. $19^{\circ} 16' 51''$ E. 553.11 feet, to a point; thence with a 4824.74 foot radius curve to the right, the chord of which measures S. $13^{\circ} 23' 03''$ E. 393.56 feet, to a point; thence S. $11^{\circ} 02' 48''$ E. 83.19 feet to the place of beginning.

Containing 13.92 acres, more or less, of which 7.14 acres are in the Corporation of Russells Point and 6.78 acres are outside of said Corp. There are 8.52 acres in Section 1 of which 1.74 acres are in the corporation, 4.33 acres in Section 36 in the corp and 1.07 acres in Section 35 in the Corporation.

IP-2
6909
INDEXED ON MAP

MAJOR PROPERTIES, INC.
72.67 AC.

OH D 000 M43



SURVEY OF 13.92 ACRE TRACT IN
SECTION 1, T. 7 S., R 8 E., SECTION 36, T. 6 S.,
R. 8 E., IN SECTION 35, T. 6 S., RANGE 8 E.,
WASHINGTON TOWNSHIP, LOGAN COUNTY,
OHIO, CONSISTING OF 7.14 ACRES IN THE
CORPORATION OF RUSSELLS POINT AND 6.78 ACRES
OUTSIDE THE CORPORATION
SEPTEMBER, 1983
SCALE: 1" = 100'

LEGEND:
○ = 9/8 IRON BAR SET
● = R.R. SPIKE SET

THIS SURVEY CERTIFIED AS TO CORRECTNESS
TO THE PENN-CENTRAL CORPORATION AND TO
THE TITLE INSURANCE COMPANY INSURING
THEIR INTERESTS IN THE PREMISES.




LESLIE H. GEESLIN
SURVEYED BY: LESLIE H. GEESLIN
PITTSBURGH, PENNSYLVANIA, OHIO

N
 SEC. 36 T. 6 S.
 SEC. 35 T. 6 S.
 R. 8 E.
 R. 8 E.
 CENTERLINE U.S.R. 33
 STA. 277+30
 R = 4297.18'
 R = 3385.46' 57.53
 5.46° 10' 48" E.
 33.5' 492.17'
 491.73'
 491.73'
 R = 3769.83
 PER.
 6501A
 5812
 SUNNYSIDE
 N. 42° 31' 30" W. 1177.06'
 S.R. 120 (60')
 S. 85° 42' 00" E.
 102.99'
 R = 4207.47 L = 622.00'
 5.37° 46' 51" E. 621.44'
 31.00 S. 33° 32' 42" E.
 P.C. STA. 268+80.16'
 N. 33° 32' 42" W.
 605.75'
 741.76'
 KENTUCKY FRIED CHICKEN SIGN
 8740' PERPETUAL BASEMENT 0.125 ACRE
 R = 3769.83
 N. 29° 38' 00" W.
 1167.97
 SUNNYSIDE AVE
 BRISTOL PARK
 SECTION LINE
 AVE. (40')
 MATCH LINE

INDEXED ON MAP
6909

N.Y.C.R.R.
RUSSELLS POINT, O.
Scale 1"=50' ~ May 28, 1935.
Office of Land & Tax Agent.
Columbus, Ohio.



R-811

LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347

TELEPHONE: (513) 468-2793

PENN-CENTRAL CORPORATION

TO

LOGAN COUNTY

November, 1983

The following described real estate situated in the State of Ohio, County of Logan, Township of Washington, being part of Section 35, Town 6 South, Range 8 East in the corporation of Russells Point and more particularly described as follows:

Beginning at an iron bar at the northeast corner of a 1.07 acre tract in the westerly right-of-way line of State Route 33 that is N. $46^{\circ} 10' 48''$ W. 491.73 feet from the beginning of a 3385.46 foot radius curve to the left; thence with said curve to the left, the chord of which measures N. $50^{\circ} 39'$ W. 34.76 feet, to a point; thence N. $85^{\circ} 47'$ W. 104.24 feet to a point in a 3769.83 foot radius curve; thence with said curve to the right, the chord of which measures S. $51^{\circ} 47'$ E. 35.78 feet, to an iron bar at the northwest corner of said 1.07 acre tract that is N. $42^{\circ} 31' 30''$ W. 1177.06 feet from the beginning of said 3769.83 foot radius curve; thence with the north line of said 1.07 acre tract S. $85^{\circ} 47'$ E. 102.99 feet to the place of beginning.


Containing 2072 sq. ft. or 0.048 acre more or less.

6909 3D

INDEXED ON MAR

OHD 000 M43

S.R. 720



THIS SURVEY CERTIFIED AS TO
CORRECTNESS TO THE PENN-CENTRAL
CORPORATION AND TO THE TITLE
INSURANCE COMPANY INSURING
THEIR INTERESTS IN THE
PREMISES.



Leslie H. Geeslin
LESLIE H. GEESLIN
RUSHSYLVANIA, OHIO


INDEXED ON MAP

6909 3P

SURVEY OF 0.048 AC. TRACT IN SEC. 35, T.65., R.8 E., WASHINGTON TWP., LOGAN CO., OHIO VILLAGE OF RUSSELLS POINT		
DATE 11-11-83	DRAWN BY L.H.G.	APPROVED BY
SCALE 1"=50	REVISED	
		DRAWING NUMBER

Elect Ry.

of track. —



C. R. R. ST. MARYS BRANCH, MAIN TRACK,


N.Y.C.R.R. OHIO CENTRAL LINES

PLAN OF DEPOT AT
WUSSELL'S POINT

DATE 5-17-25
CITY OF DIVISION ENGINEER
COLUMBUS, O.


PLAN N° 1000

Revised 5-9-




<http://www.industrydocuments.ucsf.edu/docs/lnch0001>


B-3-72.




N.Y.C. R.R.	Eng'r. Dept.	R.O. Rote C.E.
Track used by		
GUY A. BAYER		
Russells Point, Ohio.		
Indexed on Map 6909 - SP	Scale 1"=100'	June 18, 1934
		O.C.3003 A-B-66

Track marked A B ~ Length 86'







Russells Point, Ohio.
 Dashed red shows lease to Bayer Bros.
 Dashed green shows lease to Guy A. Bayer
 Yellow shows proposed lease to Lloyd W. Bayer.
 June 10, 1935

Received 6-1-95 OEG/JCH

Water Line Easement

Logan County Commissioners
to
Village of Russells Point

Village of Russells Point
Washington Township
Logan County, Ohio
Section 1 - T.7S - R.8E

The following described water line easement is found in the Village of Russells Point, Washington Township, Logan County, Ohio, and is part of Section 1 - T.7S - R.8E. Said easement is located on a 13.92 acre tract which is presently in the name of the Logan County Commissioners (D.B. Vol. 402; pg. 848). Said easement for water line purposes being a twenty (20) foot wide strip, the center line of which is more particularly described as follows:

Beginning for reference at a point where the East line of Orchard Island Road (Ohio State Route No. 708) intersects the West line of the Logan County Commissioners' 13.92 acre tract. Said point being the North corner of Patricia J. Martin's 0.26 acre tract (D.B. Vol. 338; pg.26).

Thence, with the East line of Orchard Island Road, N.25° - 07' - 31"E., 16.94 feet to the point of beginning for this center line description.


Thence, parallel with the Logan County Commissioners' East and West property line, S.11° - 02' - 48"E., 1684.91 feet to a point on the extended South property line of Georgia M. Gastierer, et al's 6.265 acre tract (O.R. Vol. 251; pg. 121) and there terminate.

The above described line is the center line of a twenty (20) foot wide strip to be used for water line purposes. Said easement contains 0.774 acre, more or less.

Basis of bearing being the East and West property lines (S.11° - 02' - 48"E.) of the Logan County Commissioners' 13.92 acre tract (Survey index no. 6909).

The above center line description was prepared by the Logan County Engineer's Office from deeds and surveys of record.

Curtis D. Dill
Curtis D. Dill
Deputy Surveyor
Logan County Engineer's Office
Registered Survey No. 7310



INDEXED ON MAP
6909 10D

Water Line Easement

Logan County Commissioners
to
Village of Russells Point


Village of Russells Point
Washington Township
Logan County, Ohio
Sec. 1-T.75-R.8E
May 1995

References

Survey of a 13.92 acre tract for
the Logan County Commissioners -
(Index No. 6909).

Survey of a 4.427 acre tract for
the Village of Russells Point (Index
No. 6909).

Basis of bearing being the East
and West property lines (S.11°02'48"E.)
of the Logan County Commissioners'
13.92 acre tract.




Scale: 1"=100'

This plot was prepared by
the Logan County Engineers
Office from deeds and surveys
of record.

Curtis D. Dill

Curtis D. Dill
Deputy Surveyor
Logan Co. Engineers Office
Registered Surveyor No. 7310



A	52-032-13-34-001 Patricia J. Martin 0.26 Ac D.B. Vol. 338; pg. 26
B	52-032-13-34-002 James Lee Martin 0.17 Ac O.R. Vol. 10; pg. 266
C	52-032-13-34-003 Keith A. Dabe 1/6 Liberty Lending 0.26 Ac. O.R. Vol. 207; pg. 517
D	52-032-13-34-004.001 Riley W. Roush et al Lot 1289 O.R. Vol. 223; pg. 535 O.R. Vol. 184; pg. 203
E	52-032-13-34-004.002 Steven C. Craig et al Lot 1290 O.R. Vol. 247; pg. 467
F	52-032-13-34-004.003 James M. Abouaf Source One Mfg. Services Corp. Lot 1291 O.R. Vol. 215; pg. 63
G	52-032-00-00-016 Logan County Commissioners 73.14' Ac D.B. Vol. 147; pg. 2

INDEXED ON MAP
6909 10P

52-32-13-34-005
Georgia M. Gastierer et al
4.265 Ac.
O.R. Vol. 251; pg. 121

N 89°54'48"E.
P G

Received 10-30-86

OK 11-6-86 C.R.

LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347

TELEPHONE: (513) 468-2793

LOGAN COUNTY TO VILLAGE OF RUSSELLS POINT
October, 1986

The following described real estate situated in the State of Ohio, County of Logan, Township of Washington, being part of Section 1, Town 7 South, Range 8 East and more particularly described as follows:

Beginning at a 0.625 inch iron bar in the west line of The Logan County Commissioners' 13.92 acre tract as described in D. B. Vol. 402 Page 848 at the southeast corner of James Martin's 6.60 acre tract as described in D. B. Vol. 304 Page 243.

Thence with said Martin's south line projected N. $89^{\circ} 54' 48''$ E. 67.24 feet to a 0.625 inch iron bar in the west line of Major Properties, Inc.'s 72.67 acre tract as described in D. B. Vol 370 Page 422.

Thence with said west line and the east line of the old T. & O. C. Railroad S. $11^{\circ} 02' 48''$ E. (This bearing is taken from D. B. Vol. 402 Page 848 and all other bearings are from angles and distances measured in this field survey) 681.17 feet to a 0.625 inch iron bar.


Thence N. $89^{\circ} 56'$ E. 17.32 feet to a 0.625 inch iron bar.

Thence with the east line of said old T. & O.C. R. R. S. $11^{\circ} 02' 48''$ E. 1194.00 feet to a 0.625 inch iron bar.

Thence with said East line S. $89^{\circ} 56' W.$ 17.32 feet to a 0.625 inch iron bar.

Thence with said east line S. $11^{\circ} 02' 48''$ E. 424.30 feet to a point, passing a 0.625 inch iron bar at 414.30 feet.

Thence S. $78^{\circ} 57' 12''$ W. 66.00 feet to a point in the west line of said old railroad.



Thence with said west line N. $11^{\circ} 02' 48''$ W. 437.10 feet to
a 0.625 inch iron bar, passing a 0.625 inch iron bar at 10.00 feet.

Thence with said west line and the east line of said Logan County
Commissioners' 73.14 acre tract S. $89^{\circ} 56'$ W. 17.32 feet to a 0.625
inch iron bar.

Thence with said line N. $11^{\circ} 02' 48''$ W. 1194.00 feet to a 0.625
inch iron bar.

Thence with said line N. $89^{\circ} 56'$ E. 17.32 feet to a 0.625 inch
iron bar.


Thence with said line N. $11^{\circ} 02" 48"$ W. 681.15 feet to the place
of beginning.




Containing 4.427 acres more or less.

The above described 4.427 acre tract being on the south side
of The Logan County Commissioners 13.92 acre tract as described in
D. B. Vol. 402 Page 848.



Leslie H. Geeslin
LESLIE H. GEESLIN
KUSHSYLVANIA, OHIO





Leslie H. Geeslin
LESLIE H. GEESLIN
RUSHSYLVANIA, OHIO

LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347

TELEPHONE: (513) 468-2793

PENN-CENTRAL CORPORATION

TO

LOGAN COUNTY

November, 1983

The following described real estate situated in the State of Ohio, County of Logan, Township of Washington, being part of Section 35, Town 6 South, Range 8 East in the corporation of Russells Point and more particularly described as follows:


Beginning at an iron bar at the northeast corner of a 1.07 acre tract in the westerly right-of-way line of State Route 33 that is N. $46^{\circ} 10' 48''$ W. 491.73 feet from the beginning of a 3385.46 foot radius curve to the left; thence with said curve to the left, the chord of which measures N. $50^{\circ} 39'$ W. 34.76 feet, to a point; thence N. $85^{\circ} 47'$ W. 104.24 feet to a point in a 3769.83 foot radius curve; thence with said curve to the right, the chord of which measures S. $51^{\circ} 47'$ E. 35.78 feet, to an iron bar at the northwest corner of said 1.07 acre tract that is N. $42^{\circ} 31' 30''$ W. 1177.06 feet from the beginning of said 3769.83 foot radius curve; thence with the north line of said 1.07 acre tract S. $85^{\circ} 47'$ E. 102.99 feet to the place of beginning.

Containing 2072 sq. ft. or 0.048 acre more or less.

6909 12D

OHD 000 M43


S.R. 720



THIS SURVEY CERTIFIED AS TO
CORRECTNESS TO THE PENN-CENTRAL
CORPORATION AND TO THE TITLE
INSURANCE COMPANY INSURING
THEIR INTERESTS IN THE
PREMISES.



Leslie H. Geeslin
LESLIE H. GEESLIN
RUSHSYLVANIA, OHIO



SURVEY OF 0.048 AC. TRACT IN SEC. 35, T.6S.,
R.8E., WASHINGTON TWP., LOGAN CO., OHIO
VILLAGE OF RUSSELLS POINT

DATE	DRAWN BY	APPROVED BY
11-11-83	L.H.G.	
SCALE	REVISED	
1"=50		
DRAWING NUMBER		