0.316 Acre Parcel

Situate in Section 27, Town 5, Range 13, Village of West Liberty, Liberty Township, Logan County, Ohio, being part of Lots 2 and 3 of the Plat of the Village of West Liberty, Plat Cabinet A, Slide 64, being also all of Tract 1 , 0.316 acres, as deeded to John J. Keely, ETAL., and recorded in Volume 756, Page 45 of the Official Records of Logan County, and being more particularly described as follows:

Beginning at a found 5/8" capped iron pin at the intersection of the East right-of-way line of South Detroit Street (State Route 68), and the South right-of way line of East Baird Street (State Route 245), said point being the Northwest corner of said Lot 3;

Thence, with the South right-of-way of East Baird Street, and with the North line of Lot 3, N 86° 56' 05" E, a distance of 149.68 feet, to a found 5/8" capped iron pin, said point being the Northwest corner of a 0.3147 acre parcel as deeded to Paul C. Donnan, and recorded in Volume 876, Page 683 of the Official Records of Logan County;

Thence, leaving the right-of-way line of East Baird Street, with the West line of said 0.3147 acre parcel, S 03° 08' 41" E, a distance of 91.91 feet, to a point, witness a found, bent 5/8" iron pin, S 25° 40' 06" W, a distance of 0.92 feet, said point being in the North line of a parcel comprised of parts of Lots 1 and 2 of said Plat of Village, as deeded to Shirley L. Brandt, and recorded in Volume 309, Page 190, of the Official Records of Logan County;

Thence, with the North line of said Brandt parcel, S 86° 57' 02" W, a distance of 149.91 feet, to a found 5/8" capped iron pin in the East right-of-way line of South Detroit Street;

Thence, with the East right-of-way line of South Detroit Street, and with the West line of Lots 2 and 3, N 03° 00' 00" W, a distance of 91.87 feet, to the Place of Beginning;

Containing 0.3160 acres and subject to all legal easements, rights-of-way, and restrictions of record.

Bearings based on a survey by Paul R. Clapsaddle, P.S., dated November 2002, the South right-of way of East Baird Street, bearing N 86° 56' 05" E.

The above description is the result of a field survey prepared by WYCO Consulting, Inc., Ruth H. Campbell, Ohio Registered Surveyor No. 7628 dated August 29, 2007, the survey of which is filed in the Logan County Engineer's Record of Land Surveys.

INDEXED ON MAP

Prior Deed Ref: O.R. 756, Pg. 45

ep\draw\1340\1340-711\docs\legal-d\1340-711_0.316 acre parcel.doc

Ruth Campbell

Registered Professional Surveyor

#7628 State of Ohio

WYCO Consulting, Inc. 10 Stadia Drive Franklin, OH 45005

RUTH ON
H. *
CAMPBELL 7628
O STERL OF
RESTONAL SUR
ANAL SON T
10 640

Ruth H. Campbell Registered Professional Surveyor #7628 State of Ohio

SURVEY RECORD

REVISIONS 10/22/07 per Logan County comments	DESIGNED BY: DC	HORIZ. SCALE: 1" = 20'
	DATE: 08/29/07	VERT. SCALE: N/A
	DWG. NO.: 1340-711	DWG. 1 of 1

WYCO CONSULTING, INC.
10 Stadia Drive
Franklin, Ohio 45005
(937) 743-9926



Rep 11-18-02 SMM OK

SURVEY FOR ROY KEELY 0.316 Acres November 15, 2002

The following described 0.316 acre tract is situated in the State of Ohio, County of Logan, Township of Liberty, Village of West Liberty, Section 27, Town 5, Range 13, being part of Roy L. Keely's Tract I (no acreage listed) and all of his Tract II (no acreage listed), said tracts being part of Lot 2 and Lot 3 of West Liberty as recorded in Plat Cabinet A, Slide 64, and described in Official Record 587, page 474, said 0.316 acre tract being more particularly described as follows:

Beginning at an iron pin set at the intersection of the east right of way line of Detroit Street (S.R. #68, 70 feet wide) with the south right of way line of Baird Street (S.R. #245, 60 feet wide), said iron pin being South 03°00'00"E 59.79 feet from a chiseled "X" found at the intersection of the east right of way line of Detroit Street with the north right of way line of Baird Street and marking the northwest corner of said Tract I and the **place of beginning**;

Thence North 86°56'05" East (assumed bearing) 149.68 feet, following the south right of way line of Baird Street and the north line of said Lot 3, to an iron pin set at the northwest corner of Paul C. and Patricia B. Donnan's 0.418 acre tract described in Official Record 58, page 694;

Thence **South 03°08'41"** East 91.91 feet, departing from the south right of way line of Baird Street, following a west line of said 0.418 acre tract and crossing said Lot 3 and Lot 2, to a 5/8 inch iron pin found in the north line of Shirley L. Brandt's "part of Village Lots No. 1 and 2" described in Official Record 309, page 190;

Thence South 86°57'02" West 149.91 feet, following the north line of said Brandt tract, to a 5/8 inch iron pin found with cap marked "D.E.G. 5402" in the east right of way line of Detroit Street and in the west line of said Lot 2;

Thence North 03°00'00" West 91.87 feet, following the east right of way line of Detroit Street and the west line of said Lot 2 and said Lot 3, to the place of beginning, containing 0.316 acres, more or less, and being subject to all valid easements and restrictions of record.

The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor #6140, during the month of November 2002. Bearings indicated herein are based on an assumed meridian with all others based on angles turned. Iron pins set are 5/8 inch_by 30 inch reinforcing rods with caps_marked "CLAPSADDLE RS #6140".

ATTEST:

Paul R. Clapsaddle, R.S. #6140

19019 West Darby Road Marysville, Ohio 43040

(937) 747-2599





SURVEY FOR ROY KEELY

State of Ohio, County of Logan, Township of Liberty, — Section 27, Town 5, Range 13, Village of West Liberty, being part of Roy L. Keely's Tract I (no acreage listed) and all of his Tract II (no acreage listed), said tracts being part of Lot 2 and Lot 3 of West Liberty recorded in Plat Cabinet A, Slide 64, and described in Official Record 587, page 474

NOTES:

Reference deeds are shown hereon.

Tracts A-D are part of Roy L. Keely's Tract I and tracts E & F are all of his Tract II, both Tracts described in Official Record 587, page 474

- (A) Tract I, Paragraph 6, 100' x 20' parcel
- B Tract I, Paragraph 5, 50' x 25' parcel
- © Tract I, Paragraph 1
- (D) Tract I, Paragraph 2, remainder of 12 feet wide strip off of the north side of Lot 2
- (E) Tract II, Paragraph 3, 150' x 8' parcel
- (F) Tract II, Paragraph 2, 0.1033 acre tract

Bearings indicated hereon are based on an assumed meridian with all others based on angles turned.

LEGEND:

- Chiseled "X" found
- 5/8 inch iron pin found with cap marked "D.E.G. 5402" unless noted
- 3/4 inch iron pipe found
- 5/8 inch iron pin set with cap marked "CLAPSADDLE RS#6140"



Paul R. Clapsaddle and Associates


REGISTERED ENGINEERS AND SURVEYORS


19019 WEST DARBY ROAD, MARYSVILLE OHIO 43040 (937) 747-2599

Paul R. Clapsaddle, P.E., P.S.

Project: Keely1102 Drawing: Keely.Shell_Station.1102 Scale: 1" = 40'

Date: 11/20/02





Description for the
Liberty Machine Products
Property
West Liberty, Ohio.

The following described real estate situated in the Village of West Liberty, Township of Liberty, County of Logan, State of Ohio and being a part of Lots No. 1, 2, & 3 of said village and also being a part of Section 27, T. 5, R. 13, B. M. R. S. and being more particularly described as follows:

Beginning at a 1 Inch rebar found in the north line of Lot No. 3 and the south line of East Baird Street (60 feet wide) and being the northeast corner to Geraldine C. Keely's present part of Lot No. 3 as recorded in Deed Volume 177 Page 545 (9-6-1944), and being N. 87° 30° 00° E. 149.89 feet from the northwest corner of Lot No. 3:

Thence with the north line of Lot No. 3 and the south line of East Baird Street, N. 87° 30° 00° E. 114.42 feet to a 5/8 Inch rebar found (capped - C. M. Lee) at the northwest corner to Earl F. Davidson's part of Lot No. 3 as recorded in Deed Volume 402 Page 32 (10-7-1983);

Thence with Davidson's west line, S. 2°25' 00" E. 149.80 feet to a 1 Inch iron pipe found at the northeast corner to WED Trust property as recorded in Deed Volume 398 Page 306 (8-7-1980), passing through a 1 Inch iron pipe found in the east line of Lot No. 2 at 52.80 feet and passing through the south line of Lot No. 3 at 50.00 feet;


Thence with the north line of said WED Trust property, S. 88° 10° 25" W. 54.28 feet to a 3/4 Inch iron pipe found;

Thence continuing with the north line of said WED Trust property, S. 88°35' 02" W. 8.90 feet to a 1 Inch iron bolt found at the southeast corner to Lot No. 1 in the name of Philip A. Brandt as recorded in Deed Volume 396 Page 5 (5-12-1982);

Thence with the east line of Lot No. 1, N. 30° 50° 52" E. 16.10 feet to a 5/8 Inch rebar set (capped);

Thence with the east line of Brandt's tract, N. 2° 25' 34" W. 43.59 feet to a 5/8 Inch rebar set (capped) at Brandt's northeast corner, passing through the line between Lots No. 1 and 2 at 35.59 feet;

Thence with Brandt's north line, which is 8 feet north of and parallel with the north line of Lot No. 1, S. 87° 30' 00" W. 210.00 feet to a 5/8 Inch rebar set (capped) in the west line of Lot No. 2, and the east line of South Detroit Street (70 feet wide), passing through a 5/8 Inch rebar set (capped) at 60.00 feet;



Thence with the east line of South Detroit Street and the west line of Lot No. 2, N. 2° 29' 00" W. 30.00 feet to a 5/8 Inch rebar set (capped) at the southwest corner to Geraldine C. Keely's present part of Lot No. 2 as recorded in Deed Volume 177 Page 545 (9-6-1944);

Thence with Keely's south line, which is 12 feet south of and parallel with the north line of Lot No. 2, N. 87° 30' 00" E. 149.96 feet to a 5/8 Inch rebar set (capped) at Keely's southeast corner;

Thence with Keely's east line, N. 2° 35' 00" W. 62.00 feet to the place of beginning, passing through the line between Lots No. 2 and 3 at 12.00 feet, containing a total of 18,203.13 square feet or 0.418 Acres, more or less.

Also being a certain right of way over the following described real estate situated in the Village of West Liberty, Township of Liberty, County of Logan, State of Ohio and being a part of Lot No. 2 as recorded and being a strip of land 8 feet by 150 feet and being more particularly described as follows:

Beginning at a 5/8 Inch rebar set (capped) in the west line of Lot No. 2 and the east line of South Detroit Street, N. 2° 29' 00" W. 38.00 feet from the southwest corner to Lot No. 2 and S. 2 29' 00" E. 12.00 feet from the northwest corner to Lot No. 2:

Thence with the west line of Lot No. 2, N. 2° 29' 00" W. 8.00 feet to a point; Thence parallel with the north line of Lot No. 2, N. 87° 30' 00" E 149.95 feet to a point;

Thence S. 2° 35' 00" E. 8.00 feet to a 5/8 Inch rebar set (capped);
Thence parallel with the north line of Lot No. 2, S. 87° 30' 00" W. 149.96
feet to the place of beginning.

Of the above described 0.418 Acre tract, there is 0.0192 Acres in Lot No. 1, 0.1954 Acres in Lot No. 2, 0.1329 Acres in Lot No. 3 and 0.07 Acres in Section 27, T. 5, R. 13 B.M.R.S.

The above described tract is carried on the Logan County Auditors Tax Duplicate as Per. Par. No. 20-144-12-23-001.001 (Lot No. 2 part - 4,499.75 square feet or 0.1033 Acres), Per. Par. No. 20-144-12-23-014 (Sec. 27 T.5 R.13 - 3,065.08 square feet or 0.07 Acres), and Per. Par. No. 20-144-12-23-015 (Lots No. 1, 2 &3 parts - 10,637.40 square feet or 0.2447 Acres).

I hereby certify that the thouse made October /8, 1985.

100 h 100 h

on is the result of a field survey

Daniel E. Gilbert, P.S.

Reg. Sur. No. 5402 105 Organ Street

Bellefontaine, Ohio 43311

The following described real estate situated in the Village of West Liberty, Township of Liberty, County of Logan, State of Ohio and being a part of Lot No. 2 as recorded and being more particularly described as follows:

Beginning at a 5/8 Inch rebar set (capped) in the west line of Lot No. 2 and the east line of South Detroit Street (70 feet wide) and being the northwest corner to Philip A. Brandt's tract as described in Deed Volume 396 Page 5 (5-12-1982);

Thence with the east line of South Detroit Street and the west line of Lot No. 2, N. 2° 29° 00" W. 30.00 feet to a 5/8 Inch rebar set (capped) at the southwest corner to Geraldine C. Keely's present part of Lot No. 2;

Thence with Keely's south line, N. 87° 30' 00" E. 149.96 feet to a 5/8 Inch rebar set (capped) at Keely's southeast corner;

Thence S. 2° 35' 00" E. 30.00 feet to a 5/8 Inch rebar set (capped) in the north line of Philip A. Brandt's tract;

Thence with Brandt's north line, S. 87° 30° 00" W. 150.00 feet to the place of beginning, containing 4,499.75 square feet or 0.1033 Acres and is Per. Par. No. 20-144-12-23-001.001.

Also a certain right of way over the following described real estate situated in the Village of West Liberty, Township of Liberty, County of Logan, State of Ohio and being a part of Lot No. 2 as recorded and being a strip of land 8 feet by 150 feet and being more particularly described as follows:

Beginning at a 5/8 Inch rebar set (capped) in the west line of Lot No. 2 and the east line of South Detroit Street, N. 2° 29' 00" W. 38.00 feet from the southwest corner to Lot No. 2 and S. 2° 29' 00" E. 12.00 feet from the northwest corner to Lot No. 2:

Thence with the west line of Lot No. 2, N. 2° 29' 00" W. 8.00 feet to a point; Thence parallel with the north line of Lot No. 2, N. 87°30' 00" E. 149.95 feet to a point;

Thence S. 2° 35' 00" E. 8.00 feet to a 5/8 Inch rebar set (capped);
Thence parallel with the north line of Lot No. 2, S. 87° 30' 00" W. 149.96
feet to the place of beginning.

I hereby certify that the above description is the result of a field survey

made October 18, 1985.

MD EXED ON MAP 1459 30-3

Daniel E. Gilbert, P.S. Reg. Sur. No. 5402

105 Organ Street

Bellefontaine, Ohio 43311

9/8 PREBAR FO. (CAPPED - C.M. LEE) 264.31' N. 87º30'-00 "E. 114.42 1"INCH P 149.89 (5,789.12 0'
OR
0.1329 ACRES GERALDINE C. KEELY DEED VOL. 177 PAGE 545 (9-6-1944) LOT 3 PER. PAR. No. 20-144-12-23-001 EXISTING BUILDING I" IRON PIPE FO PER. PAR. No. 20 114 12 27 015 10,637.40 OR 0.2447 ACRES 8'X 150' RIGHT OF WAY N. 87º 30-00"E. 4,011.93 11 0.0926 ACRES Lor 2 PER. PAR. No. -20-144-12-23-001-001 4,499.75 OR 0.1033 ACRES 5.87°30'-00"W. C X 1 100000 W 10 836.35 D' N OR 0 OR 10 0.019 Ad. EXISTIN PHILIP A. BRANDT DEED VOL. 396 PAGE 5 (5-12-1982) LOT 1 OLD BUILDING Per. Par. No. 20-144-12-23-002 FALLING DOWN 5.88°10'-25"W. 54.28 201.05 N. 87º 12'-53" E. ALLEY - 12.50' EXTERIOR WARREN E. DODSON ETUX ₩ - 5/8 "x30" REBAR (CAPPED) TRUSTEES OF THE WED TRUST SURVEY OF LIBERTY MACHINE PRODUCTS Deep Vol. 398 PAGE 306 (8-7-1980) PROPERTY PER. PAR. No. 20-144-12-23-003 SECTION 27 T.S R.13 B.M.R.S. VILLAGE OF WEST LIBERTY LIBERTY TOWNSHIP GILBERY NOTE: MAGNETIC BEARINGS FROM Caucief & Gilbert LOGAN COUNTY, OHIO OCTOBER 18, 1985 EXISTING SURVEYS OF RECORD. DANIEL E. GILBERT, P.S. REG. SUR. No. 5402

105 ORGAN STREET

BELLEFONTAINE, OHIO 43311

085-027

SCALE: 1"=20'