The following described land in the Village of West Liberty and being in Liberty Township, Logan County, Ohio and being in Section 27 Town 5 Range 13.

Beginnin at an iron at the south side of Runkle Street and at the East side of Reynolds Street. Thence with the south side of Runkle Street S. 88 - 30' E. 120.00 feet to an iron at the N.W. corner of Herbert E. Stanley's 0.08 acre tract. The last described line being 32.50 feet south of and parellel with the center line of Runkle Street.

Thence with the west side of said Stanley's 0.08 acre tract S. 1° - 45' W. 112.00 feet to an iron in the  $\frac{1}{2}\frac{1}{12}\frac{1}{12}\frac{1}{12}$  north line of Mabel Stewart Foster's 0.40 acre tract.

Thence with the north line of said Foster's 0.40 acre tract and with north line of Mary A, Stewart's 0.17 acre tract. N. 88 - 30' W. 120.00 feet to an iron in the east side of Reynolds Street.

Thence with the east sade of Reynolds Street N. 1° - 45' E. 112.00 feet to the place of beginning. The last described line being 35.00 feet east of and parellel with the center line of Reynolds Street.

The above described tract contains 0.30 of one acre.

cc Logan County Engineer



or 11 p.e.s.

(3610) ID

INDEXED ON MAP

## Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

## KAUFFMAN TO HOLDREN

Lying in the Village of West Liberty, Section 27, T-5, R-13, M.R.S., Liberty Township, Logan County, Ohio and being off the west side of that 0.57 acres deeded and described in Volume 303, Page 784 of the Logan County Records of Deeds and more particularly described as follows:

Beginning at an iron pipe found at the intersection of the north line of Sidney Street with the east line of Reynolds Street.

THENCE, with said east line of Reynolds Street, N 1°-45° E, a distance of 194.33 feet to an iron pipe found at the north-west corner of said 0.57 acre.

THENCE, with the north line, S 88°-30° E, a distance of 100.00 feet to an iron rod set 50 feet westerly from the northeast corner of said 0.57 acre.

THENCE, parallel to Reynolds Street, and running 50 feet distant from and parallel to an alley to the east, S 1°-45' W, a distance of 155.88 feet to an iron rod set in the north line of Sidney Street.

THENCE, with said north line, S 70°-38' W, a distance of 107.14 feet to the point of beginning. Containing 0.402 acre.

Last preceding deed reference: Volume 303, Page 784.

Surveyed by:

Clayton M. Lee

Reg. Surveyor No. 6181

5-2-78

SURVEYOR IN

THE SECOND STATES

