CHAMBERS SURVEY


V. M. S. 775-6155 West Mansfield, Ohio April 20, 1957

The following described real estate situated in the Village of West Mansfield, Bokescreek Township, Logan County, Ohio and being part of Virginia Military Survey No. 775-6155 and more particularly described as follows:

Beginning at a point in the center line of Center Street in the Village of West Mansfield, at the Southwest corner of Willis W. Bayless' 0.78 acre tract; thence with said center line N. 78°-06' W. 50.3 feet to the Southeast corner of Harrison M. Tevis' 2.49 acre tract; thence with said Tevis' east line N. 12°-30' E. 567.4 feet to an iron pin at the northeast corner of said Tevis' tract and in the south line of Lewis W. Tamplins' 27.33 acre tract, passing an iron pipe at 29.2 feet; thence with said Tamplins' south line S. 77°-57' E. 50.3 feet to a stone at the northwest corner of said Willis W. Bayless' 0.78 acre tract; thence with said Bayless' west line S. 12°-30' W. 566.4 feet to the place of beginning, passing an iron pin at 537.2 feet.

Containing 0.65 of an acre more or less.

L. W. Tamplin 27.33 N. 770-57'W. 50.3' Iron-Pin Stone W S. 18°-30'N. N. 12°-30 008/653 グバイ 0.65 A 5 1 × 4 567. g V. 0 Iron Iron PIDE 5.78°-06'E. 50.3' CENTER 60' 57. CHAMBERS SURVEY WEST MANSFIELD, OHIO 5CALE 1"=20" MARKED ON INVE April 20, 1957 2422) IP Surveyed by D. T. Dodson Reg. Surveyor No. 4270





DAVID LEVAN SURVEY 0.784 Acre June 4 2018

The following described 0.784 acre tract is situated in the State of Ohio, County of Logan, Township of Bokescreek, Village of West Mansfield, V.M.S. 775-6155, being all of David A. LeV and Cheryl L. LeVan's 78/100 acre tract described in Official Record 1185, page 8, and said 0.784 acre tract being more particularly described as follows; LeVan

Beginning for reference at a 3/8 inch iron pin found at the intersection of the east line of the Conrail Railroad with the centerline of East Center Street (State Route 47, 60 feet wide);

Center Street, to a 3/8 inch iron pin found; Thence North 86°11'19" East (assumed bearing) 37.99 feet, following the centerline of East

place of beginning; Robin L. Little's 0.39 acre Tract II described in Official Record 287, page 488, said nail marking the Thence South 79°31'25" East 516.81 feet, following the centerline of East Center Street, to a magnetic nail set at the southwest corner of said 78/100 acre tract and at the southeast corner of

to an iron pin set in a south line of Jerry Regula's 70.25 acre Tract II described in Official Record described in Official Record 875, page 942, thereafter following the east line of said 0.26 acre tract, passing at 30.01 feet a magnetic nail set, and passing at 341.54 feet a 5/8 inch iron pin found with cap marked "CLAPSADDLE RS 6140" at the southeast corner of Jerry Regula's 0.26 acre tract 120, page 146; Street, following the west line of said 78/100 acre tract and the east line of said 0.39 acre tract, Thence North 11°52'32" East 569.54 feet, departing from the centerline of East Center

and a south line of said 70.25 acre tract, to an iron pin set at the northwest corner of Marlene C Forsythe's 1 acre tract described in Official Record 1067, page 148; Thence South 78°43'13" East 60.00 feet, following the north line of said 78/100 acre tract

nail set in the centerline of East Center Street; and the west line of said 1 acre tract, passing at 538.68 feet a 5/8 inch iron pin found, to a magnetic Thence South 11°52'30" West 568.69 feet, following the east line of said 78/100 acre tract

the south line of said 78/100 acre tract, to the *place of beginning, containing 0.784 acre*, more or less, and being subject to all valid easements and restrictions of record. Thence North 79°31'25" West 60.02 feet, following the centerline of East Center Street and

Of the above described 0.784 acre tract, 0.040 acre is within the right of way of East Center

are based on an assumed meridian with all others based on angles turned. The above description was prepared from a field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor 6140, during the month of June 2018. Bearings indicated herein

nodell

ATTEST:

Paul R. Clapsaddle, R.S. #6140 19019 West Darby Rd.

Paul K. Clapsaddle, K.S. 19019 West Darby Rd. Marysville, Ohio 43040 (937) 747-2599

