Deed Description
0.412 Acre out of John B. and Joan P. Kelly's 5.00 acres
VMS 775 & 6155, West Mansfield, Ohio

Situated in the Village of West Mansfield, Bokescreek Township, Logan County, Ohio and being part of Virginia Military Survey No. 775 & 6155, more particularly described as follows:

Beginning at the intersection of the center lines of State Route No. 47 and Dean Street at Station 653+99.65 as shown on Plan L-34 on file in the Logan County Engineer's Office: thence with the center line of said State Route No. 47 North 83 Degrees 16 Minutes West 537.51 feet to a railroad spike set at station 648+62.14 said point being the true point of beginning of this description.

Thence South 7 Degrees 06 Minutes West 164.89 feet, passing an iron pin set on the right of way line at 25.00 feet, to an iron oin;

Thence South 89 Degrees 16 Minutes West 104.83 feet to an iron pin; Thence North 6 Degrees 44 Minutes East 178.58 feet, passing an iron pin set on the right of way of said highway at 153.56 feet, to a railroad spike set in the center of said highway at station 647+57.12;

Thence with the center of said highway South 83 Degrees .6 Minutes East 105.02 feet to the point of beginning;

Containing 0.412 acre out of John B. and Joan P. Kelly's 1.30 acres as recorded in Volume 349 Page 5 of the Logan County Recorder's Deed Records.


Surveyed Feb. 10, 1974

By Larry 6. Blosser SIF # 1199

Checked By: Cecil E. Mengerink

E Surv. #13:51

WOEKED ON MAP 1P



(5579) IP

A SURVEY OF JOHN B & CLAN F MELLY'S 4.597 ACRES
IN V M.S. # 775 AND G155, IN THE VILLAGE OF
WES MANSFIELD, BOKESCREEK TWP, LOCAH CO., OHIO
BY LARRY E. BLOSSER "IT # 199

RS 3.51

Situated in the Village of West Mansfield, Bokescreek Township, Logan County, Ohio, V. M. S. 775 and 6155 and being off the east side of that 5.0 acre tract described in Volume 352, Page 316 of the Logan County Records of Deeds and more particularly described as follows:

Beginning at a railroad spike in the center-line of State Route 47, said point marking the northeast corner of said 5.0 acre tract and lying westerly, along the center-line of S. R. 47, a distance of 473.60 feet from the center-line of Dean Street and designated as being Station 649+26.04 on Plan L-34 on file in the County Engineers Office.

THENCE, with the east line of the 5.0 acre tract, S 17°-22' E, a distance of 606.87 feet, to an iron rod marking the Southeast corner of said 5.0 acre tract.

THENCE, with the south line of the 5.0 acre tract, S 72°-15' W, a distance of 126.63 feet, to an iron rod set for the Southwest corner of this survey.

THENCE, N 17°-22' W, a distance of 483.72 feet to an iron rod marking the Southeast corner of a 0.412 acre lot as recorded in Volume 357, Page 34 of the Logan County Records of Deeds.

THENCE, with the east line of said 0.412 acre lot, N 7° -06' E, a distance of 164.89 feet to a railroad spike in the center-line of S.R. 47, passing an iron rod set in the right-of-way at 139.89 feet.

THENCE, with the center-line of S.R. 47, S 83°-16' E, a distance of 63.91 feet, to the point of beginning. Containing 1.706 acres.

Previous deed recordings:

Volume 352, Page 316 Volume 357, Page 34

Surveyed September 8, 1975

by (clayton M. Lee, P. S.

NDEXED ON MAP Reg. Surveyor # 6181

5549 20

