Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

MOFFITT TO SMALL

Lying in V.M.S. 775-6155, Village of West Mansfield, Bokescreek Township, Logan County, Ohio.

Being the greater part of that 2.00 acres deeded and described in Volume 362, Page 24, Tract 2 of the Logan County Records of Deeds and more particularly described as follows:

Being that said 2.00 acres mentioned above EXCEPT the following 0.095 acre tract retained by grantor.

Beginning at an iron rod found marking the northwest corner of granyee's 0.20 acre lot (Volume 393, Page 399).

THENCE, with the south line of said 2.00 acres, S 73°-05' W, a distance of 101.21 feet to an iron pipe found marking the southwest corner of said 2.00 acres.

THENCE, with the west line of said 2.00 acres, the following three (3) bearings and distances:

N 14°-00' W, 30.51 feet to an iron rod.

N $74^{\circ}-42^{\circ}-30^{\circ}$ E, 15.00 feet to an iron rod.

N 4°-48'-30" W, 9.61 feet to an iron rod.

THENCE, N 68°-15° E, a distance of 85.55 feet to an iron rod.

THENCE, with the west line extended of grantee's west line of said 0.20 acre lot, S 140-00' E, a distance of 46.71 feet to the point of beginning. Leaving for transfer 1.905 acres.


Last previous deed references: Volume 362, Page 24.

E OF Volume 393, Page 399.

M.
LEE
6181 © Clayton M.
Reg. Surveyor
Revised 5-10-82


CRVEYORRES. Surveyor No. 6181

INDEXED ON MAP



2 WORKING DAYS BEFORE YOU DIG

CALL TOLL FREE 800-362-2764 OHIO UTILITIES PROTECTION SERVICE.




LEGEND

- 5/8 INCH IRON ROD SET
- Ø MAG NAIL FOUND
- O 1-1/2 INCH IRON PIPE FOUND

RETRACEMENT SURVEY OF THE JAMES B. ELLIOTT. SHONIA L. ELLIOTT BART A. ELLIOTT. BRETT A. ELLIOTT 0.13 ACRE TRACT O.R. 149. PG. 204. TRACT NO. 1 VIRGINIA MILITARY SURVEY 775-6155 VILLAGE OF WEST MANSFIELD **BOKESCREEK TOWNSHIP** LOGAN COUNTY, OHIO

5

VANCE



INDEXED ON MAP 6753 ZP

N 75° 30.00°E (BASIS FOR BEARINGS)

ORIGINAL STAMP IN GREEN

JEFFREY 1. LEE PROFESSIONAL SURVEYOR 6359 APRIL 20. 2001

COPYRIGHT 2001 BY:

LEE SURVEYING & MAPPING CO.. INC. 117 North Madriver Street BELLEFONTAINE. OHIO 43311

(937) 593-7335 D 398 BELIOT

L-3125-3

1-10-14



Lee Surveying and Mapping Co., Inc.

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

MOORE 0.344 ACRE

Lying in Virginia Military Survey 775 and 6155, Village of West Mansfield, Bokescreek Township, Logan County, Ohio.

Being out of the Darick J. Moore 0.538 acre tract as deeded and described in Official Record 744, Page 588, Tract II of the Logan County Record of Deeds and being more particularly described as follows:

Commencing at a 5/8 inch iron rod found at the intersection of the north right-of-way of Center Street (60 feet wide) and the east right-of-way extended of Vance Street (40 feet wide) and the east right-of-way of a 16 feet wide alley.

THENCE, with the north right-of-way of Center Street, N 77°-02'-31"E, a distance of 259.72 feet to a 5/8 inch iron rod set.

THENCE, with the east line of the Darick J. Moore 0.21 acre tract (O.R. 744, Pg. 588, Tract I), and the west line of the Ronald L. Johnson and Sandra L. Johnson 0.21 acre tract (Vol. 351, Pg. 333), N 10°-22'-53"W, a distance of 150.15 feet to a 5/8 inch iron rod set at the TRUE POINT OF BEGINNING.

THENCE, N 10°-22'-53"W, a distance of 162.00 feet to a 5/8 inch iron rod set.

THENCE, with the south line of the Helen Elliott 9.50 acre tract (O.R. 739, Pg. 94), S 77°-00'-00"E, a distance of 133.49 feet to a 5/8 inch iron rod found.

THENCE, with the west line of the Sara A. Wolfe 1.905 acre tract (O.R. 1059, Pg. 704) and a west line of the Equity Trust Co. Custodian FBO Michelle R. Dillard IRA and Wenchun, LLC 0.095 acre tract (O.R. 913, Pg. 908) S 01°-03'-44"E, a distance of 74.05 feet to a 5/8 inch iron rod found.

THENCE, with the lines of the said 0.095 acre tract the following two courses:

S 78°-05'-25"W, a distance of 15.49 feet to a 5/8 inch iron rod found.

S 10°-21'-54"E, a distance of 30.98 feet to a 3/4 inch iron pipe found.

THENCE, with the north line of the Carolyn Hindall 0.18 acre tract (Vol. 374, Pg. 240) and the north line of the said Johnson 0.21 acre tract, S 76°-52'-27"W, a distance of 95.15 feet to the point of beginning.

Containing 0.344 acre.

This Parcel is to be attached to an adjoining tract of land and is not to be used as a separate and independent parcel.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the north right-of-way of Center Street, being N 77°-02'-31"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on December 23, 2013.

Description prepared by:

William K. Bruce Professional Surveyor 7437

December 23, 2013 Revised January 9, 2014 MODELED ON MAP

L-24691013

