


CLAUDE SKIDMORE

9 1015 o 2 GISLE AD



Total - 253.24 acres

1085 IP



ee Surveying and Mapping Co., Inc



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

117 NORTH MADRIVER STREET BELLEFONTAINE, OHIO 43311

(937) 593-7335 FAX (937) 593-7444

WESTFALL 29,008 ACRES

Lying in Virginia Military Survey 3688, Zane Township, Logan County, Ohio.

Being out of the John L. Westfall and Alice Ann Westfall original 96.0 acre tract and 2.44 acre tract as deeded and described in Volume 353, Page 975, Tracts II and III of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at an axle found on end at the intersection of center-lines of Township Road 161 and Township Road 160.

THENCE, with the center-line of Township Road 160, N 53°-50'-37" E, a distance of 666.67 feet to a stone found at Station 33+97.5 at an angle in the said road.

THENCE, with the northerly line of the Henry Farms original 152.52 acre tract (O.R. 216, Pg. 397, Tract One), N 53°-28'-26" E, a distance of 1570.33 feet to a 3 inch angle iron fence post found at the TRUE POINT OF BEGINNING.

THENCE, with the south line of the John L. Westfall 4.72 acre tract (Vol. 353, Pg. 975, Tract I), and 96.81 acre tract (Vol. 353, Pg. 975, Tract V), N 53°-28'-26" E, a distance of 768.37 feet to a stone found.

THENCE, with the lines of the Howard Cleon Lininger original 71.0 acre tract (Vol. 322. Pg. 80, Tr. 1 & 2) the following two courses:

S 31°-00'-47" E, a distance of 350.37 feet to a wood fence post found.

N 60°-50'-07" E, a distance of 187.00 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 2.00 feet.

THENCE, S 32°-09'-43" E, a distance of 1108.12 feet to a 5/8 inch iron rod set.

THENCE, S 60°-55'-03" W, a distance of 406.23 feet to a 5/8 inch iron rod set.

THENCE, S 63°-24'-10" W, a distance of 531.96 feet to a 5/8 inch iron rod set.

THENCE, with the easterly line of the aforementioned 152.52 acre tract, N 32°-37'-26" W, a distance of 1336.37 feet to the point of beginning.

Containing 29.008 acres.

The basis for bearings is the center-line of Township Road 160 north of Station 33+97.5 being N 31°-32'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on December 9, 1997.

Description prepared by:

Jetfrey I. Lee


Professional Surveyor 6359


December 12, 1997

L 1778

SONAL SURVE ORIGINAL STAMP IN GREEN

00





" PEID 5-14-10 SM OK

HENRY FARMS SURVEY 150.759 ACRES May 7, 2010

The following described 150.759 acre tract of land is situated in Virginia Military Surveys 3688 and 4859, Zane Township, Logan County and Wayne Township, Champaign County, Ohio and being all of Douglas K. Henry's, Dean A. Henry's, Michael B. Henry's and Mark W. Henry's 152.52 acre, Tract One, described in Logan County Official Record Volume 931, page 758 and in Champaign County Official Record Volume 475, page 3367, said 150.759 acre tract more particularly described as follows:

Beginning at a magnetic nail found at the intersection of the centerline of Logan County, Zane Township Road 160 (60 feet wide) with the northernmost terminus of the centerline of Logan County, Zane Township Road 161 (60 feet wide), said nail also at the westernmost corner of said 152.52 acre tract;

Thence **North 52°11'40"** East 666.70 feet, following the centerline of Logan County, Zane Township Road 160 and the northwest line of said 152.52 acre tract, to a stone with a drill hole found at centerline Station 33+97.5 as referenced in Logan County Engineer's field book 513, page 42, said stone marking the southernmost corner of Earl F. Schrack, Jr.'s 10.853 acre tract described in Logan County Official Record Volume 599, page 678;

Thence **North 51°59'02"** East 543.69 feet, departing from the centerline of Logan County, Zane Township Road 160, following the southeast line of said 10.853 acre tract and the northwest line of said 152.52 acre tract, passing an iron pin set at 30.11 feet, to a ½ inch iron pin found at a southern corner of Douglas A. Lininger's and Paul H. Lininger's 77.593 acre, Tract II, described in Logan County Official Record Volume 351, page 978;

Thence North 51°41'35" East 556.37 feet, following the southeast line of said 77.593 acre tract and the northwest line of said 152.52 acre tract, to a one inch iron pipe found in the northeast line of V.M.S. 4859 and in the southwest line of V.M.S. 3688;

Thence **North 51°46'00"** East 470.35 feet, entering V.M.S. 3688, following the southeast line of said 77.593 acre tract and the northwest line of said 152.52 acre tract, to a 3 inch angle iron post found at the westernmost corner of Douglas A. Lininger's and Paul H. Lininger's 29.008 acre, Tract I, described in Logan County Official Record Volume 351, page 978;

Thence South 34°15'41" East 3085.72 feet, following the southwest line of said 29.008 acre tract, the southwest line of a 69.432 acre, Parcel VI, Tract I, conveyed to Alice A. Westfall, Trustee of the Alice A. Westfall Irrevocable Trust (½ interest) by Logan County Official Record Volume 369, page 590 and to John L. Westfall, Trustee of the John L. Westfall Irrevocable Trust (½ interest) by Logan County Official Record Volume 369, page 599, and following the northeast line of said 152.52 acre tract, passing a 5/8 inch iron pin found at 1336.60 feet, to a 12 inch wood corner post found in the northwest line of a 137.10 acre, Parcel VII, conveyed to Alice A. Westfall, Trustee of the Alice A. Westfall Irrevocable Trust (½ interest) by Logan County Official Record Volume 369, page 590 and to John L. Westfall, Trustee of the John L. Westfall Irrevocable Trust (½ interest) by Logan County Official Record Volume 369, page 599, said post also in the southeast line of V.M.S. 3688 and in the northwest line of V.M.S. 4658-4678;

Thence **South 61°01'34"** West 700.54 feet, following the northwest line of V.M.S. 4658-4678, the southeast line of V.M.S. 3688, the southeast line of V.M.S. 4859, the northwest line of said 137.10 acre tract, and the southeast line of said 152.52 acre tract, to a one inch iron pipe found at the northernmost corner of V.M.S. 4666 and the northernmost corner of Charles Frederick Sheehe's 10 acre tract (last tract) described in Logan County Deed Volume 325, page 301 and in Champaign County Deed Volume 200, page 716;



Thence **South 56°49'41"** West 1534.71 feet, following the southeast line of V.M.S. 4859, the northwest line of V.M.S. 4666, the northwest line of said 10 acre tract, and the southeast line of said 152.52 acre tract, leaving Logan County, Zane Township and entering Champaign County, Wayne Township, to an iron pin set at an angle point in the northeast line of Edward D. Phillips, Steven E. Phillips, Kenneth A. Phillips, Marsha S. Davidson and Gerald L. Phillips 96.17 acre tract described in Logan County Official Record Volume 284, page 629 and Official Record Volume 947, page 259 and in Champaign County Official Record Volume 182, page 116 and Official Record Volume 478, page 2253;

Thence North 34°04'03" West 1236.88 feet, departing from the northwest line of V.M.S. 4666 and entering V.M.S. 4859, leaving Champaign County, Wayne Township and re-entering Logan County, Zane Township, following the southwest line of said 152.52 acre tract and the northeast line of said 96.17 acre tract, passing at 213.18 feet a 5/8 inch iron pin found at an angle point in the centerline of Logan County, Zane Township Road 161, following the centerline of said road thereafter, to a railroad spike found;

Thence North 34°25'00" West 1606.46 feet, following the centerline of Logan County, Zane Township Road 161 and the southwest line of said 152.52 acre tract, to the place of beginning, containing 150.759 acres, more or less, and subject to all valid easements and restrictions of record.

Of the above-described 150.759 acre tract of land, 150.617 acres are within Logan County, Zane Township, 0.142 acre is within Champaign County, Wayne Township, 32.829 acres are within V.M.S. 3688, 117.930 acres are within V.M.S. 4859, and 2.306 acres are within the road right-of-way.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of May 2010. Iron pins set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of Logan County Township Road 161 (60 feet wide) bearing North 34°25'00" West.

Description prepared by:

George A. Blackburn, R.S. #7873

12125 Green Street Middleburg, Ohio 43336

(937) 666-5605

INDEXED ON MAP



PLAT OF SURVEY IN VIRGINIA MILITARY SURVEYS 3688 AND 4859 ZANE TOWNSHIP, LOGAN COUNTY AND WAYNE TOWNSHIP, CHAMPAIGN COUNTY OHIO Douglas A. Lininger and Paul H. Lininger Tract II, 77.593 acres Log. Co. O.R. 351, pg. 978 3" Angle iron Douglas A. Lininger and Paul H. Lininger Tract I, 29.008 acres Log. Co. O.R. 351, pg. 978 SCALE IN FEET Earl F. Schrack, Jr. 10.853 acres Log. Co. O.R. 599, pg. 678 - Sta. 33+97.5 Log. Co. Eng. F.B. 513, pg. 42 Alice A. Westfall, Trustee of the Alice A. Westfall Irrevocable Trust (1/2 interest) Log. Co. O.R. 369, pg. 590 and John L. Westfall, Trustee of the John L. Westfall Irrevocable Trust (1/2 interest), O.R. 369, pg. 599 Parcel VI, Tract I, 69.432 acres 150.759 Acres (2.306 Acres in Road Right-of-Way) Douglas K. Henry, Dean A. Henry, Michael B. Henry and Mark W. Henry Tract One, 152.52 acres Logan County O.R. 931, pg. 758 Champaign County O.R. 475, pg. 3367 LEGEND Alice A. Westfall, Trustee of the Alice A. Westfall Irrevocable Trust (1/2 interest) Log. Co. O.R. 369, pg. 590 and John L. Westfall, Trustee of the John L. Westfall Irrevocable Trust (1/2 interest), O.R. 369, pg. 599 Parcel VII, 137.10 acres Railroad spike found Magnetic nail found 5/8" Iron pin found unless otherwise noted O 5/8" Iron pin set 1" Iron pipe found Stone found with drill hole (150.617 Acres in Logan County) __ 3" Angle iron post found 10 acres (last tract) Logan Co. D.V. 325, pg. 301 and Champaign Co. D.V. 200, pg. 716 ■ 7/8" Square head bolt found LOGAN COUNTY, ZANE TOWNSHIP CHAMPAIGN COUNTY, WAYNE TOWNSHIP (0.142 Acre in Champaign County) Edward D. Phillips, Steven E. Phillips, Kenneth A. Phillips VICINITY MAP Marsha S. Davidson and Gerald L. Phillips 96.17 acres Logan County O.R. 284, pg. 629 and O.R. 947, pg. 259 Champaign County O.R. 182, pg. 116 and O.R. 478, pg. 2253 (Not to Scale) Logan County, Zane Township Champaign County, Wayne Township North Lewisburg CERTIFICATION: GEORGE A. I hereby certify that this plat was prepared from an actual field survey and that monuments were placed as indicated hereon. BL ACKBURN George A. Blackburn, R.S. 7873

BLACKBURN SURVEYING

12125 GREEN STREET MIDDLEBURG, DHID 43336 (937) 666-5605 DATE: 5/7/2010 SCALE: 1" = 200' Filename: Henry Farms TR161 F.B. 17, pg. 61

PLAT PREPARED FOR HENRY FARMS SHEET 1

OF

°PEZ! D 2:29-12 SWY OK


CHARLES F. SHEEHE SURVEY 50.249 ACRES February 18, 2012

The following described 50.249 acre tract of land is situated in Virginia Military Survey 4666, Zane Township, Logan County and Wayne and Rush Township's, Champaign County, Ohio and being all of Charles Frederick Sheehe's 20.0 acre tract, 10.0 acre tract (First Tract), 10.0 acre tract (Second Tract), and 10.0 acre tract (Third Tract) all described in Logan County Deed Volume 325, page 301 and in Champaign County Deed Volume 200, page 716, said 50.249 acre tract more particularly described as follows:

Beginning at an iron bar set in the northwest line of V.M.S. 4666 and in the southeast line of V.M.S. 4859, said iron bar being at the westernmost corner of said 10.0 acre tract (Third Tract) and at an angle point in the northeast line of Edward D. Phillips', Kenneth A. Phillips', Marsha S. Davidson's, Gerald L. Phillips', Blanche Phillips', Steven M. Phillips', Tyson E. Phillips' and Tabitha J. Phillips' 96.17 acre tract described in Logan County Official Record Volume 284, page 629, Official Record Volume 947, page 259, and Official Record Volume 1027, page 578 and in Champaign County Official Record Volume 182, page 116, Official Record Volume 478, page 2253, and Official Record Volume 496, page 2305, said iron bar also bearing South 56°21'19" West 86.94 feet from a 7/8 inch square head iron bolt found in the centerline of Sheehe Road (Champaign County Road 148, 60 feet wide);

Thence North 56°21'19" East 1692.10 feet, following the northwest line of V.M.S. 4666, the southeast line of V.M.S. 4859, the northwest line of said 10.0 acre tract (Third Tract), and the southeast line of said 96.17 acre tract, passing a 7/8 inch square head iron bolt found in the centerline of Sheehe Road at 86.94 feet and a 5/8 inch iron bar found at the southernmost corner of Four Henry LLC's 150.759 acre tract described in Logan County Official Record Volume 993, page 961 and in Champaign County Official Record Volume 495, page 3213, departing from the northeast line of said 96.17 acre tract and following the southeast line of said 150.759 acre tract thereafter, leaving Wayne Township, Champaign County and entering Zane Township, Logan County, to a one inch iron pipe found at the westernmost corner of Alice A. Westfall, Trustee of the Alice A. Westfall Irrevocable Trust's (½ interest) and John L. Westfall, Trustee of the John L. Westfall Irrevocable Trust's (½ interest) 137.10 acre, Parcel VII, described in Logan County Official Record Volume 369, pages 590 and 599 and in Champaign County Official Record Volume 244, pages 1051 and 1060, said iron pipe also at the westernmost corner of V.M.S. 4658-4678;

Thence **South 37°13'15" East 1282.75 feet**, departing from the southeast line of V.M.S. 4859 and the southeast line of said 150.759 acre tract, following the northeast line of V.M.S. 4666, the southwest line of V.M.S. 4658-4678, the southwest line of said 137.10 acre tract, the northeast line of said 10.0 acre tract (Third Tract), the northeast line of said 10.0 acre tract (First Tract), the northeast line of said 20.0 acre tract, and the



northeast line of said 10.0 acre tract (Second Tract), leaving Zane Township, Logan County and entering Rush Township, Champaign County, to an iron bar set at the northernmost corner of James P. Reid's and Carolyn J. Reid's 38.62 acre, Tract II, described in Champaign County Deed Volume 245, page 399;

Thence South 55°35'04" West 1695.87 feet, departing from the southwest line of V.M.S. 4658-4678 and the southwest line of said 137.10 acre tract, entering V.M.S. 4666, following the southeast line of said 10.0 acre tract (Second Tract), the northwest line of said 38.62 acre tract, and the northwest line of Charles Frederick Sheehe's 74.19 acre tract described in Logan County Deed Volume 325, page 301 and in Champaign County Deed Volume 200, page 716, leaving Rush Township, Champaign County and reentering Wayne Township, Champaign County, passing an iron bar set at 1665.84 feet, to a magnetic nail set in the centerline of Sheehe Road;

Thence North 37°00'00" West 1305.31 feet, following the centerline of Sheehe Road, the southwest line of said 10.0 acre tract (Second Tract), the southwest line of said 20.0 acre tract, the southwest line of said 10.0 acre tract (First Tract), the southwest line of said 10.0 acre tract (Third Tract), and the northeast line of said 96.17 acre tract, passing at 1071.98 feet, a 5/8 inch iron bar found at an angle point in the centerline of said Sheehe Road, departing from the centerline of said Sheehe Road thereafter, to the place of beginning, containing 50.249 acres, more or less, and subject to all valid easements and restrictions of record.

Of the above-described 50.249 acre tract of land, 18.335 acres are within Zane Township, Logan County, 31.914 acres are within Champaign County (22.626 acres in Wayne Township and 9.288 acres in Rush Township). The road right-of-way of Sheehe Road (Champaign County Road 148) contains 1.044 acres.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of February 2012. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline of Sheehe Road (Champaign County Road 148, 60 feet wide) bearing North 37°00'00" West.

Description prepared by:

George A. Blackburn, R.S. #7873

12125 Green Street

Middleburg, Ohio 43336

(937) 666-5605



INDEXED ON MAP

(937) 597-2700

F.B. 19, pg. 12

CHARLES SHEEHE AND MIKE FUNDERBURGH

OF 1



DESCRIPTION OF SURVEY FOR THE ESTATE OF JOHN L. WESTFALL 73.204 ACRES April 14, 2020

The following described 73.204 acre tract of land is situated in Virginia Military Surveys 3688 and 4658 – 4678, Zane Township, Logan County, Ohio and being all of the remainder of Parcel VI, Tract I (originally 100.72 acres) and part of Parcel VII (137.10 acres) conveyed to Alice A. Westfall, Trustee (1/2 interest) in Official Record Volume 369, page 590 and to John L. Westfall, Trustee (1/2 interest) in Official Record Volume 369, page 599, said 73.204 acre tract more particularly described as follows:

Beginning at a magnetic nail found in the centerline of State Route 559 (60 feet wide) and at the easternmost corner of V.M.S. 3688 and at the northernmost corner of V.M.S. 4658 – 4678, said magnetic nail also at the easternmost corner of Jerry L. Simpson's and Harriett J. Simpson's 108.39 acre tract described in Official Record Volume 81, page 94 and at the northernmost corner of said Parcel VII (137.10 acres);

Thence **South 33°11′21″ East 80.00 feet**, following the centerline of State Route 559, the northeast line of V.M.S. 4658 – 4678 and the northeast line of said Parcel VII (137.10 acres), to a magnetic spike set;

Thence **South 54°41′45" West 1780.22 feet**, departing from the centerline of State Route 559, entering V.M.S. 4658 – 4678 and entering said Parcel VII (137.10 acres), passing an iron bar set at 30.02 feet, to an iron bar set;

Thence North 35°18'15" West 61.26 feet to an iron bar set;

Thence South 56°37'11" West 491.24 feet to an iron bar set;


Thence South 60°14'11" West 828.23 feet to an iron bar set;

Thence **North 41°15′17" West 48.00 feet** to an iron bar set next to a 12 inch wood corner post found in the southeast line of V.M.S. 3688 and in the northwest line of V.M.S. 4658 – 4678, said iron bar also at the easternmost corner of Four Henry LLC's 150.759 acre tract described in Official Record Volume 993, page 961 and at the southernmost corner of said Parcel VI, Tract I (originally 100.72 acres);

Thence **North 32°33′03″ West 1749.25 feet**, departing from the northwest line of V.M.S. 4658 – 4678 and entering V.M.S. 3688, following the northeast line of said 150.759 acre tract and a southwest line of the remainder of said Parcel VI, Tract I (originally 100.72 acres), to a 5/8 inch iron bar found at the southernmost corner of Douglas A. Lininger's and Paul H. Lininger's Tract I (29.008 acres) described in Official Record Volume 351, page 978;

Thence **North 63°27'06" East 531.95 feet**, departing from the northeast line of said 150.759 acre tract, following the southeast line of said 29.008 acre tract and a northwest line of the remainder of said Parcel VI, Tract I (originally 100.72 acres), to a 5/8 inch iron bar found;

Thence **North 60°57'47" East 406.21 feet**, following the southeast line of said 29.008 acre tract and a northwest line of the remainder of said Parcel VI, Tract I (originally 100.72 acres), to a 5/8 inch iron bar found;



Thence **North 32°06′40″ West 1108.11 feet**, following the northeast line of said 29.008 acre tract and a southwest line of the remainder of said Parcel VI, Tract I (originally 100.72 acres), to a 5/8 inch iron bar found in the southeast line of H. Cleon Lininger, Trustee's Parcel 1 (71 acres) described in Official Record Volume 428, page 967;

Thence **North 60°44′01" East 500.14 feet**, following the southeast line of said 71 acre tract and a northwest line of the remainder of said Parcel VI, Tract I (originally 100.72 acres), to an iron bar set in the southwest line of said Simpson's 108.39 acre tract;

Thence **South 31°50′37″ East 2806.32 feet**, following the southwest line of said 108.39 acre tract and a northeast line of the remainder of said Parcel VI, Tract I (originally 100.72 acres), to an iron bar set in the northwest line of V.M.S. 4658 – 4678 and in the southeast line of V.M.S. 3688, said iron bar also in the northwest line of said Parcel VII (137.10 acres);

Thence North 54°41′45″ East 1700.22 feet, following the southeast line of V.M.S. 3688, the northwest line of V.M.S. 4658 – 4678, the southeast line of said 108.39 acre tract and the northwest line of said Parcel VII (137.10 acres), passing an iron bar set at 1670.21 feet, to the place of beginning, containing 73.204 acres more or less and subject to all valid easements and restrictions of record.

The 73.204 acre tract of land described herein contains 69.076 acres within V.M.S. 3688 (all being part of said Parcel VI, Tract I (originally 100.72 acres)) and 4.128 acres within V.M.S. 4658 – 4678 (all being part of said Parcel VII (137.10 acres)).

The road right-of-way of State Route 559 contains 0.055 acres.

The above description was prepared from an actual field survey made by George A. Blackburn, Registered Surveyor #7873, during the month of April 2020. Iron bars set are 5/8 inch by 30 inch reinforcing rods with plastic caps marked "Blackburn RS #7873." Bearings indicated herein are based on the centerline State Route 559 bearing South 33°11′21" East.

Description prepared by: __

George A. Blackburn, R.S. #7873


6879 State Route 287

West Liberty, Ohio 43357

(937) 465-0424



INDEXED ON MAP



WEST LIBERTY, DHID 43357 (937) 465-0424

5-4-2020

|FILE: John Westfall 4A-20|

JOHN WESTFALL ESTATE

INDEXED ON MAP 1095 AND 9245

OF