

East Right of Line  
 $\Delta = 18^{\circ} - 12' - 00''$  Lt.  
 $D = 984.50$   
 $R = 984.50$

S. R. No. 368

Arc - 45'  
 $\Delta = 0^{\circ} - 43' - 38''$   
 $R = 984.50$   
 $T = 6.25$

Arc - 35.20'  
 $\Delta = 2^{\circ} - 02' - 56''$   
 $R = 984.50$   
 $T = 17.61$

Arc - 45.80'  
 $\Delta = 2^{\circ} - 39' - 56''$   
 $R = 984.50$   
 $T = 22.91$

13

N.  $65^{\circ} - 58' - 50''$  W. 106.52'

14

6,226.805<sup>sq</sup> ft.  
 or  
 0.143 Acres

15

4,991.515<sup>sq</sup> ft.  
 or  
 0.115 Acres

16

S.  $66^{\circ} - 42' - 00''$  E. 112.00'

Chord N.  $17^{\circ} - 59' - 14''$  E. 35.20'

S.  $65^{\circ} - 23' - 52''$  E. 12.50'

Chord N.  $18^{\circ} - 13' - 00''$  E. 12.50'

N.  $67^{\circ} - 27' - 00''$  W. 119.90'

S.  $67^{\circ} - 27' - 00''$  E. 114.00'

1,335.671<sup>sq</sup> ft. or 0.031 Acres  
 Basis of Bearing

End of Concrete Seawall




End of Concrete Seawalls



End of Concrete Seawall.

Lake

Indian



Scale: 1" = 20'

SYMBOLS:

- - 1/2" Iron Pipe Fd.
- - 5/8" x 30" Rebars Set.
- ⊙ - Concrete Monuments Fd.

Reference:  
 Lake Ridge Subdivision (7-1-1957).  
 Plat Cabinet A Slide 354.

Risch Survey - Lots No. 14-15,  
 Lake Ridge Subdivision, V.M.S. No. 12276,  
 Stokes Township, Logan County, Ohio.

SCALE: 1" = 20'	APPROVED BY:	DRAWN BY DEG
DATE: 11-18-1999		REVISED

*Daniel E. Gilbert*

Daniel E. Gilbert, P.S.  
 Reg. Sur. No. 5402

DRAWING NUMBER  
 099-044



INDEXED ON MAP  
 4289

S-476